

**STATE OF ALABAMA**  
**FISCAL YEAR 2015**  
**HIGHWAY SAFETY PLAN**

Prepared for

THE US DEPARTMENT OF TRANSPORTATION  
NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION  
and  
FEDERAL HIGHWAY ADMINISTRATION


by the

STATE OF ALABAMA  
Robert Bentley, Governor

ALABAMA DEPARTMENT OF ECONOMIC AND COMMUNITY AFFAIRS  
LAW ENFORCEMENT AND TRAFFIC SAFETY DIVISION

Jim Byard, Jr., ADECA – Director  
William M. Babington, Division Chief

June 30, 2014



## Table of Contents

|  |    |
|--|----|
| <b>STATE OF ALABAMA</b> .....  | 1  |
| CERTIFICATION AND ASSURANCES .....   | 6  |
| COST SUMMARY .....   | 16 |
| EXECUTIVE SUMMARY .....  | 21 |
| PROBLEM IDENTIFICATION .....   | 27 |
| VISION, IDEALS, MISSION .....  | 32 |
| GOALS AND STRATEGIES .....   | 33 |
| Process for Developing Goals .....   | 33 |
| Statewide Statistics 2007-2013 .....   | 34 |
| Traffic Safety Performance Measures for FY 2015 .....  | 35 |
| General Considerations .....   | 35 |
| C-1 Number of Traffic Fatalities (FARS) .....  | 37 |
| C-2 Number of Severe Injuries in Traffic Crashes .....   | 37 |
| C-3a Total Fatality Rate/VMT (FARS/FHWA) .....   | 38 |
| C-3b Rural Fatality Rate/VMT (FARS) .....  | 38 |
| C-3c Urban Fatality Rate/VMT (FARS) .....  | 39 |
| C-4 Number of Unrestrained Passenger Vehicle Occupant Fatalities, All Seat Positions (FARS) .....  | 39 |
| C-5 Number of Fatalities in crashes involving a driver or motorcycle operator with a BAC of .08 and above (data shown as Alcohol-Impaired Driving Fatalities in STSI-FARS) ..... | 40 |
| C-6 Number of Speeding-Related Fatalities (FARS) .....   | 40 |
| C-7 Number of Motorcyclist Fatalities (FARS) .....   | 41 |
| C-8 Number of Unhelmeted Motorcyclist Fatalities (FARS) .....  | 41 |
| C-9 Number of drivers age 20 or younger involved in Fatal Crashes (FARS) .....   | 42 |
| C-10 Number of Pedestrian Fatalities (FARS) .....  | 42 |
| C-11 Number of Bicyclist Fatalities (FARS) .....   | 43 |
| B-1 Observed Seat Belt Use for Passenger Vehicles, Front Seat Outboard Occupants (State Survey). .....   | 43 |
| Traffic Safety Activity Measures .....   | 44 |
| A-1 Number of seat belt citations .....  | 44 |
| A-2 Number of impaired driving arrests .....   | 44 |

|   |     |
|---|-----|
| A-3 Number of speeding citations .....  | 45  |
| Overall Program Goals .....   | 46  |
| FY 2015 Strategies and Performance Goals .....  | 50  |
| Administrative Goals .....  | 54  |
| Traffic Records .....   | 54  |
| Legislative Goals .....   | 56  |
| HOTSPOT LISTINGS AND REGIONAL REPORTS .....   | 57  |
| PLANNED ACTIVITIES .....  | 93  |
| OCCUPANT PROTECTION PLAN FOR STATE OF ALABAMA .....   | 104 |
| FY 2015 – SECTION 405b .....  | 104 |
| Executive Summary .....   | 104 |
| Introduction .....  | 108 |
| Problem Identification .....  | 110 |
| Procedure for the Problem Identification .....  | 110 |
| Problem Identification Results .....  | 111 |
| Data Driven Enforcement Program (DDEP) Hotspot Analysis .....   | 111 |
| Other Problem Identification Analysis Results .....   | 118 |
| Focus Area and Age Groups .....   | 119 |
| Program Management .....  | 121 |
| Vision and Mission Statements .....   | 121 |
| Goals and Strategies .....  | 122 |
| Occupant Protection Performance Measures and Goals .....  | 123 |
| HSP Metric C-4. Number of unrestrained passenger vehicle occupant fatalities, all seat positions (FARS) ..... | 124 |
| HSP Metric B-1. Observed seat belt use for passenger vehicles, front seat outboard occupants (survey) .....   | 124 |
| Strategies for FY 2015 .....  | 125 |
| Child Restraint Laws .....  | 126 |
| Proposed Legislation .....  | 126 |
| Data Driven Enforcement Program (DDEP) .....  | 128 |
| General Program Overview .....  | 128 |
| Data Driven Enforcement Programs (DDEP) .....   | 128 |
| Seat Belt Enforcement Plan .....  | 129 |
| Click It or Ticket (CIOT) .....   | 129 |
| Overall CIOT Summary .....  | 129 |

|   |     |
|---|-----|
| Media Plan for CIOT .....   | 130 |
| CIOT Evaluation.....  | 132 |
| General Restraint Data Driven Enforcement Program .....                   | 133 |
| Child Restraint Data Driven Enforcement Efforts.....                      | 133 |
| Communication Program.....  | 134 |
| Occupant Protection for Children Program .....                            | 134 |
| Alabama Child Passenger Safety (CPS) Program .....                        | 135 |
| Increase Number of Certified Child Passenger Technicians .....            | 137 |
| Additional Inspection Stations.....                                       | 138 |
| Increased Communication and Awareness .....                               | 143 |
| Data Driven Enforcement Program for Child Restraints.....                 | 143 |
| Data and Program Evaluation .....   | 144 |
| Observational Survey of Occupant Protection and Child Restraint Use ..... | 144 |
| Data Driven Enforcement Citation Analysis .....                           | 144 |
| Rural-Urban Analysis .....  | 145 |
| 16-25 Year Old Driver Analysis .....                                      | 146 |
| Restraint Citation Coverage Analysis.....                                 | 147 |
| Continued Problem Identification and Evaluation Efforts .....             | 147 |
| ATTACHMENT A – LOCATION HOTSPOT RESTRAINT PROBLEM IDENTIFICATION .....    | 148 |
| ATTACHMENT B – RESTRAINT ISSUES DETAILED PROBLEM IDENTIFICATION           | 200 |
| Introduction.....   | 201 |
| Geographical Factors .....  | 202 |
| County.....   | 202 |
| City .....  | 203 |
| Rural/Urban .....   | 204 |
| Highway Classification.....   | 205 |
| Locale .....  | 206 |
| Time Factors .....  | 207 |
| Day of the Week .....   | 207 |
| Time of Day .....   | 208 |
| Crash Causal Factors .....  | 209 |
| Primary Contributing Circumstance .....                                   | 209 |
| Vehicle Age – Model Year .....  | 210 |
| Speed at Impact.....  | 211 |

|   |     |
|---|-----|
| Severity Factors .....                                    | 212 |
| Crash Severity.....                                       | 212 |
| Crash Severity Urban vs. Rural .....                      | 213 |
| Number Injured (Including Fatalities) .....               | 214 |
| Number Killed .....                                       | 215 |
| Driver Ejection Status .....                              | 216 |
| Ejection Status by Severity .....                         | 217 |
| Driver Injury Type.....                                   | 218 |
| Driver Demographics.....                                  | 219 |
| Driver Age .....  | 219 |
| Driver Gender .....                                       | 220 |
| Driver Gender by Severity .....                           | 221 |
| Restraints Not Used in Rural Crashes – Times .....        | 222 |
| Restraints Not Used Causal Driver Age 16-20 – Times ..... | 223 |
| Restraints Not Used Causal Driver Age 21-25 – Times ..... | 224 |
| Summary and Conclusions .....                             | 225 |
| Alabama Performance Report.....                           | 227 |
| Alabama Overtime Grant Review Policy and Procedures.....  | 232 |

## **CERTIFICATION AND ASSURANCES FOR HIGHWAY SAFETY GRANTS (23 U.S.C. CHAPTER 4)**

State: Alabama

Fiscal Year: 2015

Each fiscal year the State must sign these Certifications and Assurances that it complies with all requirements including applicable Federal statutes and regulations that are in effect during the grant period. (Requirements that also apply to subrecipients are noted under the applicable caption.)

In my capacity as the Governor's Representative for Highway Safety, I hereby provide the following certifications and assurances:

### **GENERAL REQUIREMENTS**

To the best of my personal knowledge, the information submitted in the Highway Safety Plan in support of the State's application for Section 402 and Section 405 grants is accurate and complete. (Incomplete or incorrect information may result in the disapproval of the Highway Safety Plan.)

The Governor is the responsible official for the administration of the State highway safety program through a State highway safety agency that has adequate powers and is suitably equipped and organized (as evidenced by appropriate oversight procedures governing such areas as procurement, financial administration, and the use, management, and disposition of equipment) to carry out the program. (23 U.S.C. 402(b)(1)(A))

The State will comply with applicable statutes and regulations, including but not limited to:

- 23 U.S.C. Chapter 4 - Highway Safety Act of 1966, as amended
- 49 CFR Part 18 - Uniform Administrative Requirements for Grants and Cooperative Agreements to State and Local Governments
- 23 CFR Part 1200 – Uniform Procedures for State Highway Safety Grant Programs

The State has submitted appropriate documentation for review to the single point of contact designated by the Governor to review Federal programs, as required by Executive Order 12372 (Intergovernmental Review of Federal Programs).

### **FEDERAL FUNDING ACCOUNTABILITY AND TRANSPARENCY ACT (FFATA)**

The State will comply with FFATA guidance, OMB Guidance on FFATA Subaward and Executive Compensation Reporting, August 27, 2010, ([https://www.fsrcs.gov/documents/OMB\\_Guidance\\_on\\_FFATA\\_Subaward\\_and\\_Executive\\_Compensation\\_Reporting\\_08272010.pdf](https://www.fsrcs.gov/documents/OMB_Guidance_on_FFATA_Subaward_and_Executive_Compensation_Reporting_08272010.pdf)) by reporting to FSRs.gov for each sub-grant awarded:

- Name of the entity receiving the award;
- Amount of the award;

- Information on the award including transaction type, funding agency, the North American Industry Classification System code or Catalog of Federal Domestic Assistance number (where applicable), program source;
- Location of the entity receiving the award and the primary location of performance under the award, including the city, State, congressional district, and country; and an award title descriptive of the purpose of each funding action;
- A unique identifier (DUNS);
- The names and total compensation of the five most highly compensated officers of the entity if:
  - (i) the entity in the preceding fiscal year received—
    - (I) 80 percent or more of its annual gross revenues in Federal awards;
    - (II) \$25,000,000 or more in annual gross revenues from Federal awards; and
  - (ii) the public does not have access to information about the compensation of the senior executives of the entity through periodic reports filed under section 13(a) or 15(d) of the Securities Exchange Act of 1934 (15 U.S.C. 78m(a), 78o(d)) or section 6104 of the Internal Revenue Code of 1986;
- Other relevant information specified by OMB guidance.

## **NONDISCRIMINATION**

The State highway safety agency will comply with all Federal statutes and implementing regulations relating to nondiscrimination. These include but are not limited to: (a) Title VI of the Civil Rights Act of 1964 (Pub. L. 88-352), which prohibits discrimination on the basis of race, color or national origin (and 49 CFR Part 21); (b) Title IX of the Education Amendments of 1972, as amended (20 U.S.C. 1681-1683 and 1685-1686), which prohibits discrimination on the basis of sex; (c) Section 504 of the Rehabilitation Act of 1973, as amended (29 U.S.C. 794), and the Americans with Disabilities Act of 1990 (Pub. L. 101-336), as amended (42 U.S.C. 12101, et seq.), which prohibits discrimination on the basis of disabilities (and 49 CFR Part 27); (d) the Age Discrimination Act of 1975, as amended (42 U.S.C. 6101-6107), which prohibits discrimination on the basis of age; (e) the Civil Rights Restoration Act of 1987 (Pub. L. 100-259), which requires Federal-aid recipients and all subrecipients to prevent discrimination and ensure nondiscrimination in all of their programs and activities; (f) the Drug Abuse Office and Treatment Act of 1972 (Pub. L. 92-255), as amended, relating to nondiscrimination on the basis of drug abuse; (g) the comprehensive Alcohol Abuse and Alcoholism Prevention, Treatment and Rehabilitation Act of 1970 (Pub. L. 91-616), as amended, relating to nondiscrimination on the basis of alcohol abuse or alcoholism; (h) Sections 523 and 527 of the Public Health Service Act of 1912, as amended (42 U.S.C. 290dd-3 and 290ee-3), relating to confidentiality of alcohol and drug abuse patient records; (i) Title VIII of the Civil Rights Act of 1968, as amended (42 U.S.C. 3601, et seq.), relating to nondiscrimination in the sale, rental or financing of housing; (j) any other nondiscrimination provisions in the specific statute(s) under which application for Federal assistance is being made; and (k) the requirements of any other nondiscrimination statute(s) which may apply to the application.

## **THE DRUG-FREE WORKPLACE ACT OF 1988(41 USC 8103)**

The State will provide a drug-free workplace by:

- Publishing a statement notifying employees that the unlawful manufacture, distribution, dispensing, possession or use of a controlled substance is prohibited in the grantee's workplace and specifying the actions that will be taken against employees for violation of such prohibition;
- Establishing a drug-free awareness program to inform employees about:
  - o The dangers of drug abuse in the workplace.
  - o The grantee's policy of maintaining a drug-free workplace.
  - o Any available drug counseling, rehabilitation, and employee assistance programs.
  - o The penalties that may be imposed upon employees for drug violations occurring in the workplace.
  - o Making it a requirement that each employee engaged in the performance of the grant be given a copy of the statement required by paragraph (a).
- Notifying the employee in the statement required by paragraph (a) that, as a condition of employment under the grant, the employee will –
  - o Abide by the terms of the statement.
  - o Notify the employer of any criminal drug statute conviction for a violation occurring in the workplace no later than five days after such conviction.
- Notifying the agency within ten days after receiving notice under subparagraph (d)(2) from an employee or otherwise receiving actual notice of such conviction.
- Taking one of the following actions, within 30 days of receiving notice under subparagraph (d)(2), with respect to any employee who is so convicted –
  - o Taking appropriate personnel action against such an employee, up to and including termination.
  - o Requiring such employee to participate satisfactorily in a drug abuse assistance or rehabilitation program approved for such purposes by a Federal, State, or local health, law enforcement, or other appropriate agency.
- Making a good faith effort to continue to maintain a drug-free workplace through implementation of all of the paragraphs above.

## **BUY AMERICA ACT**

The State will comply with the provisions of the Buy America Act (49 U.S.C. 5323(j)), which contains the following requirements:

Only steel, iron and manufactured products produced in the United States may be purchased with Federal funds unless the Secretary of Transportation determines that such domestic purchases would be inconsistent with the public interest, that such materials are not reasonably available and of a satisfactory quality, or that inclusion of domestic materials will increase the cost of the overall project contract by more than 25 percent. Clear justification for the purchase of non-domestic items must be in the form of a waiver request submitted to and approved by the Secretary of Transportation.



## **POLITICAL ACTIVITY (HATCH ACT)**

The State will comply with provisions of the Hatch Act (5 U.S.C. 1501-1508) which limits the political activities of employees whose principal employment activities are funded in whole or in part with Federal funds.

## **CERTIFICATION REGARDING FEDERAL LOBBYING**

Certification for Contracts, Grants, Loans, and Cooperative Agreements

The undersigned certifies, to the best of his or her knowledge and belief, that:

1. No Federal appropriated funds have been paid or will be paid, by or on behalf of the undersigned, to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with the awarding of any Federal contract, the making of any Federal grant, the making of any Federal loan, the entering into of any cooperative agreement, and the extension, continuation, renewal, amendment, or modification of any Federal contract, grant, loan, or cooperative agreement.
2. If any funds other than Federal appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with this Federal contract, grant, loan, or cooperative agreement, the undersigned shall complete and submit Standard Form-LLL, "Disclosure Form to Report Lobbying," in accordance with its instructions.
3. The undersigned shall require that the language of this certification be included in the award documents for all sub-award at all tiers (including subcontracts, subgrants, and contracts under grant, loans, and cooperative agreements) and that all subrecipients shall certify and disclose accordingly.

This certification is a material representation of fact upon which reliance was placed when this transaction was made or entered into. Submission of this certification is a prerequisite for making or entering into this transaction imposed by section 1352, title 31, U.S. Code. Any person who fails to file the required certification shall be subject to a civil penalty of not less than \$10,000 and not more than \$100,000 for each such failure.

## **RESTRICTION ON STATE LOBBYING**

None of the funds under this program will be used for any activity specifically designed to urge or influence a State or local legislator to favor or oppose the adoption of any specific legislative proposal pending before any State or local legislative body. Such activities include both direct and indirect (e.g., "grassroots") lobbying activities, with one exception. This does not preclude a State official whose salary is supported with NHTSA funds from engaging in direct communications with State or local legislative officials, in accordance with customary State practice, even if such communications urge legislative officials to favor or oppose the adoption of a specific pending legislative proposal.

## **CERTIFICATION REGARDING DEBARMENT AND SUSPENSION**

### **Instructions for Primary Certification**

1. By signing and submitting this proposal, the prospective primary participant is providing the certification set out below.
2. The inability of a person to provide the certification required below will not necessarily result in denial of participation in this covered transaction. The prospective participant shall submit an explanation of why it cannot provide the certification set out below. The certification or explanation will be considered in connection with the department or agency's determination whether to enter into this transaction. However, failure of the prospective primary participant to furnish a certification or an explanation shall disqualify such person from participation in this transaction.
3. The certification in this clause is a material representation of fact upon which reliance was placed when the department or agency determined to enter into this transaction. If it is later determined that the prospective primary participant knowingly rendered an erroneous certification, in addition to other remedies available to the Federal Government, the department or agency may terminate this transaction for cause or default.
4. The prospective primary participant shall provide immediate written notice to the department or agency to which this proposal is submitted if at any time the prospective primary participant learns its certification was erroneous when submitted or has become erroneous by reason of changed circumstances.
5. The terms *covered transaction*, *debarred*, *suspended*, *ineligible*, *lower tier covered transaction*, *participant*, *person*, *primary covered transaction*, *principal*, *proposal*, and *voluntarily excluded*, as used in this clause, have the meaning set out in the Definitions and coverage sections of 49 CFR Part 29. You may contact the department or agency to which this proposal is being submitted for assistance in obtaining a copy of those regulations.

6. The prospective primary participant agrees by submitting this proposal that, should the proposed covered transaction be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is proposed for debarment under 48 CFR Part 9, subpart 9.4, debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction, unless authorized by the department or agency entering into this transaction.

7. The prospective primary participant further agrees by submitting this proposal that it will include the clause titled "Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion-Lower Tier Covered Transaction," provided by the department or agency entering into this covered transaction, without modification, in all lower tier covered transactions and in all solicitations for lower tier covered transactions.

8. A participant in a covered transaction may rely upon a certification of a prospective participant in a lower tier covered transaction that it is not proposed for debarment under 48 CFR Part 9, subpart 9.4, debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless it knows that the certification is erroneous. A participant may decide the method and frequency by which it determines the eligibility of its principals. Each participant may, but is not required to, check the list of Parties Excluded from Federal Procurement and Non-procurement Programs.

9. Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and information of a participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.

10. Except for transactions authorized under paragraph 6 of these instructions, if a participant in a covered transaction knowingly enters into a lower tier covered transaction with a person who is proposed for debarment under 48 CFR Part 9, subpart 9.4, suspended, debarred, ineligible, or voluntarily excluded from participation in this transaction, in addition to other remedies available to the Federal Government, the department or agency may terminate this transaction for cause or default.

*Certification Regarding Debarment, Suspension, and Other Responsibility Matters-Primary Covered Transactions*

(1) The prospective primary participant certifies to the best of its knowledge and belief, that its principals:

(a) Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded by any Federal department or agency;

(b) Have not within a three-year period preceding this proposal been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State or local) transaction or contract under a public transaction; violation of Federal or State anti-trust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of record, making false statements, or receiving stolen property;

(c) Are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State or Local) with commission of any of the offenses enumerated in paragraph (1)(b) of this certification; and

(d) Have not within a three-year period preceding this application/proposal had one or more public transactions (Federal, State, or local) terminated for cause or default.

(2) Where the prospective primary participant is unable to certify to any of the Statements in this certification, such prospective participant shall attach an explanation to this proposal.

#### Instructions for Lower Tier Certification

1. By signing and submitting this proposal, the prospective lower tier participant is providing the certification set out below.

2. The certification in this clause is a material representation of fact upon which reliance was placed when this transaction was entered into. If it is later determined that the prospective lower tier participant knowingly rendered an erroneous certification, in addition to other remedies available to the Federal government, the department or agency with which this transaction originated may pursue available remedies, including suspension and/or debarment.

3. The prospective lower tier participant shall provide immediate written notice to the person to which this proposal is submitted if at any time the prospective lower tier participant learns that its certification was erroneous when submitted or has become erroneous by reason of changed circumstances.

4. The terms *covered transaction*, *debarred*, *suspended*, *ineligible*, *lower tier covered transaction*, *participant*, *person*, *primary covered transaction*, *principal*, *proposal*, and *voluntarily excluded*, as used in this clause, have the meanings set out in the Definition and Coverage sections of 49 CFR Part 29. You may contact the person to whom this proposal is submitted for assistance in obtaining a copy of those regulations.

5. The prospective lower tier participant agrees by submitting this proposal that, should the proposed covered transaction be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is proposed for debarment under 48 CFR Part 9, subpart 9.4, debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction, unless authorized by the department or agency with which this transaction originated.

6. The prospective lower tier participant further agrees by submitting this proposal that it will include the clause titled "Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion -- Lower Tier Covered Transaction," without modification, in all lower tier covered transactions and in all solicitations for lower tier covered transactions. (See below)

7. A participant in a covered transaction may rely upon a certification of a prospective participant in a lower tier covered transaction that it is not proposed for debarment under 48 CFR

Part 9, subpart 9.4, debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless it knows that the certification is erroneous. A participant may decide the method and frequency by which it determines the eligibility of its principals. Each participant may, but is not required to, check the List of Parties Excluded from Federal Procurement and Non-procurement Programs.

8. Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and information of a participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.

9. Except for transactions authorized under paragraph 5 of these instructions, if a participant in a covered transaction knowingly enters into a lower tier covered transaction with a person who is proposed for debarment under 48 CFR Part 9, subpart 9.4, suspended, debarred, ineligible, or voluntarily excluded from participation in this transaction, in addition to other remedies available to the Federal government, the department or agency with which this transaction originated may pursue available remedies, including suspension and/or debarment.

*Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion -- Lower Tier Covered Transactions:*

1. The prospective lower tier participant certifies, by submission of this proposal, that neither it nor its principals is presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participation in this transaction by any Federal department or agency.

2. Where the prospective lower tier participant is unable to certify to any of the statements in this certification, such prospective participant shall attach an explanation to this proposal.

**POLICY ON SEAT BELT USE**

In accordance with Executive Order 13043, Increasing Seat Belt Use in the United States, dated April 16, 1997, the Grantee is encouraged to adopt and enforce on-the-job seat belt use policies and programs for its employees when operating company-owned, rented, or personally-owned vehicles. The National Highway Traffic Safety Administration (NHTSA) is responsible for providing leadership and guidance in support of this Presidential initiative. For information on how to implement such a program, or statistics on the potential benefits and cost-savings to your company or organization, please visit the Buckle Up America section on NHTSA's website at [www.nhtsa.dot.gov](http://www.nhtsa.dot.gov). Additional resources are available from the Network of Employers for Traffic Safety (NETS), a public-private partnership headquartered in the Washington, D.C. metropolitan area, and dedicated to improving the traffic safety practices of employers and employees. NETS is prepared to provide technical assistance, a simple, user-friendly program kit, and an award for achieving the President's goal of 90 percent seat belt use. NETS can be contacted at 1 (888) 221-0045 or visit its website at [www.trafficsafety.org](http://www.trafficsafety.org).

## **POLICY ON BANNING TEXT MESSAGING WHILE DRIVING**

In accordance with Executive Order 13513, Federal Leadership On Reducing Text Messaging While Driving, and DOT Order 3902.10, Text Messaging While Driving, States are encouraged to adopt and enforce workplace safety policies to decrease crashes caused by distracted driving, including policies to ban text messaging while driving company-owned or -rented vehicles, Government-owned, leased or rented vehicles, or privately-owned when on official Government business or when performing any work on or behalf of the Government. States are also encouraged to conduct workplace safety initiatives in a manner commensurate with the size of the business, such as establishment of new rules and programs or re-evaluation of existing programs to prohibit text messaging while driving, and education, awareness, and other outreach to employees about the safety risks associated with texting while driving.

## **ENVIRONMENTAL IMPACT**

The Governor's Representative for Highway Safety has reviewed the State's Fiscal Year highway safety planning document and hereby declares that no significant environmental impact will result from implementing this Highway Safety Plan. If, under a future revision, this Plan is modified in a manner that could result in a significant environmental impact and trigger the need for an environmental review, this office is prepared to take the action necessary to comply with the National Environmental Policy Act of 1969 (42 U.S.C. 4321, et seq.) and the implementing regulations of the Council on Environmental Quality (40 CFR Parts 1500-1517).

## **SECTION 402 REQUIREMENTS**

The political subdivisions of this State are authorized, as part of the State highway safety program, to carry out within their jurisdictions local highway safety programs which have been approved by the Governor and are in accordance with the uniform guidelines promulgated by the Secretary of Transportation. (23 U.S.C. 402(b)(1)(B))

At least 40 percent (or 95 percent, as applicable) of all Federal funds apportioned to this State under 23 U.S.C. 402 for this fiscal year will be expended by or for the benefit of the political subdivision of the State in carrying out local highway safety programs (23 U.S.C. 402(b)(1)(C), 402(h)(2)), unless this requirement is waived in writing.

The State's highway safety program provides adequate and reasonable access for the safe and convenient movement of physically handicapped persons, including those in wheelchairs, across curbs constructed or replaced on or after July 1, 1976, at all pedestrian crosswalks. (23 U.S.C. 402(b)(1)(D))

The State will provide for an evidenced-based traffic safety enforcement program to prevent traffic violations, crashes, and crash fatalities and injuries in areas most at risk for such incidents. (23 U.S.C. 402(b) (1)(E))<sup>10</sup>

The State will implement activities in support of national highway safety goals to reduce motor vehicle related fatalities that also reflect the primary data-related crash factors within the State as identified by the State highway safety planning process, including:

- Participation in the National high-visibility law enforcement mobilizations;
- Sustained enforcement of statutes addressing impaired driving, occupant protection, and driving in excess of posted speed limits;
- An annual statewide seat belt use survey in accordance with 23 CFR Part 1340 for the measurement of State seat belt use rates;
- Development of statewide data systems to provide timely and effective data analysis to support allocation of highway safety resources;
- Coordination of Highway Safety Plan, data collection, and information systems with the State strategic highway safety plan, as defined in 23 U.S.C. 148(a).


(23 U.S.C. 402(b)(1)(F))

The State will actively encourage all relevant law enforcement agencies in the State to follow the guidelines established for vehicular pursuits issued by the International Association of Chiefs of Police that are currently in effect. (23 U.S.C. 402(j))

The State will not expend Section 402 funds to carry out a program to purchase, operate, or maintain an automated traffic enforcement system. (23 U.S.C. 402(c)(4))

**I understand that failure to comply with applicable Federal statutes and regulations may subject State officials to civil or criminal penalties and/or place the State in a high risk grantee status in accordance with 49 CFR 18.12.**

**I sign these Certifications and Assurances based on personal knowledge, after appropriate inquiry, and I understand that the Government will rely on these representations in awarding grant funds.**



Signature Governor's Representative for Highway Safety

William M. Babington

Printed name of Governor's Representative for Highway Safety

6/30/14

# COST SUMMARY

U.S. Department of Transportation National Highway Traffic Safety Administration

State: Alabama

## Highway Safety Plan Cost Summary

Page: 1

2015-HSP-2

Report Date: 09/18/2014

Posted: 09/15/2014

| Pro-gram Area                      | Project          | Description                              | Prior Ap-proved Pro-gram Funds | State Funds  | Previous Bal.  | In-cre/(Decre) | Current Bal-ance | Share to Local |
|------------------------------------|------------------|--|--------------------------------|--------------|----------------|----------------|------------------|----------------|
| NHTSA                              |                  |  |                                |              |                |                |                  |                |
| NHTSA 402                          |                  |  |                                |              |                |                |                  |                |
| Planning and Administration        |                  |  |                                |              |                |                |                  |                |
|                                    | PA-2015-00-00-00 | Planning & Administration                | \$200,000.00                   | \$200,000.00 | \$200,000.00   | \$ .00         | \$200,000.00     | \$ .00         |
| Planning and Administra-tion Total |                  |  | \$200,000.00                   | \$200,000.00 | \$200,000.00   | \$ .00         | \$200,000.00     | \$ .00         |
| Alcohol                            |                  |  |                                |              |                |                |                  |                |
|                                    | AL-2015-SP-AL-01 | Alcohol (Dept of Public Safety)          | \$33,894.46                    | \$ .00       | \$33,894.46    | \$ .00         | \$33,894.46      | \$ .00         |
| Alcohol Total                      |                  |  | \$33,894.46                    | \$ .00       | \$33,894.46    | \$ .00         | \$33,894.46      | \$ .00         |
| Police Traffic Services            |                  |  |                                |              |                |                |                  |                |
|                                    | PT-2015-SP-PT-01 | Police Traffic (NW Shoals Com Coll)      | \$72,000.00                    | \$ .00       | \$72,000.00    | \$ .00         | \$72,000.00      | \$72,000.00    |
|                                    | PT-2015-SP-PT-02 | Police Traffic (Shelton St Com Coll)     | \$56,000.00                    | \$ .00       | \$56,000.00    | \$ .00         | \$56,000.00      | \$56,000.00    |
|                                    | PT-2015-SP-PT-03 | Police Traffic (Etowah Cty Comm)         | \$208,000.00                   | \$ .00       | \$208,000.00   | \$ .00         | \$208,000.00     | \$208,000.00   |
|                                    | PT-2015-SP-PT-04 | Police Traffic (Mobile Cty Comm)         | \$176,000.00                   | \$ .00       | \$176,000.00   | \$ .00         | \$176,000.00     | \$176,000.00   |
|                                    | PT-2015-SP-PT-05 | Police Traffic (City of Montgomery)      | \$104,000.00                   | \$ .00       | \$104,000.00   | \$ .00         | \$104,000.00     | \$104,000.00   |
|                                    | PT-2015-SP-PT-06 | Police Traffic (Gadsden St Com Coll)     | \$24,000.00                    | \$ .00       | \$24,000.00    | \$ .00         | \$24,000.00      | \$24,000.00    |
|                                    | PT-2015-SP-PT-07 | Police Traffic (Enterprise St Com Coll)  | \$24,000.00                    | \$ .00       | \$24,000.00    | \$ .00         | \$24,000.00      | \$24,000.00    |
|                                    | PT-2015-SP-PT-08 | Police Traffic (Jefferson St Com Coll)   | \$128,000.00                   | \$ .00       | \$128,000.00   | \$ .00         | \$128,000.00     | \$128,000.00   |
|                                    | PT-2015-SP-PT-09 | Police Traffic (AL Tombigbee Reg Plan Co | \$8,000.00                     | \$ .00       | \$8,000.00     | \$ .00         | \$8,000.00       | \$8,000.00     |
|                                    | PT-2015-SP-PT-10 | Police Traffic (Dept of Public Safety)   | \$800,000.00                   | \$ .00       | \$800,000.00   | \$ .00         | \$800,000.00     | \$ .00         |
| Police Traffic Services Total      |                  |  | \$1,600,000.00                 | \$ .00       | \$1,600,000.00 | \$ .00         | \$1,600,000.00   | \$800,000.00   |
| Community Traffic Safety Project   |                  |  |                                |              |                |                |                  |                |
|                                    | CP-2015-00-00-00 | Section 402 Transfer Holding             | \$3,814,087.00                 | \$953,522.00 | \$3,814,087.00 | \$ .00         | \$3,814,087.00   | \$762,818.00   |
|                                    | CP-2015-SP-CP-01 | Comm Traffic Safety(NW Shoals Com Coll)  | \$320,000.00                   | \$106,666.67 | \$320,000.00   | \$ .00         | \$320,000.00     | \$320,000.00   |
|                                    | CP-2015-SP-CP-02 | Comm Traffic Safety(Shelton State Com Co | \$182,300.00                   | \$60,766.67  | \$182,300.00   | \$ .00         | \$182,300.00     | \$182,300.00   |



**U.S. Department of Transportation National Highway Traffic Safety Administration**

State: Alabama

**Highway Safety Plan Cost Summary**

**2015-HSP-2**

Page: 2

Report Date: 09/18/2014

Posted: 09/15/2014

| Pro-gram Area                                 | Project          | Description                               | Prior Ap-proved Pro-gram Funds | State Funds           | Previous Bal.         | In-cre/(D ecre) | Current Bal-ance      | Share to Local        |
|---|------------------|---|--------------------------------|-----------------------|-----------------------|-----------------|-----------------------|-----------------------|
|   | CP-2015-SP-CP-03 | Comm Traffic Safety(Etowah Cty Comm)      | \$210,786.99                   | \$210,786.99          | \$210,786.99          | \$0.00          | \$210,786.99          | \$210,786.99          |
|   | CP-2015-SP-CP-04 | Comm Traffic Safety(Mobile Cty Com)       | \$137,549.00                   | \$6,000.00            | \$137,549.00          | \$0.00          | \$137,549.00          | \$137,549.00          |
|   | CP-2015-SP-CP-05 | Comm Traffic Safety(City of Montgomery)   | \$84,018.38                    | \$28,006.13           | \$84,018.38           | \$0.00          | \$84,018.38           | \$84,018.38           |
|   | CP-2015-SP-CP-06 | Comm Traffic Safety(Gadsden ST Com Coll)  | \$126,380.00                   | \$126,380.00          | \$126,380.00          | \$0.00          | \$126,380.00          | \$126,380.00          |
|   | CP-2015-SP-CP-07 | Comm Traffic Safety(Enterprise St Com Co  | \$147,083.58                   | \$49,027.88           | \$147,083.58          | \$0.00          | \$147,083.58          | \$147,083.58          |
|   | CP-2015-SP-CP-08 | Comm Traffic Safety(Jefferson St Com Col  | \$165,020.00                   | \$79,612.14           | \$165,020.00          | \$0.00          | \$165,020.00          | \$165,020.00          |
|   | CP-2015-SP-CP-09 | Comm Traffic Safety(AL Tombigbee Reg PI   | \$109,440.00                   | \$109,440.00          | \$109,440.00          | \$0.00          | \$109,440.00          | \$109,440.00          |
|   | CP-2015-SP-CP-10 | ADECA Com Traffic Safety Program Man-ager | \$62,500.00                    | \$0.00                | \$62,500.00           | \$0.00          | \$62,500.00           | \$0.00                |
| <b>Community Traffic Safety Project Total</b> |                  |   | <b>\$5,359,164.95</b>          | <b>\$1,730,208.48</b> | <b>\$5,359,164.95</b> | <b>\$0.00</b>   | <b>\$5,359,164.95</b> | <b>\$2,245,395.95</b> |
| <b>NHTSA 402 Total</b>                        |                  |   | <b>\$7,193,059.41</b>          | <b>\$1,930,208.48</b> | <b>\$7,193,059.41</b> | <b>\$0.00</b>   | <b>\$7,193,059.41</b> | <b>\$3,045,395.95</b> |
| <b>405 OP SAFETEA-LU</b>                      |                  |   |                                |                       |                       |                 |                       |                       |
| <b>405 Occupant Protection</b>                |                  |   |                                |                       |                       |                 |                       |                       |
|   | K2-2015-HS-K2-01 | Child Passenger Safety(NW Shoals Comm Co  |                                | \$0.00                | \$0.00                | \$0.00          | \$79,296.79           | \$79,296.79           |
|   |                  |   |                                | \$0.00                | \$0.00                | \$0.00          | \$79,296.79           | \$0.00                |
| <b>405 Occupant Protection Total</b>          |                  |   |                                | <b>\$0.00</b>         | <b>\$0.00</b>         | <b>\$0.00</b>   | <b>\$79,296.79</b>    | <b>\$79,296.79</b>    |
| <b>405 OP SAFETEA-LU Total</b>                |                  |   |                                | <b>\$0.00</b>         | <b>\$0.00</b>         | <b>\$0.00</b>   | <b>\$79,296.79</b>    | <b>\$79,296.79</b>    |
| <b>408 Data Program SAFETEA-LU</b>            |                  |   |                                |                       |                       |                 |                       |                       |
| <b>408 Data Program Incentive</b>             |                  |   |                                |                       |                       |                 |                       |                       |
|   | K9-2015-HS-K9-01 | Data Program(AL Dept of Public Health)    | \$60,000.00                    | \$0.00                | \$60,000.00           | \$0.00          | \$60,000.00           | \$0.00                |
| <b>408 Data Program Incen-tive Total</b>      |                  |   | <b>\$60,000.00</b>             | <b>\$0.00</b>         | <b>\$60,000.00</b>    | <b>\$0.00</b>   | <b>\$60,000.00</b>    | <b>\$0.00</b>         |
| <b>408 Data Program SAFE-TEA-LU Total</b>     |                  |   | <b>\$60,000.00</b>             | <b>\$0.00</b>         | <b>\$60,000.00</b>    | <b>\$0.00</b>   | <b>\$60,000.00</b>    | <b>\$0.00</b>         |
| <b>410 Alcohol SAFETEA-LU</b>                 |                  |   |                                |                       |                       |                 |                       |                       |
| <b>410 Alcohol SAFETEA-LU</b>                 |                  |   |                                |                       |                       |                 |                       |                       |
|   | K8-2015-HS-K8-01 | Alcohol Enforcement(NW Shoals Com Coll)   | \$20,960.00                    | \$0.00                | \$20,960.00           | \$0.00          | \$20,960.00           | \$0.00                |
|   | K8-2015-HS-K8-02 | Alcohol Enforcement(Shelton St Com Coll)  | \$15,240.00                    | \$0.00                | \$15,240.00           | \$0.00          | \$15,240.00           | \$0.00                |

U.S. Department of Transportation National Highway Traffic Safety Administration

State: Alabama

**Highway Safety Plan Cost Summary**

Page: 3

**2015-HSP-2**

Report Date: 09/18/2014

Posted: 09/15/2014

| Program Area | Project  | Description                              | Prior Approved Program Funds | State Funds   | Previous Bal.         | Incre/(Decre) | Current Balance       | Share to Local |
|--------------|--|--|------------------------------|---------------|-----------------------|---------------|-----------------------|----------------|
|              | K8-2015-HS-K8-03                               | Alcohol Enforcement(Etowah Cty Com)      | \$30,480.00                  | \$ .00        | \$30,480.00           | \$ .00        | \$30,480.00           | \$ .00         |
|              | K8-2015-HS-K8-04                               | Alcohol Enforcement(City of Montgomery)  | \$26,660.00                  | \$ .00        | \$26,660.00           | \$ .00        | \$26,660.00           | \$ .00         |
|              | K8-2015-HS-K8-05                               | Alcohol Enforcement(City of Montgomery)  | \$21,900.00                  | \$ .00        | \$21,900.00           | \$ .00        | \$21,900.00           | \$ .00         |
|              | K8-2015-HS-K8-06                               | Alcohol Enforcement(Gadsden St Com Coll) | \$9,520.00                   | \$ .00        | \$9,520.00            | \$ .00        | \$9,520.00            | \$ .00         |
|              | K8-2015-HS-K8-07                               | Alcohol Enforcement(Enterprise St Com Co | \$18,100.00                  | \$ .00        | \$18,100.00           | \$ .00        | \$18,100.00           | \$ .00         |
|              | K8-2015-HS-K8-08                               | Alcohol Enforcement(Jefferson St Com Col | \$31,420.00                  | \$ .00        | \$31,420.00           | \$ .00        | \$31,420.00           | \$ .00         |
|              | K8-2015-HS-K8-09                               | Alcohol Enforcement(AL Tombigbee Reg Pla | \$25,720.00                  | \$ .00        | \$25,720.00           | \$ .00        | \$25,720.00           | \$ .00         |
|              | <b>410 Alcohol SAFETEA-LU Total</b>            |  | <b>\$200,000.00</b>          | <b>\$ .00</b> | <b>\$200,000.00</b>   | <b>\$ .00</b> | <b>\$200,000.00</b>   | <b>\$ .00</b>  |
|              | <b>410 Alcohol SAFETEA-LU Paid Media</b>       |  |                              |               |                       |               |                       |                |
|              | K8PM-2015-HS-K8-10                             | Alcohol PM (AL Dept of Commerce)         | \$400,000.00                 | \$ .00        | \$400,000.00          | \$ .00        | \$400,000.00          | \$ .00         |
|              | <b>410 Alcohol SAFETEA-LU Paid Media Total</b> |  | <b>\$400,000.00</b>          | <b>\$ .00</b> | <b>\$400,000.00</b>   | <b>\$ .00</b> | <b>\$400,000.00</b>   | <b>\$ .00</b>  |
|              | <b>410 Alcohol SAFETEA-LU Total</b>            |  | <b>\$600,000.00</b>          | <b>\$ .00</b> | <b>\$600,000.00</b>   | <b>\$ .00</b> | <b>\$600,000.00</b>   | <b>\$ .00</b>  |
|              | <b>MAP 21 405b OP High</b>                     |  |                              |               |                       |               |                       |                |
|              | <b>405b OP High</b>                            |  |                              |               |                       |               |                       |                |
|              | M1X-2015-00-00-00                              | MAP 21 405b Transfer Holding             | \$1,026,199.00               | \$ .00        | \$1,026,199.00        | \$ .00        | \$1,026,199.00        | \$ .00         |
|              | <b>405b OP High Total</b>                      |  | <b>\$1,026,199.00</b>        | <b>\$ .00</b> | <b>\$1,026,199.00</b> | <b>\$ .00</b> | <b>\$1,026,199.00</b> | <b>\$ .00</b>  |
|              | <b>MAP 21 405b OP High Total</b>               |  | <b>\$1,026,199.00</b>        | <b>\$ .00</b> | <b>\$1,026,199.00</b> | <b>\$ .00</b> | <b>\$1,026,199.00</b> | <b>\$ .00</b>  |
|              | <b>MAP 21 405b OP Low</b>                      |  |                              |               |                       |               |                       |                |
|              | <b>405b Low HVE</b>                            |  |                              |               |                       |               |                       |                |
|              | M2HVE-2015-HS-M2-01                            | CIOT (NW Shoals Com Coll)                | \$20,500.00                  | \$ .00        | \$20,500.00           | \$ .00        | \$20,500.00           | \$ .00         |
|              | M2HVE-2015-HS-M2-02                            | CIOT (Shelton St Com Coll)               | \$19,940.00                  | \$ .00        | \$19,940.00           | \$ .00        | \$19,940.00           | \$ .00         |
|              | M2HVE-2015-HS-M2-03                            | CIOT (Etowah Cty Comm)                   | \$27,700.00                  | \$ .00        | \$27,700.00           | \$ .00        | \$27,700.00           | \$ .00         |
|              | M2HVE-2015-HS-M2-04                            | CIOT (Mobile Cty Comm)                   | \$23,260.00                  | \$ .00        | \$23,260.00           | \$ .00        | \$23,260.00           | \$ .00         |
|              | M2HVE-2015-HS-M2-05                            | CIOT (City of Montgomery)                | \$27,140.00                  | \$ .00        | \$27,140.00           | \$ .00        | \$27,140.00           | \$ .00         |
|              | M2HVE-2015-HS-M2-06                            | CIOT (Gadsden St Com Coll)               | \$24,380.00                  | \$ .00        | \$24,380.00           | \$ .00        | \$24,380.00           | \$ .00         |
|              | M2HVE-2015-HS-M2-07                            | CIOT (Enterprise St Com Coll)            | \$11,640.00                  | \$ .00        | \$11,640.00           | \$ .00        | \$11,640.00           | \$ .00         |
|              | M2HVE-2015-HS-M2-08                            | CIOT (Jefferson St Com Coll)             | \$31,580.00                  | \$ .00        | \$31,580.00           | \$ .00        | \$31,580.00           | \$ .00         |
|              | M2HVE-2015-HS-M2-09                            | CIOT (AL Tombigbee Reg Plan Co)          | \$13,860.00                  | \$ .00        | \$13,860.00           | \$ .00        | \$13,860.00           | \$ .00         |
|              | M2HVE-2015-HS-M2-12                            | 2015 CIOT Paid Media (Dept. Of Commerce) | \$400,000.00                 | \$ .00        | \$400,000.00          | \$ .00        | \$400,000.00          | \$ .00         |
|              | <b>405b Low HVE Total</b>                      |  | <b>\$600,000.00</b>          | <b>\$ .00</b> | <b>\$600,000.00</b>   | <b>\$ .00</b> | <b>\$600,000.00</b>   | <b>\$ .00</b>  |

**U.S. Department of Transportation National Highway Traffic Safety Administration**

State: Alabama

**Highway Safety Plan Cost Summary**

Page: 4

**2015-HSP-2**

Report Date: 09/18/2014

Posted: 09/15/2014

| Pro-gram Area                           | Project                                     | Description                               | Prior Ap-proved Pro-gram Funds | State Funds   | Previous Bal.         | Incre / (Decre) | Current Balance       | Share to Local |
|---|---|---|--------------------------------|---------------|-----------------------|-----------------|-----------------------|----------------|
| <b>405b Low Public Education</b>        |   |   |                                |               |                       |                 |                       |                |
|   | M2PE-2015-HS-M2-11                          | Public Education(NW Shoals Comm College)  | \$70,703.21                    | \$ .00        | \$70,703.21           | \$ .00          | \$70,703.21           | \$ .00         |
|   | <b>405b Low Public Education Total</b>      |   | <b>\$70,703.21</b>             | <b>\$ .00</b> | <b>\$70,703.21</b>    | <b>\$ .00</b>   | <b>\$70,703.21</b>    | <b>\$ .00</b>  |
| <b>405b Low OP Information System</b>   |   |   |                                |               |                       |                 |                       |                |
|   | M2OP-2015-HS-M2-10                          | Information System (University of AL)     | \$201,008.81                   | \$ .00        | \$201,008.81          | \$ .00          | \$201,008.81          | \$ .00         |
|   | <b>405b Low OP Information System Total</b> |   | <b>\$201,008.81</b>            | <b>\$ .00</b> | <b>\$201,008.81</b>   | <b>\$ .00</b>   | <b>\$201,008.81</b>   | <b>\$ .00</b>  |
|   | <b>MAP 21 405b OP Low Total</b>             |   | <b>\$871,712.02</b>            | <b>\$ .00</b> | <b>\$871,712.02</b>   | <b>\$ .00</b>   | <b>\$871,712.02</b>   | <b>\$ .00</b>  |
| <b>MAP 21 405c Data Program</b>         |   |   |                                |               |                       |                 |                       |                |
| <b>405c Data Program</b>                |   |   |                                |               |                       |                 |                       |                |
|   | M3DA-2015-00-00-00                          | MAP 21 405c Transfer Holding              | \$900,558.00                   | \$ .00        | \$900,558.00          | \$ .00          | \$900,558.00          | \$ .00         |
|   | M3DA-2015-HS-M3-01                          | Data Program (University of AL)           | \$698,398.75                   | \$ .00        | \$698,398.75          | \$ .00          | \$698,398.75          | \$ .00         |
|   | <b>405c Data Program Total</b>              |   | <b>\$1,598,956.75</b>          | <b>\$ .00</b> | <b>\$1,598,956.75</b> | <b>\$ .00</b>   | <b>\$1,598,956.75</b> | <b>\$ .00</b>  |
|   | <b>MAP 21 405c Data Program Total</b>       |   | <b>\$1,598,956.75</b>          | <b>\$ .00</b> | <b>\$1,598,956.75</b> | <b>\$ .00</b>   | <b>\$1,598,956.75</b> | <b>\$ .00</b>  |
| <b>MAP 21 405d Impaired Driving Mid</b> |   |   |                                |               |                       |                 |                       |                |
| <b>405d Mid HVE</b>                     |   |   |                                |               |                       |                 |                       |                |
|   | M5HVE-2015-00-00-00                         | 405d Mid HVE (Transfer Holding)           | \$2,418,874.00                 | \$ .00        | \$2,418,874.00        | \$ .00          | \$2,418,874.00        | \$ .00         |
|   | M5HVE-2015-HS-M5-01                         | Impaired Driving (NW Shoals Comm College) | \$101,520.00                   | \$ .00        | \$101,520.00          | \$ .00          | \$101,520.00          | \$ .00         |
|   | M5HVE-2015-HS-M5-02                         | Impaired Driving (Shelton State Comm Col  | \$60,160.00                    | \$ .00        | \$60,160.00           | \$ .00          | \$60,160.00           | \$ .00         |
|   | M5HVE-2015-HS-M5-03                         | Impaired Driving(Etowah County Commission | \$163,760.00                   | \$ .00        | \$163,760.00          | \$ .00          | \$163,760.00          | \$ .00         |
|   | M5HVE-2015-HS-M5-04                         | Impaired Driving(Mobile County Commission | \$123,200.00                   | \$ .00        | \$123,200.00          | \$ .00          | \$123,200.00          | \$ .00         |
|   | M5HVE-2015-HS-M5-05                         | Impaired Driving(City of Montgomery)      | \$107,760.00                   | \$ .00        | \$107,760.00          | \$ .00          | \$107,760.00          | \$ .00         |
|   | M5HVE-2015-HS-M5-06                         | Impaired Driving(Gadsden State Comm Coll  | \$44,800.00                    | \$ .00        | \$44,800.00           | \$ .00          | \$44,800.00           | \$ .00         |

**U.S. Department of Transportation National Highway Traffic Safety Administration**

State: Alabama

**Highway Safety Plan Cost Summary**

Page: 5

**2015-HSP-2**

Report Date: 09/18/2014

Posted: 09/15/2014

| Pro-gram Area | Project                                       | Description                               | Prior Approved Program Funds | State Funds           | Previous Bal.          | Incre / (Decre)    | Current Balance        | Share to Local        |
|---------------|---|---|------------------------------|-----------------------|------------------------|--------------------|------------------------|-----------------------|
|               | M5HVE-2015-HS-M5-07                           | Impaired Driving(Enterprise State Comm C  | \$56,000.00                  | \$ .00                | \$56,000.00            | \$ .00             | \$56,000.00            | \$ .00                |
|               | M5HVE-2015-HS-M5-08                           | Impaired Driving(Jefferson State Comm Co  | \$116,880.00                 | \$ .00                | \$116,880.00           | \$ .00             | \$116,880.00           | \$ .00                |
|               | M5HVE-2015-HS-M5-09                           | Impaired Driving(AL-Tombigbee Regional C  | \$25,920.00                  | \$ .00                | \$25,920.00            | \$ .00             | \$25,920.00            | \$ .00                |
|               | M5HVE-2015-HS-M5-10                           | Impaired Driving(AL Dept of Public Safety | \$300,000.00                 | \$ .00                | \$300,000.00           | \$ .00             | \$300,000.00           | \$ .00                |
|               | <b>405d Mid HVE Total</b>                     |   | <b>\$3,518,874.00</b>        | <b>\$ .00</b>         | <b>\$3,518,874.00</b>  | <b>\$ .00</b>      | <b>\$3,518,874.00</b>  | <b>\$ .00</b>         |
|               | <b>405d Mid Court Support</b>                 |   |                              |                       |                        |                    |                        |                       |
|               | M5CS-2015-HS-M5-12                            | Impaired Driving (Auburn University-Mont  | \$395,967.29                 | \$ .00                | \$395,967.29           | \$ .00             | \$395,967.29           | \$ .00                |
|               | <b>405d Mid Court Support Total</b>           |   | <b>\$395,967.29</b>          | <b>\$ .00</b>         | <b>\$395,967.29</b>    | <b>\$ .00</b>      | <b>\$395,967.29</b>    | <b>\$ .00</b>         |
|               | <b>405d Mid Paid/Earned Media</b>             |   |                              |                       |                        |                    |                        |                       |
|               | M5PEM-2015-HS-M5-11                           | Impaired Driving(AL Dept of Commerce) Pa  | \$400,000.00                 | \$ .00                | \$400,000.00           | \$ .00             | \$400,000.00           | \$ .00                |
|               | <b>405d Mid Paid/Earned Media Total</b>       |   | <b>\$400,000.00</b>          | <b>\$ .00</b>         | <b>\$400,000.00</b>    | <b>\$ .00</b>      | <b>\$400,000.00</b>    | <b>\$ .00</b>         |
|               | <b>MAP 21 405d Impaired Driving Mid Total</b> |   | <b>\$4,314,841.29</b>        | <b>\$ .00</b>         | <b>\$4,314,841.29</b>  | <b>\$ .00</b>      | <b>\$4,314,841.29</b>  | <b>\$ .00</b>         |
|               | <b>NHTSA Total</b>                            |   | <b>\$15,664,768.47</b>       | <b>\$1,930,208.48</b> | <b>\$15,664,768.47</b> | <b>\$79,296.79</b> | <b>\$15,744,065.26</b> | <b>\$3,045,395.95</b> |
|               | <b>Total</b>                                  |   | <b>\$15,664,768.47</b>       | <b>\$1,930,208.48</b> | <b>\$15,664,768.47</b> | <b>\$79,296.79</b> | <b>\$15,744,065.26</b> | <b>\$3,045,395.95</b> |

- Section 402, 405b-d: The match source may be a combination of the Department Public Safety (DPS), State Trust Fund and Local Law Enforcement Agencies. DPS will use personnel costs (salaries), vehicle purchases, vehicle operations, and vehicle maintenance cost.
- The DPS match funds are applicable to each NHTSA grant program. The Alabama Office of Highway Safety (AOHS) will make sure the DPS, State Trust Fund, and Local Law Enforcement Agencies' matching funds will not be used to match another Federal grant program.

# EXECUTIVE SUMMARY

The Alabama Highway Safety Plan (HSP) is a planning document that is produced each year to provide continuous guidance and improvement in Alabama's ongoing efforts. The HSP also assures that 402 Program funds are allocated optimally in order to produce the maximum reduction of crash-caused fatalities and severe injuries on Alabama roadways.

According to the MAP-21 guidelines, 402 Program highway safety funds must be used to support programs that (source: GHSA Review of Section 402 State and Community Highway Safety Grant Program <http://www.ghsa.org/html/stateinfo/programs/402.html> (c) 2013):

- Reduce impaired driving
- Reduce speeding
- Encourage the use of occupant protection
- Improve motorcycle safety
- Improve pedestrian and bicycle safety
- Reduce school bus deaths and injuries
- Reduce crashes from unsafe driving behavior
- Improve enforcement of traffic safety laws
- Improve driver performance
- Improve traffic records
- Enhance emergency services

Alabama has met the requirements for Section 402 funding since the beginning of the program in the late 1960s. The National Highway Traffic Safety Administration (NHTSA) administers the Federal Section 402 Program, which in Alabama is administered by the Governor through the Alabama Office of Highway Safety (AOHS), which is housed within the Law Enforcement and Traffic Safety Division of the Alabama Department of Economic and Community Affairs (ADECA). The AOHS is directed by the Governor's Representative for Highway Safety/State Coordinator (GR/SC), to which all highway traffic safety staff report. The Alabama Highway Safety Plan (HSP) reflects the new Moving Ahead for Progress in the 21<sup>st</sup> Century (MAP-21) reforms.

The various statewide and local traffic safety efforts involve a variety of political subdivisions within the State that implement local highway safety programs consistently with Federal policy. The local agencies that receive funding are authorized to implement their local programs according to the specifications of the HSP. Nine regional Community Traffic Safety Program (CTSP) Coordinators report directly to the GR/SC. Working closely with each other, and the GR/SC, the Coordinators implement all programs that involve local agencies. The AOHS also employs a Traffic Safety Resource Prosecutor who deals with impaired driving cases involving traffic violations, which range from minor misdemeanors to vehicular homicide.

The following present the high level characteristics of Alabama's HSP:

- **Vision:** To create the safest surface transportation system possible, using comparable metrics from other states in the Southeast to assess progress in maintaining continuous recognizable improvement.
- **Primary ideals:** Saving the most lives and reducing the most suffering possible.
- **Countermeasure selection approach:** Detailed problem identification efforts to quantify and compare alternatives, consistently with the NHTSA document *Countermeasures That Work*.

- **Primary focus:** Selective enforcement on speed, impaired driving and failure to use restraints hotspots.
- **Implementation Approach:** Cooperative effort that involves teamwork and diversity, including all organizations and individuals within the state who have traffic safety interests.
- **Participant mission:** Reduce fatalities and severe injuries by focusing on the locations with the highest potential for severe crash frequency and severity reduction, as identified for speed and impaired driving, which were the largest two causes of fatal crashes, and for restraint non-use, which is the greatest factor causing increased severity.

All programs have been subjected to problem identifications efforts over the years, and any change in traffic safety relative statistics is intensely studied to determine the root cause as well as the correlated demographics. The analytical procedures employed in these efforts are presented in the next section of this document. This analytical process is two-fold: (1) to evaluate alternative overall countermeasure strategies, and select the one that will best solve the problem, and (2) once that is resolved, to use further analytical techniques to fine-tune the particular countermeasures that have been selected for implementation. This includes all of the basic countermeasures that are presented in this plan as well as the particular tactics to be applied in their implementations. The highest level of problem identification is exemplified by Table 1 in the body of this report, which contains a comparison of the potential savings that could be obtained by attacking the various major issues that AOHS has been charged to address. An extract from Table 1 is given below.

**Extract of Top Ten Fatality Causes from Table 1**

| Crash Type (Causal Driver)   | Fatal<br>Number | Fatal<br>% | Injuries | Injury<br>% | PDO<br>No. | PDO %  | Total  |
|------------------------------|-----------------|------------|----------|-------------|------------|--------|--------|
| 1. Restraint Deficient*      | 365             | 3.92%      | 3,607    | 38.78%      | 5,328      | 57.29% | 9,300  |
| 2. Impaired Driving          | 184             | 2.63%      | 2,292    | 32.81%      | 4,509      | 64.55% | 6,985  |
| 3. Speeding                  | 160             | 4.18%      | 1,494    | 39.04%      | 2,173      | 56.78% | 3,827  |
| 4. Obstacle Removal          | 124             | 2.05%      | 2,114    | 34.90%      | 3,819      | 63.05% | 6,057  |
| 6. License Status Deficiency | 90              | 1.42%      | 1,751    | 27.65%      | 4,491      | 70.93% | 6,332  |
| 5. Mature – Age > 64         | 83              | 0.66%      | 2,776    | 22.13%      | 9,683      | 77.20% | 12,542 |
| 7. Youth – Age 16-20         | 80              | 0.39%      | 4,478    | 21.72%      | 16,062     | 77.90% | 20,620 |
| 8. Motorcycle                | 71              | 4.49%      | 1,092    | 68.98%      | 420        | 26.53% | 1,583  |
| 9. Ped., Bicycle, School Bus | 66              | 4.39%      | 895      | 59.55%      | 542        | 36.06% | 1,503  |
| 10. Pedestrian               | 57              | 7.89%      | 602      | 83.38%      | 63         | 8.73%  | 722    |

\* All categories list number of crashes except for the “Restraint Deficient” category. The restraint category cannot accurately be measured by number of crashes so it lists the number of unrestrained persons for each severity classification.

This begins to provide insight into the basic prioritization that was performed in resolving the overall state countermeasure strategies. It is important to recognize that the various categories are not mutually exclusive. Detailed explanations for each crash type or problem are given in the body of this document on page 29.

From the summary of the table above, it is clear that to attack the causes of fatalities, restraint deficiencies, impaired driving and speeding are clearly the major problems that need to be attacked, without totally ignoring the other issues further down on the list. Since the body of this HSP document will be

concentrating on the specifics of the top three countermeasure types, the other “top 10” items are in order on page 22:

- Obstacle Removal – this is being giving considerable attention by ALDOT within programs sponsored by the Federal Highway Administration (FHWA) and the State of Alabama.
- Mature Drivers – Age > 64 – while this looks like a high number, recognize that this represents about 20 years of ages (65-84) as opposed to Item 7, which is only five years of ages. Since the number of fatalities attributed to the two groups is the same we can conclude that on a per one-year age basis, the 16-20 year olds cause about four times the fatalities as the older driver group. So once these numbers are normalized on a per year basis, it seems clear that countermeasure resources need to go toward the younger drivers. This age classification is maintained because of the obvious growth in it that is expected over the coming decade. An important factor that drives the number of fatalities up in this category is the lower survivability of older injured persons.
- License Status Deficiency – this is highly correlated with DUI, speeding and other violations that would cause the revocation of the drivers’ licenses. It is included to indicate that suspending the license is not an effective deterrent with many drivers.
- Youth – Age 16-20 – there is no doubt that by any metric this age group is the most critical to reducing fatalities and all other crashes, even when normalized by number in the driving population. See the discussion for Mature Drivers above.
- Motorcycle – attention is justified for this category because of the recent increased use of motorcycles due to increase gasoline prices and other economic considerations.
- Pedestrian, Bicycle and School Bus – this category is consolidated over several areas that involve young people who have not yet reached driving age.
- Pedestrian – this covers all pedestrian fatalities.

The maximum improvement in traffic safety can only be attained if the available resources are allocated to those areas where they will have the greatest chances of reducing fatality and injury crashes. Table 1 on page 29 demonstrates the highest potential for countermeasures in the broadest categories, since it is obvious that it is impossible to reduce more crashes than occur. It is true that a category with a lower potential could achieve higher benefits if the countermeasures applied to it were more effective. That is, it is both the potential for reduction and the effectiveness in the countermeasures that together determine the optimal countermeasures to apply.

Being data driven, the Highway Safety Plan for FY 2015 addresses the two largest factors that *cause* injury and fatal crashes, and the single greatest factor influencing severity: seat belt use. Crashes that were in either the Speed or Impaired Driving category were identified and locations with the highest numbers of these crashes (particularly the severe crashes) were included in the prioritized lists that provides the basis for their selective enforcement efforts. Also, those areas in which it was found that seat belt non-use was highest were also isolated for seat belt enforcement. These problem areas, known as *hotspots*, were defined by specific criteria depending on roadway classification. These hotspots are defined, listed and mapped in this plan. Each of the regional coordinators uses these specifications as the basis for their plans for the coming year.

The following presents a summary of each of the major strategies that are detailed in this plan:

- Continue supporting the nine Community Traffic Safety Program (CTSP) projects.
- Continue to support the Center for Advanced Public Safety (CAPS) in exchange for their support of AOHS. CAPS provides AOHS with their crash and traffic safety data and analytical technical assistance throughout the year.

- Conduct nine local Hotspot Special Traffic Enforcement Program (STEP) projects, one within each of the CTSP regions. Additionally, a statewide STEP project will be conducted in conjunction with the Alabama Department of Public Safety (DPS).
- Continue to require the CTSP Coordinators to conduct selective enforcement efforts that focus their plans on hotspot locations identified by the data analyses provided for their respective regions.
- Participate in the national "Click It or Ticket" campaign on the statewide level.
- Conduct a statewide "Drive Sober or Get Pulled Over" campaign in conjunction with the national campaign.
- Conduct sustained enforcement for impaired driving, speeding, and seat belts.
- Conduct data driven enforcement programs through law enforcement agencies in Alabama to prevent crashes, fatalities and injuries in the State.

Performance measures were established for assessing each of these strategies. Specific countermeasures within each of these categories were checked for their effectiveness estimates from the NHTSA-recommended document: *Countermeasures That Work: A Highway Safety Countermeasure Guide for State Highway Safety Offices, Seventh Edition, 2013*; which can be viewed at:

<http://www.safehomealabama.gov/Portals/0/PDF/Countermeasures%20that%20Work%20811727.pdf>

[This document will be henceforth referenced as "NHTSA Countermeasures that Work."]

To assure that the operation of the State's traffic safety program is well organized and continues to be implemented on the basis of sound data analyses, provisions have been made to accomplish a number of administrative goals. In summary, the administrative goals include the following:

- Training and internal interaction requirements (e.g., meetings and conferences) to keep the AOHS staff and those with whom they interact familiar with the most recent developments in traffic safety that are relevant to their roles.
- Support and coordination of Section 402 and Section 405 (as given in the new MAP-21 guidelines), in the support and integration of eCite, eCrash, MMUCC, driver license access, EMS-medical data integration, roadway data and vehicle data.
- Legislative support activities to provide information for sound legislation through the efforts of the State Safety Coordinating Committee.
- The compilation, presentation and coordination of all formal governmental and volunteer traffic safety efforts within Alabama by means of the <http://www.SafeHomeAlabama.gov/> website.

It will be impossible to accomplish all of the plans set forth in this document without statewide cooperation throughout the traffic safety community. Therefore, the AOHS has forged key partnerships that are briefly described below:

- Community Traffic Safety Program (CTSP) Coordinators – employed in the field as an arm of the AOHS who live and have offices within their respective regions, and build ongoing relationships with local and state level law enforcement who serve that region. In addition, they build relationships with all other traffic safety stakeholders in the local communities.
- Alabama Department of Public Safety – in being the pilot implementers of systems such as eCrash, eCite and other innovations, providing a much more efficient system of law enforcement as well as a model for local acceptance of technology.
- Alabama Department of Transportation (ALDOT) – in participating on their monthly sponsored Safety Outreach Meetings.



- Strategic Highway Safety Plan Steering Committee – which also brings involvement and close cooperation with ALDOT and the following Federal agencies:
  - Federal Highway Administration (FHWA)
  - Federal Motor Carrier Safety Administration (FMCSA)
  - National Highway Traffic Safety Administration (NHTSA)
- Alabama Department of Public Health – providing data and information technology expertise for EMSIS and trauma data integration and use.
- Local law enforcement – including city police and county sheriffs, these partners are essential to all statewide and local enforcement programs.
- Media – providing continued support to inform the public of all selective enforcement and other initiatives.
- Traffic Records Coordinating Committee – a broad based committee that represents all developers and users of traffic safety information systems.
- State and local District Attorneys – involved to increase their level of readiness and proficiency for the effective prosecution of traffic related cases.
- The University of Alabama Center for Advanced Public Safety (CAPS) – which provides the information foundation from crash, citation, EMS runs and other databases to enable AOHS and the CTSP Coordinators and LELs to be assured that their traffic safety resources are being allocated most effectively. CAPS also provides liaison with other university traffic safety efforts (see <http://www.safehomealabama.gov/Universities.aspx>).

While fatalities are caused by factors other than speed, impaired driving and lack of proper restraints, the limited funding available is being applied to those measures, since they demonstrate the greatest reduction potential for fatalities and severe injuries. Even if all of these goals for these various programs are met, there will still be an intolerably high death and injury toll, and the State embraces all of the principles of the National effort, Toward Zero Deaths (TZD).

## PLANNING PROCESS

The planning process starts with a very general problem identification, which is initiated as soon as the close out of the previous year's data is completed. This occurs in the April-May time frame. The detailed procedure for the problem identification is given in a separate section below. The most current year of data after the close out is combined with the previous two years of data in order to have three years of crash data to perform the problem identification. Research performed by CAPS has shown that three years is an optimal time span for predicting future hotspots. The increased value of adding a fourth year is offset by the misinformation that comes from the obsolete data.

As shown by the problem identification details, the plan is totally data driven. In order to get the CTSP Coordinators to be totally involved in this process, they are required to submit their tentative plans in the April-May time frame, at about the same time as the statewide problem identification is being performed. While this tentative plan is based on data that is not totally current, it has the advantage of reflecting the experience that the CTSP Coordinators have had in their previous year of implementation. As an extreme example, it may contain information related to the inexperience or failure to cooperate of a local agency and plans to overcome such issues. These are factors that cannot be seen or appreciated by computer outputs at the state level.

The AOHS takes advantage of the expertise built up over many years by the University of Alabama Center for Advanced Public Safety (CAPS) to perform the problem identification, and to work with the AOHS GR/SC and staff in assembling a tentative statewide planning document. Using the Critical Analysis Reporting Environment (CARE) program, a complete listing and illustration of problem crash locations (or hotspots) throughout the state is developed. In addition to a breakdown by CTSP region, the results are also subdivided by crash type and roadway classification. This is because different agencies may deal with different roadway classifications, and different tactics may be applied to different types of crashes. As seen in the current document, the results are subdivided by the nine CTSP regions. These data are distributed then to the CTSP Coordinators so that they can refine their respective plans.

A similar exercise involves the Alabama Department of Public Safety (DPS), which is given information on Interstates and rural state routes that it tends to patrol. Generally, each region and the DPS receive a package of information that is formatted just like the statewide results, but tailored to their particular region or roadway subset. In addition, all agencies also have access to the preliminary statewide plan. By providing both statewide information and information specific to their region, the regional coordinators are able to identify the problem areas in their region but also determine how they relate to the statewide plan.

Once this information is provided to the CTSP Coordinators, they are instructed to focus their plans for the coming year on the hotspot locations given in the reports for their region. At this point it is a minor adjustment for them to revise the hotspot definition part of their plan. Other issues presented in their tentative plans are reviewed by AOHS staff to assure integrity and consistency among the regions.

# PROBLEM IDENTIFICATION

## PROCEDURE FOR THE PROBLEM IDENTIFICATION

The AOHS has worked in partnership with the University of Alabama/CAPS for well over a decade to continually improve and streamline its problem identification process. Among other innovations, this has resulted in the creation of the Critical Analysis Reporting Environment (CARE) system, which is being continuously improved to produce greater information benefits to the state, now in its tenth major upgrade (CARE10).

To avoid ambiguity, the term “Impaired Driving” is used throughout this document to refer to DUI-caused crashes that are the result of either alcohol or any drug involvement according to the reporting officers. We recognize that alcohol is a drug, and as the predominant drug of choice, it is the one that is most abused, and the easiest for reporting officers to detect. While other drugs are reported in relatively small numbers compared to alcohol involvement, it is of growing concern and AOHS agrees with NHTSA that impaired driving is not limited to only alcohol causation. Those statistical tables where information is only available on alcohol will be so noted.

The first step in the problem identification process was to determine those types of crashes that were going to be targeted for countermeasure implementation. The top three items in Table 1 on page 29 were Speed, Impaired Driving and Restraints Not Used. The first two of these are causes of severe crashes; the third is a failure on the part of one or more crash vehicle occupants to protect themselves in the event of a crash; i.e., seat belts prevent more severe injuries, but they very rarely prevent the crash itself. However, individuals who drive impaired and drive above the posted speed limits have been found to be in the risk-taking category, and they are highly correlated with those who typically refuse to use (or insist upon the use of) occupant restraints. The major countermeasures chosen were selective enforcement based on evaluations that have been performed in Alabama that demonstrate the effectiveness of adding enforcement officers. This report is available on:  
<http://www.safehomealabama.gov/Enforcement/EnforcementStudies.aspx>

In addition, specific countermeasures within each of these categories were checked for their effectiveness estimates from the NHTSA-recommended document, *NHTSA Countermeasures that Work*.

The criteria used for defining speed and impaired driving hotspots for the Fiscal Year 2014 HSP was also used in the Fiscal Year 2015 Highway Safety Plan. By using essentially the same search criteria to locate hotspots, comparisons can be made from year to year for the state as a whole, and for each CTSP region within the state. For the FY 2015 HSP, the 2011-2013 calendar years were used. We anticipate that similar criteria for defining hotspots will continue to be used in future years in order to allow for comparison of data and hotspots from one year to the next.

Speeding and Impaired Driving crash location hotspots can be divided into seven groups:

1. Speeding Mileposted Locations on Interstate Routes,
2. Speeding Mileposted Locations on State/Federal Routes,
3. Speeding Non-Mileposted Segment Locations,
4. Impaired Driving Mileposted Locations on Interstate Routes,
5. Impaired Driving Mileposted Locations on State/Federal Routes,
6. Impaired Driving Non-Mileposted Segment Locations, and
7. Impaired Driving Non-Mileposted Intersection Locations.

Speeding is not typically listed as a crash cause at intersections, and thus high-crash speed-related intersection crashes was not a useful criterion.

Criteria for finding hotspots were defined for each of these seven categories and the CARE system was used to find the hotspots. The following indicates the criteria that were applied;

1. Speeding Mileposted Locations on Interstate Routes with five or more Injury or Fatality crashes within 10 miles. Injuries and fatalities were then summed and hotspots (10 miles in length) with eight or more injury or fatality crashes were used,
2. Speeding Mileposted Locations on State/Federal Routes with five or more Injury or Fatality crashes within 10 miles. Injuries and fatalities were then summed and hotspots (10 miles in length) with eight or more injury or fatality crashes were used,
3. Speeding Non-Mileposted Segment Locations with three or more crashes resulting in injury or fatality
4. Impaired Driving Mileposted Locations on Interstate Routes with two or more crashes within five miles. Injuries and fatalities were then summed and hotspots (5 miles in length) with eight or more injury or fatality crashes were used,
5. Impaired Driving Mileposted Locations on State/Federal Routes with two or more crashes within five miles. Injuries and fatalities were then summed and hotspots (5 miles in length) with nine or more injury or fatality crashes were used,
6. Impaired Driving Non-Mileposted Segment Locations with three or more crashes, and
7. Impaired Driving Non-Mileposted Intersection Locations with three or more crashes.

A more detailed explanation of the criteria for the various hotspot locations, and the process used in their determination is given in the Hotspot Listings section on page 57.

Once the hotspots were defined and the locations were found using CARE, the CTSP Coordinators from across the state were given information on the hotspot locations for the state as a whole. They were also provided detailed hotspot reports specific to their region to assist them in their focused efforts. A copy of the statewide report that was developed using CARE and integrated GIS mapping programs can be found in the Hotspot Listings and Regional Reports section.

Using the reports and maps developed for each region, the CTSP Coordinators will develop a plan, including the time schedule and work assignments, for their region that focuses on the hotspot locations. More detailed information on the goals and strategies for the state are included in the Goals and Strategies section. The goals set on a regional basis will be in line with the goals and strategies laid out in that section.

## **GENERAL CONSIDERATIONS OF THE PROBLEM IDENTIFICATION**

For FY 2015, AOHS will continue the strategy of identifying and focusing on impaired driving and speed related hotspots in the State of Alabama, with a special emphasis on locations where occupant restraints were also found to be overrepresented. It is clear from a consideration of Table 1 that the two biggest problem areas, in terms of behavior that causes crashes, are speeding and impaired driving. While the failure to use occupant protection devices is infrequently the cause of a crash, it can have a mitigating effect on the severity both per se and in some rare cases by enabling the driver to regain control. Thus, the consideration of hotspots where causal drivers were reported “not properly restrained” has a negative effect on crash severity and the saving of lives (see Appendix A: Section 405b Occupant Protection Plan). Since these trends have been recognized year after year, they cannot be ignored and must be consistently and continually addressed.

**Table 1. Summary of Crash Severity by Crash Type –Alabama CY2013 Data**

| <b>Crash Type (Causal Driver)</b> | <b>Fatal<br/>Number</b> | <b>Fatal %</b> | <b>Injury<br/>Number</b> | <b>Injury<br/>%</b> | <b>PDO<br/>No.</b> | <b>PDO %</b> | <b>Total</b> |
|-----------------------------------|-------------------------|----------------|--------------------------|---------------------|--------------------|--------------|--------------|
| 1. Restraint Deficient*           | 365                     | 3.92%          | 3,607                    | 38.78%              | 5,328              | 57.29%       | 9,300        |
| 2. Impaired Driving               | 184                     | 2.63%          | 2,292                    | 32.81%              | 4,509              | 64.55%       | 6,985        |
| 3. Speeding                       | 160                     | 4.18%          | 1,494                    | 39.04%              | 2,173              | 56.78%       | 3,827        |
| 4. Obstacle Removal               | 124                     | 2.05%          | 2,114                    | 34.90%              | 3,819              | 63.05%       | 6,057        |
| 6. License Status Deficiency      | 90                      | 1.42%          | 1,751                    | 27.65%              | 4,491              | 70.93%       | 6,332        |
| 5. Mature – Age > 64              | 83                      | 0.66%          | 2,776                    | 22.13%              | 9,683              | 77.20%       | 12,542       |
| 7. Youth – Age 16-20              | 80                      | 0.39%          | 4,478                    | 21.72%              | 16,062             | 77.90%       | 20,620       |
| 8. Motorcycle                     | 71                      | 4.49%          | 1,092                    | 68.98%              | 420                | 26.53%       | 1,583        |
| 9. Ped., Bicycle, School Bus      | 66                      | 4.39%          | 895                      | 59.55%              | 542                | 36.06%       | 1,503        |
| 10. Pedestrian                    | 57                      | 7.89%          | 602                      | 83.38%              | 63                 | 8.73%        | 722          |
| 11. Non-pickup Truck Involved     | 40                      | 0.91%          | 759                      | 17.32%              | 3,493              | 79.69%       | 4,383        |
| 12. Utility Pole                  | 34                      | 1.50%          | 760                      | 33.52%              | 1,388              | 61.23%       | 2,267        |
| 13. Fail to Conform to S/Y Sign   | 32                      | 0.51%          | 1,698                    | 27.26%              | 4,404              | 70.69%       | 6,230        |
| 14. Construction Zone             | 21                      | 0.94%          | 545                      | 24.42%              | 1,766              | 79.12%       | 2,232        |
| 15. Vehicle Defects – All         | 15                      | 0.45%          | 726                      | 21.74%              | 2,496              | 74.75%       | 3,339        |
| 16. Fail to Conform to Signal     | 15                      | 0.36%          | 1,299                    | 31.26%              | 2,770              | 66.65%       | 4,156        |
| 17. Vision Obscured – Env.        | 13                      | 0.86%          | 391                      | 26.01%              | 1,048              | 69.73%       | 1,503        |
| 18. Child Restraint Deficient*    | 11                      | 0.50%          | 566                      | 25.86%              | 1,877              | 85.75%       | 2,189        |
| 19. Bicycle                       | 6                       | 2.33%          | 192                      | 74.42%              | 46                 | 17.83%       | 258          |
| 20. School Bus                    | 3                       | 0.57%          | 107                      | 20.27%              | 410                | 77.65%       | 528          |
| 21. Railroad Trains               | 1                       | 14.29%         | 2                        | 28.57%              | 4                  | 57.14%       | 7            |
| 22. Roadway Defects – All         | 0                       | 0.00%          | 28                       | 20.74%              | 105                | 77.78%       | 135          |

\* All categories list number of crashes except for the “Restraint Deficient” and “Child Restraint Deficient” categories. The restraint categories cannot accurately be measured by number of crashes so they list number of unrestrained persons for each severity classification.

AOHS personnel have served on the steering committee for the development of the Alabama Strategic Highway Safety Plan (SHSP), and they are presently active in its implementation phase. They have worked collectively in goal setting for the common goals in the HSP, SHSP and the Highway Safety Improvement Plan (HSIP). The common goals were mutually agreed upon by the Alabama Office of Highway Safety, the Strategic Highway Safety Plan steering committee and the Highway Safety Improvement Plan committee. The AOHS Highway Safety Plan has been incorporated into the Alabama SHSP as an appendix, reflecting their agreement with the goals and approaches being taken by AOHS. The major goals of both the HSP and the SHSP are to bring about a more effective and coordinated statewide allocation of traffic safety resources, including funding and equipment, but most importantly, personnel.

Table 1 was developed to bring together and initiate a process of prioritization for all of the key traffic safety categories. All SHSP participants were encouraged to add any categories that they felt were appropriate. The data contained in Table 1 are updated and used year after year by those in the traffic

safety profession across the State of Alabama, since this information provides a broad overview of the key categories of concern to those within the traffic safety community. It is recognized that this information obtained by comparing gross fatality and injury counts in overlapping categories is merely a first step in the analytical process to find optimal allocations of resources among programs. However, without such a high level view much time is wasted in analyzing areas that have little hope of addressing the major traffic safety problems within the state.

The highest number of fatal crashes is listed first in Table 1, descending to the crash type category with the lowest number of fatal crashes listed last. Categories were defined by the members of the SHSP steering committee who submitted all significant categories within their respective areas of interest. Each crash type category lists the crashes that happened for that particular category between January 1, 2013 and December 31, 2013, which elsewhere is called the Calendar Year (CY). Within the Performance Goals and Strategies section, all past statistics have been updated to reflect the CY. The categories given in Table 1 are not mutually exclusive (e.g., you could have an impaired driving crash that also involved speeding). However, they still tend to demonstrate the relative criticality of that particular category.

The crash frequency within each severity classification is also given in Table 1 for CY 2012. The percentages given are for the respective severity classification only; thus, these percentages represent the relative severity of the crash category, and this can be used to compare the crash categories by severity. For example, it might be noticed that the severity of pedestrian, motorcycle and railroad crashes are significantly higher than most other categories, as is also true for those crashes in which the driver was not properly restrained.

In July 2009, the State of Alabama made a major change in their crash form and this resulted in changes in the data that was being collected across the state. After a multiyear process of trying to improve the data elements collected, the eCrash system was developed that enables officers to enter data directly into the computer (paperless). This change helped to create data that met the Model Minimum Uniform Crash Criteria (MMUCC) and provided better data for future analysis. With this change, a number of new variables and codes were introduced to the crash report, allowing for more accurate and complete data from the crash data entered by officers in the field. This upgrade has caused some changes to the search criteria used in Table 1 as well as the search criteria for Impaired Driving and Speed Hotspots. Careful work was done to ensure that no variables or codes were missed and that the search criteria captured all of the crashes for that particular category.

For the FY 2015 analysis, data from three prior years (CY 2011-2013) were used. A total of 37 Speeding hotspots and 198 Impaired Driving hotspots were identified. These hotspots are defined, listed and mapped (when possible) in Hotspot Listings below, requiring the CTSP Coordinators and the officers within their jurisdictions to work those areas that are most critical as given by the evidence based analyses. The plans for each of the regional coordinators for the coming year will focus on these hotspot areas, as portions of their funding will be restricted to working the speeding and impaired driving hotspot locations defined for each region.

Alabama's fatality counts and fatality rates (per 100 million vehicle miles traveled) since 1987 are given below.

| <u>Year</u> | <u>Rate</u> | <u>Fatalities</u> | <u>Miles Driven (100 MVMT)</u> |
|-------------|-------------|-------------------|--------------------------------|
| 1987        | 2.98        | 1116              | 374.37                         |
| 1988        | 2.58        | 1023              | 396.84                         |
| 1989        | 2.52        | 1028              | 407.65                         |
| 1990        | 2.64        | 1118              | 423.47                         |
| 1991        | 2.59        | 1110              | 429.24                         |
| 1992        | 2.26        | 1033              | 457.62                         |
| 1993        | 2.20        | 1040              | 472.03                         |
| 1994        | 2.21        | 1081              | 489.56                         |
| 1995        | 2.20        | 1113              | 506.28                         |
| 1996        | 2.22        | 1142              | 514.33                         |
| 1997        | 2.23        | 1190              | 534.58                         |
| 1998        | 1.94        | 1071              | 552.05                         |
| 1999        | 2.03        | 1148              | 564.13                         |
| 2000        | 1.74        | 986               | 565.71                         |
| 2001        | 1.76        | 998               | 567.08                         |
| 2002        | 1.80        | 1038              | 575.32                         |
| 2003        | 1.71        | 1001              | 586.33                         |
| 2004        | 1.96        | 1154              | 588.62                         |
| 2005        | 1.92        | 1148              | 596.62                         |
| 2006        | 2.00        | 1207              | 603.94                         |
| 2007        | 1.81        | 1110              | 613.13                         |
| 2008        | 1.63        | 966               | 591.48                         |
| 2009        | 1.38        | 849               | 613.00                         |
| 2010        | 1.34        | 859               | 641.51                         |
| 2011        | 1.38        | 894               | 649.14                         |
| 2012        | 1.33        | 865               | 650.38                         |

The fatality rate has been cut by 50% over the time period represented above. The reduction in rates over the past few years is also extremely promising, reflecting major efforts in publicizing and enforcing the primary seat belt law, and the many other efforts along the broad range of traffic safety activities. Alabama will not be satisfied, however, with even one death on the roadway, and the state will continue to put forth a concerted effort to assure that traffic safety resources are utilized to their maximum capabilities to sustain the trend toward zero deaths.

This document will continue by presenting the Vision, Ideals and Mission in the next section of the plan, which gives an overview of the AOHS strategic planning efforts. The next section after that will present the goals and strategies to address hotspot locations. Finally, there will be a section that gives the statewide analyses of speed and impaired driving hotspot locations. Each CTSP Coordinator and LEL receives a copy of the statewide list as well as information that is specific for their region. These lists allow them to focus on the countermeasures that will have the most impact on their area of the state.

# VISION, IDEALS, MISSION

## VISION:

**To create the safest possible surface transportation system by means of a cooperative effort that involves all organizations and individuals within the state who have traffic safety interests.**

This vision is measurable in terms of crash, injury and fatality rates (per million vehicle mile). In order to perform an accurate evaluation of the metric, Alabama will be compared to the other states in NHTSA Region 4.

## IDEALS:

To move toward this vision and ultimately toward zero deaths (TZD) requires that the following ideals be accepted as guiding principles in this endeavor:

- *Saving Lives.* Preserve the lives of all users of the Alabama surface transportation system by minimizing the frequency and severity of all potentially fatal crashes, regardless of the countermeasure type or the organization that has primary responsibility for its implementation.
- *Reduction in Suffering.* Reduce suffering and property loss resulting from injury and property damage only crashes.
- *Focus on speed, impaired driving and restraint deficient hotspots.* When looking at crashes in Alabama and the damage that they cause in terms of suffering and property loss, crashes caused by speeding and impaired driving were determined to be the biggest driver-caused problem, and the lack of proper restraint use was seen to be the largest severity increase problem. In order to help reduce these crashes, all organizations and individuals in the area of traffic safety must be committed to targeting these hotspot locations. Plans developed by the state's safety coordinators reflect this focus, and funding will be concentrated on hotspot crash locations that have been identified. While focusing and addressing the behavioral problems of speeding and impaired driving, law enforcement will continue issuing tickets to unrestrained motorist. Individuals who drive impaired and drive above the posted speed limits are most often not using occupant restraints, nor do they insist that their passengers buckle up.
- *Teamwork and Diversity.* Recognize that these ideas will only be attained through the dedication to cooperative efforts among a wide range of federal, state and local organizations. All highway users and user groups must be adequately represented, and all sub-disciplines will be given the opportunity to provide input and information.

## MISSION:

**Conduct selective enforcement coupled with PI&E that will reduce fatalities and injuries by focusing on the locations identified for speed and impaired driving hotspots with additional strong consideration on hotspots where deficiencies in occupant protection were found.**

Speeding and impaired driving are the biggest causes of traffic crash fatalities and are major problem areas for traffic safety in the State of Alabama. By focusing efforts to reduce the number of speed and impaired driving related crashes, lives have been saved in the past and can be saved in the future. Each of these crashes is caused by the *choice* to speed and drive impaired. By changing driver and occupant behavior, the number of hotspot locations can be reduced and traffic safety will be improved.



## GOALS AND STRATEGIES

### Process for Developing Goals

Funding to the state CTSPs for FY 2015 will be largely focused on the problem locations discussed and defined in Hotspot Listings section below. In addition, AOHS will continue participation in the “Click It or Ticket” and “Drive Sober Or Get Pulled Over” campaigns. AOHS continues to pledge its support to these programs and will fund the participating regions and agencies accordingly. These programs have received extensive review and recommendations by those who developed the state’s Strategic Highway Safety Plan (SHSP). The overall goals set in the Strategic Highway Safety Plan for the State of Alabama are complementary to, and consistent with, those presented below.

Goals will be presented in the following categories: (1) Traffic Safety Performance Measures, (2) Traffic Safety Activity Measures, (3) Overall Program Goal, (4) Performance Goals and Strategies, Administrative Goals, and (5) Legislative Goals. The goals were set jointly by AOHS and CAPS using FARS and CARE crash data to define data driven goals.

The University of Alabama Center for Advanced Public Safety (CAPS) provided data from the CARE system that was used to select the target locations. All SHSO staff and CAPS participated in the selection process for the performance goals and targets. The SHSO and CAPS were involved in the development and selection of evidence-based countermeasures strategies and projects to address problem areas and achieve performance targets. Funding is determined for each region based on the percentage of hotspots in the region. Grant funds are allocated to the regions based on their percentage of alcohol, restraint, and speed crash problem.

The table on the following page presents a multi-year summary and the item numbers within this table are used below in the goal definitions. Unless otherwise noted, these number were provided by FARS.

## Statewide Statistics 2007-2013

|  | 2007   | 2008   | 2009   | 2010   | 2011  | 2012  | 2013  | 2015 **<br>Baseline |
|--|--------|--------|--------|--------|-------|-------|-------|---------------------|
| C-1 Number of Traffic Fatalities (FARS)  | 1,110  | 969    | 848    | 862    | 894   | 865   |       | 888                 |
| C-2 Number of Serious Injuries in Traffic Crashes (State Crash File)   | 22,755 | 20,293 | 15,131 | 10,544 | 9,904 | 8,974 |       | 12,969              |
| C-3 Fatalities/VMT (FARS/FHWA)   |        |        |        |        |       |       |       |                     |
| • Total _____  | 1.81   | 1.63   | 1.38   | 1.34   | 1.38  | 1.33  |       | 1.41                |
| • Urban _____  | 1.20   | 1.18   | 1.08   | 0.97   | 1.09  | 0.99  |       | 1.06                |
| • Rural _____  | 2.44   | 2.10   | 1.69   | 1.72   | 1.70  | 1.68  |       | 1.78                |
| C-4 Number of Unrestrained Passenger Vehicle Occupant Fatalities, All Seat Positions (FARS)                    | 538    | 452    | 378    | 394    | 382   | 354   |       | 392                 |
| C-5 Number of Fatalities in crashes involving driver or motorcycle operator with a BAC of .08 and above (FARS) | 377    | 314    | 267    | 264    | 261   | 257   |       | 273                 |
| C-6 Number of Speeding-Related Fatalities (FARS)   | 497    | 447    | 327    | 316    | 298   | 272   |       | 332                 |
| C-7 Number of Motorcyclist Fatalities (FARS)   | 85     | 100    | 76     | 86     | 98    | 97    |       | 91                  |
| C-8 Number of Unhelmeted Motorcyclist Fatalities (FARS)  | 8      | 15     | 7      | 5      | 10    | 10    |       | 9                   |
| C-9 Number of Drivers Age 20 or Younger Involved in Fatal Crashes (FARS)                                       | 194    | 163    | 140    | 140    | 136   | 139   |       | 144                 |
| C-10 Number of Pedestrian Fatalities (FARS)  | 69     | 68     | 64     | 61     | 79    | 77    |       | 70                  |
| C-11 Number of Bicycle Fatalities (FARS)   | 9      | 4      | 6      | 6      | 5     | 9     |       | 6                   |
| B-1 Observed Seat Belt Use for Passenger Vehicles, Front Seat Outboard Occupants (State Survey)                | 82.3%  | 86.1%  | 90.0%  | 91.4%  | 88.0% | 89.5% | 97.3% | 89.0%               |
| Speed Hotspots*  | 142    | 123    | 93     | 63     | 45    | 47    |       | 74                  |
| Speed Fatal Crashes*   | 359    | 338    | 221    | 212    | 188   | 176   |       | 227                 |
| Speed Injury Crashes*  | 3,392  | 2,958  | 2,299  | 1,883  | 1,832 | 1,779 |       | 2,150               |
| Impaired Driving Hotspots*   | 191    | 190    | 194    | 143    | 144   | 179   |       | 170                 |
| Impaired Driving Fatal Crashes*  | 257    | 212    | 237    | 210    | 217   | 186   |       | 212                 |
| Impaired Driving Injury Crashes*   | 2,719  | 2,450  | 2,548  | 2,798  | 2,647 | 2,661 |       | 2,621               |

\* State Data

\*\* Baselines are 5-year averages of the 2008-2012 data.

## Traffic Safety Performance Measures for FY 2015

### General Considerations


The general rationale for setting the specific goals will be presented under the various charts below that illustrate the baseline and the trends. In order to keep from being repetitious, there are some general consideration that will be presented here, since they generally apply to more than one of the metrics. In some cases these will be referenced back to the following using the corresponding item numbers:

1. Generally the baseline for the estimates was based upon the most recent five years of data. This can be seen from the graphs that demonstrate the metrics over the past five available calendar years (2008-2012). Items C1, C2 and C3a used the identical methodology as was approved in the coordination meetings with ALDOT in order to keep these goals consistent with the safety goals required by FHWA. **These goals were mutually agreed upon by the Alabama Office of Highway Safety, the Strategic Highway Safety Plan steering committee and the Highway Safety Improvement Plan committee.**
2. In all of the graphs, the shaded area represents the projected estimated number assuming that the established trend as given by a regression over the previous known values continues. The first year that is projected is not shaded as heavily as the “out” years in order to convey an idea for the reliability of the projection. Clearly the further out that is projected, the less reliable will be the projection.
3. Extrapolating from a limited number of past values can lead to extreme errors, especially since the last value that we have in most cases is 2012, requiring (for example) that the estimates of 2013, 2014 and 2015 all be based on an extrapolation of 2008 through 2012. (Unless otherwise noted, all years given are calendar years.) Rarely, if ever, does such a linear trend establish an accurate prediction, especially in crash data where regression to the mean usually follows any dramatic departure from the established trend. Nevertheless, these estimates are presented since they do provide valuable information upon which to make and refine the estimates.
4. **All fatality count metrics.** The above (Item 3) is particularly true of any metric that is dependent on fatality counts. Consistent with the national trend, Alabama experienced almost a 24% reduction in fatalities between 2007 and 2009. Because of several economic factors (price of fuel, alcohol, reduction in driving by high-risk groups, reduction in speeds for fuel conservation, and several other well established factors), the typical regression to the mean has not occurred. Any trend line that includes fatality counts prior to 2008 will obviously produce a down trend that is clearly not feasible to maintain by traffic safety countermeasures alone. Thus, the data chosen for the five-year trend and the baseline will go back no further than 2008. Even this generally produces a very optimistic projection, and since the state has been urged to be aggressive (but not unrealistic) in setting goals, they will generally be somewhere between the projected trend line point for 2015 and the baseline. Notable exceptions to these general patterns were observed in motorcycle and pedestrian fatalities; they are discussed in separate items below.

5. **Severe injury count metrics.** The considerations above for fatality counts also apply to severe injuries, and so the rationale for the estimates for severe injury counts follow this same pattern. However, there is another very important factor at work for the state's severe injury counts that is critical to note. In July 2009 the state generally (with the exception of only about 15% of the reports) went to a different definition of severe injury (also called "A" injury). The C-2 graph shows a precipitous drop between 2008 and 2010 caused largely by this reporting anomaly. However, we believe that the five year average has not mitigated this issue.
6. **Motorcycle fatalities.** The rationale with regard to fatalities in general (Item 4) given above does not apply to motorcycle fatalities. There are two reasons for this: (1) the same economic forces that reduce fatalities in general work in just the opposite way when it comes to the use of motorcycles, i.e., they become a much more attractive mode of transportation because of the combined economic factors; and (2) because of this and the aging of the motorcycle-driving population in general, more and more motorcyclists are of a higher age and thus less able to survive a severe injury. For this reason it is reasonable to expect that the sustainment of the baseline of 91 would be a reasonable goal.
7. **Pedestrian fatalities.** The cause for the increase in pedestrian fatalities in 2011 is under investigation, but it is difficult to find any patterns with only 79 cases. The state decided to set a goal above the baseline since a regression to the mean is clearly expected in 2014 and 2015.
8. **Seat belt use.** The projection for 2015 is based upon the five year rolling average that includes the new method for estimating seat belt used as prescribed by NHTSA.
9. **Five-year average goals.** Most of the crash related goals are set differently from previous years. Our analysis concluded that since we were basing estimates on five-year averages, it would not be correct to predict a given one-year estimate. Thus, the goals given are generally for the five-year average that is computed at the end of 2015. The graphs shown below display the five-year rolling averages however the numbers listed above the charts are the single year number for each year.

### C-1 Number of Traffic Fatalities (FARS)

| 2008 | 2009 | 2010 | 2011 | 2012 | Goal |
|------|------|------|------|------|------|
| 969  | 848  | 862  | 895  | 865  | 885  |




Reduce total traffic fatalities by .34 percent from the five year base line average of 888 (2008-2012) to 885 by 2015\*. **This goal was mutually agreed upon by the Alabama Office of Highway Safety, the Strategic Highway Safety Plan steering committee and the Highway Safety Improvement Plan committee.**

### C-2 Number of Severe Injuries in Traffic Crashes

(State crash data files – most severe category: “A” Injuries.)


| 2008   | 2009   | 2010   | 2011  | 2012  | Goal   |
|--------|--------|--------|-------|-------|--------|
| 20,293 | 15,131 | 10,544 | 9,904 | 8,974 | 10,600 |



Reduce serious injuries in traffic crashes by 18.1 percent from the five year base line average of 12,949 (2008-2012) to 10,600 by 2015\*. **This goal was mutually agreed upon by the Alabama Office of Highway Safety, the Strategic Highway Safety Plan steering committee and the Highway Safety Improvement Plan committee.**

### C-3a Total Fatality Rate/VMT (FARS/FHWA)


| 2008 | 2009 | 2010 | 2011 | 2012 | Goal |
|------|------|------|------|------|------|
| 1.63 | 1.38 | 1.34 | 1.38 | 1.33 | 1.40 |



Reduce the fatality rate per 100M VMT by .7 percent from the five year base line average of 1.41 (2008-2012) to 1.40 by 2015\*. **This goal was mutually agreed upon by the Alabama Office of Highway Safety, the Strategic Highway Safety Plan steering committee and the Highway Safety Improvement Plan committee.**

### C-3b Rural Fatality Rate/VMT (FARS)


| 2008 | 2009 | 2010 | 2011 | 2012 | Goal |
|------|------|------|------|------|------|
| 2.10 | 1.69 | 1.72 | 1.70 | 1.68 | 1.76 |



Reduce the rural fatality rate per 100M VMT by 1.1 percent from the five year base line average of 1.78 (2008-2012) to 1.76 by 2015\*.

### C-3c Urban Fatality Rate/VMT (FARS)


| 2008 | 2009 | 2010 | 2011 | 2012 | Goal |
|------|------|------|------|------|------|
| 1.18 | 1.08 | .97  | 1.09 | .99  | 1.05 |



Reduce the urban fatality rate per 100M VMT by .9 percent from the five year base line average of 1.06 (2008-2012) to 1.05 by 2015\*.

### C-4 Number of Unrestrained Passenger Vehicle Occupant Fatalities, All Seat Positions (FARS)

| 2008 | 2009 | 2010 | 2011 | 2012 | Goal |
|------|------|------|------|------|------|
| 452  | 378  | 394  | 382  | 354  | 390  |




Reduce the unrestrained passenger vehicle occupant fatalities by .5 percent from the five year base line average of 392 (2008-2012) to 390 by 2015\*.

**C-5 Number of Fatalities in crashes involving a driver or motorcycle operator with a BAC of .08 and above (data shown as Alcohol-Impaired Driving Fatalities in STSI-FARS)**

| 2008 | 2009 | 2010 | 2011 | 2012 | Goal |
|------|------|------|------|------|------|
| 314  | 267  | 264  | 261  | 257  | 271  |

**Number of Fatalities involving a Driver with a BAC .08 and Above**




Reduce the alcohol- impaired driving fatalities by .7 percent from the five year base line average of 273 (2008-2012) to 271 by 2015\*.

**C-6 Number of Speeding-Related Fatalities (FARS)**

| 2008 | 2009 | 2010 | 2011 | 2012 | Goal |
|------|------|------|------|------|------|
| 447  | 327  | 316  | 298  | 272  | 331  |

**Number of Speeding-Related Fatalities**




Reduce the speeding-related fatalities by .3 percent from the five year base line average of 332 (2008-2012) to 331 by 2015\*.



### C-7 Number of Motorcyclist Fatalities (FARS)


| 2008 | 2009 | 2010 | 2011 | 2012 | Goal |
|------|------|------|------|------|------|
| 100  | 76   | 86   | 98   | 97   | 90   |



Reduce the motorcyclist fatalities by 1.1 percent from the five year base line average of 91 (2008-2012) to 90 by 2015\*.

### C-8 Number of Unhelmeted Motorcyclist Fatalities (FARS)

| 2008 | 2009 | 2010 | 2011 | 2012 | Goal |
|------|------|------|------|------|------|
| 15   | 7    | 5    | 10   | 10   | 8    |




Reduce the un-helmeted motorcyclist fatalities by 11.1 percent from the five year base line average of 9 (2008-2012) to 8 by 2015\*.

### C-9 Number of drivers age 20 or younger involved in Fatal Crashes (FARS)

| 2008 | 2009 | 2010 | 2011 | 2012 | Goal |
|------|------|------|------|------|------|
| 163  | 140  | 140  | 136  | 139  | 143  |

Number of Drivers Age 20 or Younger involved in a Fatal Crash




Reduce the number of drivers age 20 or younger involved in fatal crashes by .7 percent from the five year base line average of 144 (2008-2012) to 143 by 2015\*.

### C-10 Number of Pedestrian Fatalities (FARS)

| 2008 | 2009 | 2010 | 2011 | 2012 | Goal |
|------|------|------|------|------|------|
| 68   | 64   | 61   | 79   | 77   | 69   |


Number of Pedestrian Fatalities



Reduce the number of pedestrian fatalities 1.4 percent from the five year base line average of 70 (2008-2012) to 69 by 2015\*.

### C-11 Number of Bicyclist Fatalities (FARS)


| <u>2008</u> | <u>2009</u> | <u>2010</u> | <u>2011</u> | <u>2012</u> | <u>Goal</u> |
|-------------|-------------|-------------|-------------|-------------|-------------|
| 4           | 6           | 6           | 5           | 9           | 5           |



Reduce the number of bicycle fatalities by 16.7 percent from the five year base line average of 6 (2008-2012) to 5 by 2015\*.

### B-1 Observed Seat Belt Use for Passenger Vehicles, Front Seat Outboard Occupants (State Survey).

| <u>2009</u> | <u>2010</u> | <u>2011</u> | <u>2012</u> | <u>2013</u> | <u>Goal</u> |
|-------------|-------------|-------------|-------------|-------------|-------------|
| 90.0%       | 91.4%       | 88.0%       | 89.5%       | 97.3%       | 92.5%       |




Increase the observed seat belt by 1.3% from the five year baseline average (2009 -2013) of 91.2% to 92.5% in 2015\*.

\*Five Year Average Goal

## Traffic Safety Activity Measures


### A-1 Number of seat belt citations

| 2009   | 2010   | 2011   | 2012   | 2013   |
|--------|--------|--------|--------|--------|
| 34,328 | 36,341 | 43,384 | 30,384 | 25,536 |




### A-2 Number of impaired driving arrests

| 2009  | 2010  | 2011  | 2012  | 2013  |
|-------|-------|-------|-------|-------|
| 3,374 | 5,108 | 4,867 | 2,021 | 2,508 |



### A-3 Number of speeding citations

| 2009   | 2010   | 2011   | 2012   | 2013   |
|--------|--------|--------|--------|--------|
| 50,693 | 49,003 | 61,054 | 42,067 | 57,670 |



Alabama continues to experience reductions in manpower and budget with the State and local law enforcement agencies. These factors account for the downward trend of all citations issued.

## Overall Program Goals

The overall strategic program goals were developed based on a CY 2011 baseline. A review of this process led to the conclusion that there is no reason to alter this approach based on recent considerations. This led to the following overall strategic program goal:

*To reduce the three-year average annual number of fatalities by 2% per year over the next 25 years (i.e., using 2011 as a base year, through 2035).*

Embracing the concept of Toward Zero Deaths (TZD), the Alabama Strategic Highway Safety Plan set a strategic goal of reducing fatalities by 50% over the next 25 years. Based on the 2011 fatality count of 895, this 2% (of the base year) per year reduction would average about 18 fatalities per year. While this might seem a modest number, if maintained as the average over a 25 year period it will save more than 5,600 lives over that time period. This will be a major accomplishment in continuing the downward trend that was established in the 2007-2011 time frame, which reversed the alarming increase in fatalities that preceded 2007. Also, if the 2% of the base year is viewed as a percentage of the years in which reductions have taken place, this percentage grows linearly until in the 25<sup>th</sup> year it amounts to 4% of the previous year.

Calendar year 2006 was the record high in Alabama for traffic fatalities, with a total of 1207. Between 2007 and 2011, there was a reduction of 1353 fatalities over that five-year time period (271 fatalities were saved per year). While no one in the traffic safety community believes that this rate of reduction (6% per year) can be sustained indefinitely, every effort will be made to sustain these new lower fatality counts and reduce them even further. Much of the large reduction was due to a recession in the economy coupled with higher fuel prices. These economic hardships tended to have a much higher impact on unsafe drivers than on the average driving public, for the following reasons:

- They would impact young drivers, economically disadvantaged with older less crashworthy vehicles, and traffic on county roads much more than Commercial Motor Vehicle (CMV) drivers who typically put most of their mileage on safer roadways;
- It would have a much higher impact on those with impaired driving tendencies due to higher costs of alcoholic beverages with less (or perhaps no) discretionary money to purchase it; and
- The economy placed a much higher premium on slower speeds to conserve fuel.

While the goal of sustaining a 5% per year reduction in fatalities is unrealistic, it is not unrealistic to believe that we can sustain the current numbers and rate, and continue to reduce them at the modest rate of 2% per year.

The number of hotspots will continue to be monitored (as seen below in Table 2). By focusing on two of the biggest killers (speed and impaired driving crash hotspots), the goal of reducing the fatality count and rate should be achievable. The criteria used to find the number of hotspots and the calculation of the rate will not change between the years in order to lend consistency in the total number of hotspots found for the State.

**Table 2. Number of Hotspots for Three-Year Periods**

| <b>Fiscal Year</b> | <b>Calendar Year Data Used</b> | <b>Speed Hotspots</b> | <b>Impaired Driving Hotspots</b> | <b>Total Number of Hotspots</b> |
|--------------------|--------------------------------|-----------------------|----------------------------------|---------------------------------|
| 2009               | 2005-2007                      | 142                   | 191                              | 333                             |
| 2010               | 2006-2008                      | 123                   | 190                              | 313                             |
| 2011               | 2007-2009                      | 93                    | 194                              | 287                             |
| 2012               | 2008-2010                      | 63                    | 143                              | 206                             |
| 2013               | 2009-2011                      | 45                    | 144                              | 189                             |
| 2014               | 2010-2012                      | 47                    | 179                              | 226                             |
| 2015               | 2011-2013                      | 37                    | 198                              | 235                             |

As the State works to reduce the fatality rate by reducing the number of hotspots meeting the fixed criteria, a statewide effort will continue to focus traffic safety funding on hotspot locations. By doing this, every possible action will be taken to bring these numbers down in the coming years. The change in the number of hotspots found (using identical search criteria) in each year is being monitored. Slight reductions in the total number of hotspots were seen in the three year periods ending 2008 and 2009. A more significant drop in the total number of hotspots was seen between 2009 and 2010. There was an increase in the three year periods ending 2012 to 2013.

**General Strategy:** To require the CTSP Coordinators to focus their plans primarily on the speed, impaired driving and occupant restraint deficiency hotspot locations identified for their respective regions. By doing this they will be focusing on the most critical problem areas and the biggest killers. Tables 3a and 3b present a summary of all crashes for the Calendar Years 2001-2013. These statistics should be referenced as overall goals and strategies are discussed and determined.

**Table 3a. Summary of All Crashes – CY 2001-2006 Alabama Data**

| <b>Performance Measures</b> | <b>2001</b> | <b>2002</b> | <b>2003</b> | <b>2004</b> | <b>2005</b> | <b>2006</b> |
|-----------------------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Fatal Crashes               | 902         | 931         | 899         | 1033        | 1013        | 1074        |
| Percent Fatal Crash         | 0.67%       | 0.66%       | 0.64%       | 0.71%       | 0.70%       | 0.77%       |
| Injury Crashes              | 29771       | 30922       | 30748       | 31856       | 31335       | 30527       |
| Percent Injury Crashes      | 22.26%      | 22.02%      | 21.80%      | 21.77%      | 21.76%      | 21.84%      |
| PDO Crashes                 | 103066      | 108583      | 109420      | 113469      | 111645      | 108179      |
| Percent PDO Crashes         | 77.07%      | 77.32%      | 77.57%      | 77.53%      | 77.54%      | 77.39%      |
| Total                       | 133739      | 140436      | 141067      | 146358      | 143993      | 139780      |

**Table 3b. Summary of All Crashes – CY 2007-2013 Alabama Data**

| <b>Performance Measures</b> | <b>2007</b> | <b>2008</b> | <b>2009</b> | <b>2010</b> | <b>2011</b> | <b>2012</b> | <b>2013</b> |
|-----------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Fatal Crashes               | 1010        | 886         | 775         | 793         | 814         | 815         | 745         |
| Percent Fatal Crash         | 0.75%       | 0.71%       | 0.63%       | 0.62%       | 0.64%       | 0.63%       | 0.59%       |
| Injury Crashes              | 28295       | 25613       | 27675       | 29051       | 27687       | 27551       | 26810       |
| Percent Injury Crashes      | 20.92%      | 20.66%      | 22.37%      | 22.63%      | 21.69%      | 21.45%      | 21.15%      |
| PDO Crashes                 | 107971      | 99241       | 96840       | 100126      | 100795      | 101706      | 100675      |
| Percent PDO Crashes         | 79.83%      | 80.05%      | 78.26%      | 77.99%      | 78.95%      | 79.18%      | 79.43%      |
| Total                       | 135256      | 123968      | 123740      | 128384      | 127668      | 128442      | 126740      |



Tables 4a and 4b summarize all Speed and Impaired Driving hotspots for FY 2008 through FY 2015. Past years data are included here in order to allow for comparison within each region. In future years, data will continue to be added to this table to track the progress made in reducing the number of hotspots across the state and within individual regions.

**Table 4a. Speed Hotspot Listing by Region**

| Region       | Speed Hotspots for Fiscal Years |            |            |           |           |           |           |           | % of Total<br>Hotspots (2015) |
|--------------|---------------------------------|------------|------------|-----------|-----------|-----------|-----------|-----------|-------------------------------|
|              | 2008                            | 2009       | 2010       | 2011      | 2012      | 2013      | 2014      | 2015      |                               |
| Birmingham   | 25                              | 35         | 26         | 21        | 16        | 15        | 14        | 11        | 29.73%                        |
| North East   | 11                              | 17         | 17         | 11        | 13        | 8         | 10        | 7         | 18.92%                        |
| North        | 10                              | 18         | 17         | 16        | 9         | 5         | 4         | 2         | 5.40%                         |
| Mobile       | 15                              | 15         | 14         | 13        | 9         | 4         | 4         | 5         | 13.51%                        |
| East         | 14                              | 16         | 17         | 13        | 8         | 3         | 9         | 6         | 16.22%                        |
| Central      | 15                              | 12         | 15         | 8         | 7         | 3         | 4         | 3         | 8.11%                         |
| South East   | 11                              | 7          | 6          | 5         | 2         | 3         | 1         | 2         | 5.41%                         |
| South West   | 5                               | 10         | 4          | 4         | 2         | 1         | 0         | 0         | 0.00%                         |
| West         | 14                              | 16         | 14         | 8         | 1         | 2         | 1         | 1         | 2.70%                         |
| <b>TOTAL</b> | <b>120</b>                      | <b>146</b> | <b>130</b> | <b>99</b> | <b>67</b> | <b>44</b> | <b>47</b> | <b>37</b> | <b>100.00%</b>                |

**Table 4b. Impaired Driving Hotspot Listing by Region**

| Region       | Impaired Driving Hotspots for Fiscal Years |            |            |            |            |            |            |            | % of Total<br>Hotspots (2015) |
|--------------|--|------------|------------|------------|------------|------------|------------|------------|-------------------------------|
|              | 2008                                       | 2009       | 2010       | 2011       | 2012       | 2013       | 2014       | 2015       |                               |
| Birmingham   | 37   | 32         | 27         | 34         | 41         | 23         | 35         | 27         | 13.64%                        |
| North East   | 42   | 32         | 27         | 30         | 54         | 36         | 47         | 54         | 27.27%                        |
| North        | 22   | 15         | 17         | 24         | 24         | 15         | 15         | 18         | 9.09%                         |
| Mobile       | 52   | 48         | 47         | 40         | 49         | 25         | 35         | 47         | 23.74%                        |
| East         | 13   | 11         | 14         | 9          | 7          | 3          | 2          | 2          | 1.01%                         |
| Central      | 23   | 26         | 27         | 25         | 34         | 21         | 26         | 28         | 14.14%                        |
| South East   | 5  | 2          | 6          | 15         | 17         | 6          | 2          | 4          | 2.02%                         |
| South West   | 4  | 6          | 5          | 6          | 4          | 2          | 2          | 2          | 1.01%                         |
| West         | 20   | 19         | 21         | 18         | 22         | 13         | 15         | 16         | 8.08%                         |
| <b>TOTAL</b> | <b>218</b>                                 | <b>191</b> | <b>191</b> | <b>201</b> | <b>252</b> | <b>144</b> | <b>179</b> | <b>198</b> | <b>100.00%</b>                |

## FY 2015 Strategies and Performance Goals

### Strategies

The following outlines the strategies to be applied during FY 2015:

- AOHS is charged by the Governor with the responsibility for implementing the state's highway safety efforts to reduce traffic deaths, injuries and crashes; as such, they will continue to perform the overall administrative functions for the programs and projects implemented.
- The nine Community Traffic Safety Programs (CTSP) projects are seen to be an essential element in maintaining distributed governance over the statewide traffic safety program, and they will be maintained, including the support of the CTSP Coordinators and the administrative support for their offices.
- The Center for Advanced Public Safety (CAPS) is seen to be vital in providing the information required for allocating traffic safety resources in an optimal way, and they will continue to be supported in providing AOHS with Alabama crash and traffic safety data throughout the year.
- Conduct nine local Hotspot Special Traffic Enforcement Program (STEP) projects, one within each of the CTSP regions. Additionally, a statewide STEP project will be conducted in conjunction with the Alabama Department of Public Safety (DPS). The efforts of all CTSP selective enforcement projects should be focused on hotspot locations. By focusing on the hotspot locations, every effort will be taken to reduce speed and impaired driving crashes, and in so doing, reduce the fatality rate for the state.
- Continue the Law Enforcement Liaison (LEL) programs statewide. Beginning in FY 2007, this program was absorbed by the regional CTSP offices and was funded through the Community Traffic Safety Projects. This funding arrangement will continue in FY 2015.
- Participate in national "Click It or Ticket" campaign on the statewide level.
- Conduct statewide "Drive Sober or Get Pulled Over" campaign as a part of the national campaign.
- Conduct sustained enforcement for seat belts, impaired driving, and speeding.

### Hotspot Performance Measures and Goals

*Performance Measure:* Since the criteria for determining the hotspots has not changed over the years, a smaller number of hotspots found would indicate progress in reducing crashes in the selective enforcement areas. These gains would be leveraged over the entire state as the effects of increased enforcement are not limited to the target roadway segments. As the hotspots continue to be tracked in the future, more columns will be added to the table below to track the number of hotspots that were found statewide according to the fixed criteria. The following table indicates how the performance measures for Speed and Impaired Driving hotspots have changed since 2006.

| <b>Performance Measure</b> | <b>Three Year Ending Calendar Year</b> |             |             |             |             |             |             |             |                |
|----------------------------|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|----------------|
| <b>Hotspot Type</b>        | <b>2006</b>                            | <b>2007</b> | <b>2008</b> | <b>2009</b> | <b>2010</b> | <b>2011</b> | <b>2012</b> | <b>2013</b> | <b>AVERAGE</b> |
| Speed                      | 120                                    | 142         | 123         | 93          | 63          | 45          | 47          | 37          | 84             |
| Impaired Driving           | 218                                    | 191         | 190         | 194         | 143         | 144         | 179         | 198         | 182            |
| TOTAL                      | 338                                    | 333         | 313         | 287         | 206         | 189         | 226         | 235         | 266            |

*Short Term Hotspot Goals:* The following short term goals have been established based on the historical assessment and future expectations:

- The goal for the number of speed hotspots for 2015 is 36 from the 37 speed hotspots in 2013.
- The goal for the number impaired driving hotspots for 2015 is 194 from the 198 impaired driving hotspots in 2013.

The goals set for this year will be in place for one year as the state efforts have focused on these types of crashes for the past several years. As these programs continue to gain momentum, reductions should be seen each year and monitored on a year to year basis.

#### Impaired Driving Crashes Performance Measures and Goals

*Performance Measures:* The following table indicates how the performance measures for impaired driving crashes have changed since 2001:

| <b>Performance Measures</b>     | <b>2001</b> | <b>2002</b> | <b>2003</b> | <b>2004</b> | <b>2005</b> | <b>2006</b> |
|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Impaired Driving Fatal Crashes  | 219         | 214         | 203         | 228         | 212         | 237         |
| Impaired Driving Injury Crashes | 3,066       | 3,078       | 2,878       | 2,876       | 2,948       | 3,042       |
| Total                           | 3,285       | 3,292       | 3,081       | 3,104       | 3,160       | 3,279       |

| <b>Performance Measures</b>     | <b>2007</b> | <b>2008</b> | <b>2009</b> | <b>2010</b> | <b>2011</b> | <b>2012</b> | <b>2013</b> |
|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Impaired Driving Fatal Crashes  | 257         | 212         | 237         | 210         | 217         | 197         | 184         |
| Impaired Driving Injury Crashes | 2,719       | 2,450       | 2,548       | 2,798       | 2,647       | 2,661       | 2,292       |
| Total                           | 2,976       | 2,662       | 2,785       | 3,008       | 2,864       | 2,847       | 2,476       |

*Short Term Impaired Driving Crash Reduction Goals:* The following short term goals have been established based on the historical assessment and future expectations:

- The goal for the number of impaired driving fatal crashes for 2015 is 180 from 184 in 2013.
- The goal for the number of impaired driving injury crashes for 2015 is 2,246 from 2,476 in 2013.

Consistently with the way that goals for impaired driving crashes have been set in the past, the goals for the coming year were set based upon five years of data (2008-2012). This will allow for consistent year to year monitoring of the goals.

#### Speed Related Crash Performance Measures and Goals

*Performance Measures:* The following table indicates how the performance measures for speed-related crashes have varied since 2001:

| <b>Performance Measures</b> | <b>2001</b> | <b>2002</b> | <b>2003</b> | <b>2004</b> | <b>2005</b> | <b>2006</b> |
|-----------------------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Speed Fatal Crashes         | 256         | 298         | 293         | 317         | 331         | 370         |
| Speed Injury Crashes        | 3,119       | 3,253       | 3,208       | 3,325       | 3,502       | 3,712       |
| Total                       | 3,375       | 3,551       | 3,501       | 3,642       | 3,833       | 4,082       |

| <b>Performance Measures</b> | <b>2007</b> | <b>2008</b> | <b>2009</b> | <b>2010</b> | <b>2011</b> | <b>2012</b> | <b>2013</b> |
|-----------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Speed Fatal Crashes         | 359         | 338         | 221         | 212         | 188         | 177         | 160         |
| Speed Injury Crashes        | 3,392       | 2,958       | 2,299       | 1,883       | 1,832       | 1,778       | 1,494       |
| Total                       | 3,751       | 3,296       | 2,520       | 2,095       | 2,020       | 1,955       | 1,654       |

*Short Term Speed Related Crash Reduction Goals:* The following short term goals have been established based on the historical assessment and future expectations:

- The goal for the number of speed fatal crashes for 2015 is 157 from 160 in 2013.
- The goal for the number of speed injury crashes for 2015 is 1,464 from 1,494 in 2013.

Consistently with the way that goals for speed crashes have been set in the past, the goals for the coming year were set based upon the five years of data (2009-2013). This will allow for consistent year to year monitoring of the goals.

#### Occupant Protection Performance Measures and Goals

*Performance Measures:* The performance measures for both child safety seat and overall restraint use are obtained from annual surveys conducted by the CAPS. The Seat Belt Usage Rate is obtained immediately following the “Click It or Ticket” campaign in June and the Child Safety Seat Usage Rate data is collected in August. The latest data for both of these rates was obtained from reports made available by the CAPS. The state will fully support the National Click It or Ticket efforts by running a statewide program that should have a positive impact on restraint use.

| <b>Performance Measures</b>  | <b>2001</b> | <b>2002</b> | <b>2003</b> | <b>2004</b> | <b>2005</b> | <b>2006</b> |
|------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Seat Belt Usage Rate         | 79.40%      | 78.80%      | 77.40%      | 80.00%      | 81.90%      | 82.90%      |
| Child Safety Seat Usage Rate | 77.00%      | 89.40%      | 87.00%      | 82.90%      | 91.60%      | 88.00%      |

| <b>Performance Measures</b>  | <b>2007</b> | <b>2008</b> | <b>2009</b> | <b>2010</b> | <b>2011</b> | <b>2012</b> | <b>2013</b> |
|------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Seat Belt Usage Rate         | 82.30%      | 86.10%      | 90.00%      | 91.43%      | 88.00%      | 89.50%      | 97.30%      |
| Child Safety Seat Usage Rate | 92.30%      | 88.20%      | 94.91%      | 93.12%      | 95.83%      | 93.00%      | 97.70%      |

*Short Term Occupant Protection Goals:* The following short term goals have been established based on the historical assessment and future expectations:

- The goal for the statewide seat belt usage rate that will be measured during CY 2015 is from the baseline of 91.2% five year average for CY 2009-2013 to 92.5% in 2015.
- The goal for the statewide child safety seat usage that will be measured during CY 2015 is from the baseline 93.0% five year average for CY 2009-2013 to 94.0% in 2015.

## Administrative Goals

### Personnel:

- To ensure that the AOHS staff (which includes the Governor's Representative/State Coordinator, Public Safety Unit Chief, Highway Traffic Safety Manager, and Highway Safety Program Manager) has access to information needed to manage a NHTSA compliant Highway Traffic Safety Program, they must attend the appropriate meetings and training sessions. AOHS will be represented at the NHTSA Region 4 Colonel's Conference.
- The AOHS staff, all CTSP Coordinators/LELs, and the Traffic Safety Resource Prosecutor must attend the NHTSA sponsored Annual Regional LEL Conference. The staff will attend this meeting so they are able to effectively discuss regional and state issues and highway safety initiatives for the upcoming year.
- The AOHS staff is encouraged to be represented at the annual Lifesaver's National Conference on Highway Safety Priorities and/or the Governor's Highway Safety Association meetings. The representatives attending these conferences will be updated on safety topics such as speed enforcement, impaired driving, child passenger safety and occupant protection, roadway and vehicle safety and technology, traffic records, motorcycle safety, Data-Driven Approaches to Crime and Traffic Safety (DDACTS), nighttime seat belt enforcement, and necessary traffic safety training.

## Traffic Records

### Goals:

- To ensure that all agencies with responsibility for traffic safety have timely access and complete information needed to identify problems, select optimal countermeasures, and evaluate implemented improvements.
- To assure that effective data are available that pinpoints and targets the exact locations of speed and impaired driving hotspots for each region in the state.
- To administer the Section 405c funded projects so that the comprehensive traffic records plan developed to support those efforts is brought to fruition.
- To provide support to innovations in moving toward better use of available technologies, e.g., data entry at the point of incidents, automated uploading and paperless operations.

### Strategies:

- Provide at least one statewide training session for CTSP Coordinators and LELs in which the basics of CARE information will be taught in terms of application to local problem identification and evaluation.
- Initiate systems studies to finalize and obtain approval for the recently developed MMUCC-compatible crash report form, and
- To fully deploy, and assure the use of, the developed in-vehicle crash data entry and data uploading system for the electronic crash (eCrash) and the electronic citation system (eCite).

Traffic safety information systems play a major part in identifying optimal countermeasure implementation through problem identification. Once the countermeasure type is identified, further analysis is applied to design optimal tactical approaches to implementing these countermeasures by specifying the locations and other demographic characteristics that are most effective in saving lives and reducing injury.

The Center for Advanced Public Safety (CAPS) at the University of Alabama has provided some of the most advanced traffic safety information systems that exist, and CAPS stands ready to continue to develop and maintain these capabilities with a series of projects during the 2015 fiscal year. The areas in the state's traffic records information system that are most in need of innovation in order to maximize the value of safety information are given below according to their respective components of the traffic safety information system:

- *Citation and Adjudication Component* includes the extension and roll out of the electronic citation, a proposed DUI defendant intake system, a method for moving digital information directly to the field officers using available cell phones, and technological advances to move the traffic citation reporting and processing system toward paperless operations.
- *Crash Component* includes the complete roll-out of eCrash, further integration of GIS capabilities into eCrash and CARE, the automated generation of information for the Crash Facts Book, and the development of the CARE Safety Portal to produce a more effective interface to deliver CARE-generated information. This will also require an updated version of eCrash to be developed based on the availability of automated location systems and feedback as to improvements needed to make the eCrash data entry system more effective and improve data quality. The completion of the eCrash roll-out will lead to a revamping of the CARE system since it will no longer need to integrate data from paper-based sources.
- *Driver Component* calls for more effective driver licensing information (including pictures) to be distributed to the field through the extremely successful Law Enforcement Tactical System (LETS). This will require a more effective Driver History database that is updated automatically by eCrash and eCite. The LogBook application plans to completely automate the production of effort logs, and support the electronic transfer of such logs to the appropriate reporting locations. This move toward a paperless environment is leading to greater efficiencies in law enforcement, enabling a greater presence in the field, more time for actual enforcement, and a tremendous boost in morale to the field officers. During FY 2015 these reports will continue to be developed as will the field deployment of the paperless office software.
- *EMS-Medical Component* includes continued support for the implementation of the National Emergency Medical Services Information System (NEMSIS), an ambulance stationing research project, and a pilot project to reduce EMS delay time to the scene of crashes with a moving map display. This will be accomplished by the implementation of the Mobile Officers' Virtual Environment (MOVE) in EMS vehicles and the processing of trauma center and EMS run time data through CARE and ADVANCE. The need to integrate EMS run data with crash data also continues to be an issue; such integration is needed to effectively study crash injury outcomes (e.g., effectiveness of restraints). The development of field EMS reporting software will continue during FY 2015. There are a number of enhancements that will make these data sources far more productive of useful information. The information needs to be made more available, and the user base needs to be expanded. The linkage between the ambulance run data and the trauma data is in its very first stages, which has demonstrated its potential use, but this still needs to be brought to fruition.

- *Roadway Component* involves a wide diversity of projects in support of the State's Interactive Highway Safety Design Manual (IHSDM)/Highway Safety Manual (HSM)/Safety Analyst (SA) initiatives. This will include the integration of roadway features into CARE and the integration of Crash Modification Factors (CMFs) into the Cost-benefit Optimization for the Reduction of Roadway Caused Tragedies (CORRECT) system using the facilities of the CMF Clearinghouse. To effectively locate crashes on the roadway, it is essential that ALDOT complete their various projects along these lines so that they can be integrated into eCrash and used by CARE to fully utilize its GIS display capabilities. To address the problem of crash and other location specification, CAPS is developing new mapping software to support the more accurate acquisition of precise location information, and deploying this software in conjunction with eCrash to increase the quality of the location information obtained from the field. This project is in progress, and the software will continued to be deployed during FY 2015.
- *Vehicle Component* plans include the detailed design of an electronically readable vehicle registration card and a statewide distribution network that will make vehicle information immediately available to all users of data in the state, including the LETS system.
- *Integration and Information Distribution Component*, which was added to the other functionally oriented categories above, considers those projects that transcend and have the goal of integrating and/or producing/distributing information from several databases. A major effort is proposed to populate the current Safe Home Alabama web portal so that it will integrate all of the information generated by all agencies and present it in one unified source to the traffic safety community. An example of this is the proposed new Safety Portal that will be a hub for all traffic safety and related data analytics. General Traffic Safety Information Systems (TSIS) management activities are also included in this component. Progress has been made in establishing CARE scripts, i.e., essentially programs for standard report types that essentially "captures" a series of CARE commands and save them into a program for future use. This project needs to be continued into beta testing and further enhancement of these capabilities, since they are currently not available to the CARE user base. A special location type exception report that is similar to those currently being used in the Early Warning programs is also planned to be completed and deployed.

## Legislative Goals

AOHS will work with the State Safety Coordinating Committee (SSCC). The Governor has appointed a chairman and the state at large member to the committee. Plans are to have the SSCC active by October 2014. AOHS will participate in establishing legislative goals for FY 2015.

A list of current legislative instruments will be tracked and/or supported by the AOHS is included on the Safe Home Alabama website:

[http://www.safehomealabama.gov/GovAgencies/ALLegislature\(SSCC\).aspx](http://www.safehomealabama.gov/GovAgencies/ALLegislature(SSCC).aspx).



## HOTSPOT LISTINGS AND REGIONAL REPORTS

All of the counties in the state were grouped together to form regions for the purpose of identifying problem locations within their region that need attention. The designated regions are as follows:

| <b><u>Region</u></b> | <b><u>Counties</u></b>   |
|----------------------|--|
| Central              | Autauga, Bullock, Elmore, Lee, Lowndes, Macon, Montgomery and Russell                    |
| East                 | Calhoun, Chambers, Clay, Cleburne, Coosa, Randolph, Talladega, and Tallapoosa            |
| Birmingham           | Bibb, Blount, Chilton, Jefferson, Shelby, St. Clair, and Walker                          |
| Mobile Area          | Baldwin, Escambia and Mobile   |
| North East           | Cherokee, DeKalb, Etowah, Jackson, Madison and Marshall                                  |
| North                | Colbert, Cullman, Franklin, Lauderdale, Lawrence, Limestone, Marion, Morgan, and Winston |
| South East           | Barbour, Butler, Coffee, Covington, Crenshaw, Dale, Geneva, Henry, Houston, and Pike     |
| South West           | Choctaw, Clarke, Conecuh, Dallas, Marengo, Monroe, Washington, and Wilcox                |
| West                 | Fayette, Greene, Hale, Lamar, Perry, Pickens, Sumter, and Tuscaloosa                     |

In order to determine the hotspots for each region, several statewide reports were generated. Through the use of the 2011-2013 crash data for the State of Alabama, the CARE program and the ESRI Arc GIS suite of programs, a complete listing and illustration of problem crash locations (or hotspots) throughout the state was developed. While the focus on Speed and Impaired Driving hotspots crashes in this plan has already been discussed, it was important to focus on this type of crash on all types of roadways within the state. With the help of the CARE program, it was possible to identify hotspots in four major categories. These were: (1) hotspots on the Interstate, (2) hotspots on Federal or State Routes, (3) hotspots at non-mileposted intersections (for Impaired Driving Crashes only) and (4) hotspots on non-mileposted segments. By doing this, a total of 37 Speed Hotspots and 198 Impaired Driving Hotspots around the state were identified. The reports generated detailing this information for the entire state included:

1. State of Alabama Fatalities Bar Graph (2006-2013)
2. 2013 Alabama Fatalities by County and Region Map
3. Alabama Fatalities for State and Region (2006-2012)
4. 2013 Alabama Fatalities by Region and County
5. Top 21 Speeding Related Mileposted Interstate Crashes Map
6. Top 19 Speeding Related Mileposted Interstate Crashes Breakdown by Region
7. Top 19 Speeding Related Mileposted Interstate Crashes Listing
8. Top 24 Impaired Driving Related Mileposted Interstate Crashes Map
9. Top 23 Impaired Driving Related Mileposted Interstate Crashes Breakdown by Region
10. Top 23 Impaired Driving Related Mileposted Interstate Crashes Listing
11. Top 11 Speeding Related Mileposted State/Federal Route Crashes Map
12. Top 7 Speeding Related Mileposted State/Federal Route Crashes Breakdown by Region
13. Top 7 Speeding Related Mileposted State/Federal Route Crashes Listing
14. Top 25 Impaired Driving Related Mileposted State/Federal Route Crashes Map
15. Top 32 Impaired Driving Related Mileposted State/Federal Route Crashes breakdown by Region
16. Top 32 Impaired Driving Related Mileposted State/Federal Route Crashes Listing
17. Top 78 Impaired Driving Related Non-Mileposted Intersection Crashes Breakdown by Region
18. Top 78 Impaired Driving Related Non-Mileposted Intersection Crashes Listing
19. Top 11 Speeding Related Non-Mileposted Segment Crashes Breakdown by Region
20. Top 11 Speeding Related Non-Mileposted Segment Crashes Listing
21. Top 65 Impaired Driving Related Non-Mileposted Segment Crashes Breakdown by Region
22. Top 65 Impaired Driving Related Non-Mileposted Segment Crashes Listing
23. Hotspot Count and Totals by Region and County Map for All Hotspots
24. Hotspot Breakdown by Region for All Hotspots
25. Hotspot Count and Totals by Region and County Map for Interstate Hotspots Only
26. Hotspot Count Breakdown by Region for Interstate Hotspots Only
27. Hotspot Count and Totals by Region and County Map for Speeding Related Hotspots Only
28. Hotspot Count Breakdown by Region for Speeding Related Hotspots Only
29. Hotspot Count and Totals by Region and County Map for Impaired Driving Related Hotspots Only
30. Hotspot Count Breakdown by Region for Impaired Driving Related Hotspots Only

Each of these statewide lists and maps are included in the pages that follow.


In addition to the statewide information, regional information was generated for each of the nine regions across the state. This information was formatted in the same way as the statewide reports but only included information on hotspots specific to their region. Regions were also not given copies of the Interstate Hotspots. The Interstate Hotspots will be covered by the Alabama Department of Public Safety, and they are not under the control of the nine CTSP Coordinators. These hotspot lists that each region received were no different than the statewide list, rather a subset of that list that applied only to the region in question. The reports provided on a regional basis were as follows:

1. Regional Fatalities Bar Graph (2006-2013)
2. Top Speeding Related Mileposted State/Federal Route Crashes Map for Region
3. Top Speeding Related Mileposted State/Federal Route Crashes Listing for Region
4. Top Impaired Driving Related Mileposted State/Federal Route Crashes Map for Region
5. Top Impaired Driving Related Mileposted State/Federal Route Crashes Listing for Region
6. Top Impaired Driving Related Non-Mileposted Intersection Crashes Listing for Region
7. Top Speeding Related Non-Mileposted Segment Crashes Listing for Region
8. Top Impaired Driving Related Non-Mileposted Segment Crashes Listing for Region


By providing both statewide information and information specific to their region, the regional coordinators were able to identify the problem areas in their region but also look at how they were doing on a statewide level.

Once this information was provided to the CTSP Coordinators, they were instructed to focus their plans for the coming year on the Hotspot locations given in the reports for their region. Money distributed by the AOHS this year will focus completely on these areas within the region. By employing this method of funds distribution, a measurable effect on the two largest factors that cause crashes (speeding and impaired driving) should be seen. The same criteria used to identify the 37 Speeding Related Hotspots and 198 Impaired Driving Related Hotspots locations this year will be used in coming years. If funds are employed effectively and correctly, the number of hotspots should fall within the next few years on both a statewide level and within each individual region.

## State of Alabama Fatalities



# 2013 Fatalities in Alabama



**Statewide Total Fatalities = 852**

## **State of Alabama Fatalities**

| <u>Year</u> | <u>Number</u> |
|-------------|---------------|
| 2006        | 1207          |
| 2007        | 1110          |
| 2008        | 966           |
| 2009        | 849           |
| 2010        | 859           |
| 2011        | 899           |
| 2012        | 865           |
| 2013        | 852           |

## **State of Alabama Fatalities by Region**

| <u>Central</u> |               | <u>Mobile</u> |               | <u>South East</u> |               |
|----------------|---------------|---------------|---------------|-------------------|---------------|
| <u>Year</u>    | <u>Number</u> | <u>Year</u>   | <u>Number</u> | <u>Year</u>       | <u>Number</u> |
| 2006           | 170           | 2006          | 162           | 2006              | 98            |
| 2007           | 138           | 2007          | 148           | 2007              | 109           |
| 2008           | 140           | 2008          | 122           | 2008              | 68            |
| 2009           | 103           | 2009          | 95            | 2009              | 71            |
| 2010           | 111           | 2010          | 108           | 2010              | 74            |
| 2011           | 107           | 2011          | 103           | 2011              | 70            |
| 2012           | 87            | 2012          | 94            | 2012              | 66            |
| 2013           | 112           | 2013          | 113           | 2013              | 53            |

| <u>East</u> |               | <u>North East</u> |               | <u>South West</u> |               |
|-------------|---------------|-------------------|---------------|-------------------|---------------|
| <u>Year</u> | <u>Number</u> | <u>Year</u>       | <u>Number</u> | <u>Year</u>       | <u>Number</u> |
| 2006        | 94            | 2006              | 164           | 2006              | 71            |
| 2007        | 83            | 2007              | 128           | 2007              | 53            |
| 2008        | 75            | 2008              | 119           | 2008              | 65            |
| 2009        | 82            | 2009              | 115           | 2009              | 46            |
| 2010        | 67            | 2010              | 104           | 2010              | 54            |
| 2011        | 63            | 2011              | 108           | 2011              | 55            |
| 2012        | 69            | 2012              | 119           | 2012              | 56            |
| 2013        | 78            | 2013              | 108           | 2013              | 46            |

| <u>Birmingham</u> |               | <u>North</u> |               | <u>West</u> |               |
|-------------------|---------------|--------------|---------------|-------------|---------------|
| <u>Year</u>       | <u>Number</u> | <u>Year</u>  | <u>Number</u> | <u>Year</u> | <u>Number</u> |
| 2006              | 202           | 2006         | 154           | 2006        | 92            |
| 2007              | 221           | 2007         | 138           | 2007        | 92            |
| 2008              | 195           | 2008         | 117           | 2008        | 65            |
| 2009              | 163           | 2009         | 110           | 2009        | 64            |
| 2010              | 182           | 2010         | 101           | 2010        | 58            |
| 2011              | 217           | 2011         | 118           | 2011        | 58            |
| 2012              | 203           | 2012         | 104           | 2012        | 67            |
| 2013              | 176           | 2013         | 100           | 2013        | 66            |

## **2013 Alabama Fatalities**


### **Fatalities by Region**

| <b><u>Region</u></b> | <b><u>Number of Fatalities</u></b> |
|----------------------|------------------------------------|
| Birmingham           | 176                                |
| North                | 100                                |
| North East           | 108                                |
| Central              | 112                                |
| Mobile               | 113                                |
| South East           | 53                                 |
| East                 | 78                                 |
| West                 | 66                                 |
| South West           | 46                                 |
| <b>TOTAL</b>         | <b>852</b>                         |

### **Fatalities by County**

| <b><u>County</u></b> | <b><u># of Fatalities</u></b> | <b><u>County</u></b> | <b><u># of Fatalities</u></b> | <b><u>County</u></b> | <b><u># of Fatalities</u></b> |
|----------------------|-------------------------------|----------------------|-------------------------------|----------------------|-------------------------------|
| Jefferson            | 92                            | Escambia             | 10                            | Covington            | 3                             |
| Mobile               | 65                            | Lowndes              | 10                            | Fayette              | 3                             |
| Baldwin              | 38                            | Randolph             | 10                            | Franklin             | 3                             |
| Madison              | 33                            | Tallapoosa           | 10                            | Lamar                | 3                             |
| Montgomery           | 32                            | Chambers             | 9                             | Perry                | 3                             |
| Talladega            | 27                            | Calhoun              | 9                             | Monroe               | 2                             |
| Tuscaloosa           | 26                            | Clarke               | 8                             | Washington           | 2                             |
| Limestone            | 23                            | Dallas               | 8                             | Geneva               | 2                             |
| Walker               | 21                            | Macon                | 8                             | Henry                | 0                             |
| Marshall             | 19                            | Marion               | 8                             | <b>TOTAL</b>         | <b>852</b>                    |
| Morgan               | 17                            | Pickens              | 8                             |                      |                               |
| DeKalb               | 17                            | Bullock              | 7                             |                      |                               |
| Russell              | 16                            | Cleburne             | 7                             |                      |                               |
| Elmore               | 16                            | Conecuh              | 7                             |                      |                               |
| Shelby               | 16                            | Lawrence             | 7                             |                      |                               |
| Cherokee             | 15                            | Pike                 | 7                             |                      |                               |
| Chilton              | 15                            | Wilcox               | 7                             |                      |                               |
| Houston              | 15                            | Choctaw              | 6                             |                      |                               |
| Saint Clair          | 14                            | Hale                 | 6                             |                      |                               |
| Cullman              | 14                            | Marengo              | 6                             |                      |                               |
| Blount               | 13                            | Sumter               | 6                             |                      |                               |
| Etowah               | 13                            | Bibb                 | 5                             |                      |                               |
| Autauga              | 12                            | Winston              | 5                             |                      |                               |
| Lauderdale           | 12                            | Barbour              | 5                             |                      |                               |
| Lee                  | 11                            | Coffee               | 4                             |                      |                               |
| Colbert              | 11                            | Crenshaw             | 4                             |                      |                               |
| Greene               | 11                            | Butler               | 3                             |                      |                               |
| Jackson              | 11                            | Clay                 | 3                             |                      |                               |
| Dale                 | 10                            | Coosa                | 3                             |                      |                               |

Top 19 Mileposted Interstate Locations (10 miles in length) in  
Alabama with 8 or More Speeding Related Crashes  
Resulting in Injury or Fatality





**Top 19 Mileposted Interstate Locations (10 miles in length) in  
Alabama with 8 or More Speeding Related Crashes Resulting in Injury  
or Fatality**

**Regional Breakdown**


|                   |    |        |
|-------------------|----|--------|
| Birmingham Region | 10 | 52.63% |
| Mobile Region     | 4  | 21.05% |
| East Region       | 2  | 10.53% |
| North East Region | 2  | 10.53% |
| Central Region    | 1  | 5.26%  |
| North Region      | 0  | 0.00%  |
| South East Region | 0  | 0.00%  |
| South West Region | 0  | 0.00%  |
| West Region       | 0  | 0.00%  |

## Top 19 Mileposted Interstate Locations (10 Miles in Length) in Alabama with 8 or More Speeding Related Crashes Resulting in Injury or Fatality

The map that corresponds to this data and marks these Hotspots is titled "Top 19 Mileposted Interstate Locations (10 Miles in Length) in Alabama with 8 or More Speeding Related Crashes Resulting in Injury or Fatality"

| Rank | County     | City             | Route | Beg MP | End MP | Total Crashes | Fatal Crashes | Injury Crashes | Severity Index | Crashes/ MVM | MVM     | ADT    | Agency ORI                      |
|------|------------|------------------|-------|--------|--------|---------------|---------------|----------------|----------------|--------------|---------|--------|---------------------------------|
| 1    | Dekalb     | Rural Dekalb     | I-59  | 208.7  | 218.7  | 10            | 2             | 8              | 34             | 0.04         | 283.95  | 15559  | Alabama DPS - Gadsden Post      |
| 2    | Calhoun    | Rural Calhoun    | I-20  | 182.4  | 192.4  | 11            | 2             | 9              | 33.64          | 0.02         | 677.93  | 37147  | Alabama DPS - Jacksonville Post |
| 3    | Mobile     | Mobile           | I-65  | 0.1    | 10.1   | 13            | 5             | 8              | 31.54          | 0.01         | 1443.16 | 79077  | Mobile Police Department        |
| 4    | Jefferson  | Homewood         | I-65  | 248.3  | 258.3  | 9             | 1             | 8              | 28.89          | 0            | 2195.8  | 120318 | Homewood Police Department      |
| 5    | Jefferson  | Birmingham       | I-59  | 128    | 138    | 8             | 1             | 7              | 28.75          | 0.01         | 1277.92 | 70023  | Birmingham Police Department    |
| 6    | Cleburne   | Rural Cleburne   | I-20  | 201.7  | 211.7  | 8             | 1             | 7              | 27.5           | 0.01         | 621.25  | 34041  | Alabama DPS - Jacksonville Post |
| 7    | St Clair   | Rural St. Clair  | I-59  | 151.3  | 161.3  | 8             | 2             | 6              | 26.25          | 0.02         | 422.63  | 23158  | Alabama DPS - Birmingham Post   |
| 8    | Mobile     | Rural Mobile     | I-10  | 2      | 12     | 8             | 1             | 7              | 26.25          | 0.01         | 900.75  | 49356  | Alabama DPS - Mobile Post       |
| 9    | Etowah     | Rural Etowah     | I-59  | 168.4  | 178.4  | 9             | 0             | 9              | 25.56          | 0.02         | 380.35  | 20841  | Alabama DPS - Gadsden Post      |
| 10   | Jefferson  | Birmingham       | I-59  | 117.6  | 127.6  | 19            | 1             | 18             | 24.74          | 0.01         | 2203.92 | 120763 | Birmingham Police Department    |
| 11   | Jefferson  | Rural Jefferson  | I-459 | 13.4   | 23.4   | 9             | 1             | 8              | 24.44          | 0.01         | 1679.2  | 92011  | Alabama DPS - Birmingham Post   |
| 12   | Jefferson  | Rural Jefferson  | I-65  | 259    | 269    | 10            | 0             | 10             | 24             | 0.01         | 1471.35 | 80622  | Alabama DPS - Birmingham Post   |
| 13   | Blount     | Rural Blount     | I-65  | 284    | 294    | 10            | 0             | 10             | 24             | 0.01         | 747.47  | 40957  | Alabama DPS - Birmingham Post   |
| 14   | Baldwin    | Rural Baldwin    | I-10  | 30.4   | 40.4   | 10            | 1             | 9              | 24             | 0.01         | 947.76  | 51932  | Alabama DPS - Mobile Post       |
| 15   | Jefferson  | Bessemer         | I-59  | 107.3  | 117.3  | 8             | 1             | 7              | 23.75          | 0.01         | 889.98  | 48766  | Bessemer Police Department      |
| 16   | Mobile     | Mobile           | I-10  | 19.7   | 29.7   | 9             | 1             | 8              | 23.33          | 0.01         | 1343.07 | 73593  | Mobile Police Department        |
| 17   | St Clair   | Rural St. Clair  | I-20  | 148    | 158    | 9             | 1             | 8              | 23.33          | 0.01         | 930.35  | 50978  | Alabama DPS - Birmingham Post   |
| 18   | Chilton    | Rural Chilton    | I-65  | 196.5  | 206.5  | 9             | 1             | 8              | 22.22          | 0.01         | 605.57  | 33182  | Alabama DPS - Montgomery Post   |
| 19   | Montgomery | Rural Montgomery | I-65  | 172.3  | 182.3  | 13            | 1             | 12             | 21.54          | 0.01         | 982.31  | 53825  | Alabama DPS - Montgomery Post   |

Top 23 Mileposted Interstate Locations (5 miles in length)  
in Alabama with 8 or More Impaired Driving Related Crashes  
Resulting in Injury or Fatality



**Top 23 Mileposted Interstate Locations (5 miles in length) in Alabama  
with 8 or More Impaired Driving Related Crashes Resulting in Injury or Fatality**

**Regional Breakdown**


|                   |    |        |
|-------------------|----|--------|
| Birmingham Region | 13 | 56.52% |
| Mobile Region     | 4  | 17.39% |
| North East Region | 3  | 13.04% |
| Central Region    | 2  | 8.70%  |
| North Region      | 1  | 4.35%  |
| East Region       | 0  | 0.00%  |
| South East Region | 0  | 0.00%  |
| South West Region | 0  | 0.00%  |
| West Region       | 0  | 0.00%  |

## Top 23 Mileposted Interstate Locations (5 Miles in Length) in Alabama with 8 or More Impaired Driving Related Crashes Resulting in Injury or Fatality

The map that corresponds to this data and marks these Hotspots is titled "Top 23 Mileposted Interstate Locations (5 Miles in Length) in Alabama with 8 or More Impaired Driving Related Crashes Resulting in Injury or Fatality"

| Rank | County     | City             | Route | Beg MP | End MP | Total Crashes | Fatal Crashes | Injury Crashes | Severity Index | C/MVM | MVM     | ADT    | Agency ORI                    |
|------|------------|------------------|-------|--------|--------|---------------|---------------|----------------|----------------|-------|---------|--------|-------------------------------|
| 1    | Jefferson  | Birmingham       | I-59  | 120    | 125    | 13            | 3             | 10             | 28.46          | 0.01  | 1104.79 | 121073 | Birmingham Police Department  |
| 2    | Jefferson  | Birmingham       | I-59  | 125    | 130    | 12            | 2             | 10             | 28.33          | 0.01  | 1350.66 | 148018 | Birmingham Police Department  |
| 3    | Jefferson  | Birmingham       | I-59  | 131    | 136    | 9             | 2             | 7              | 27.78          | 0.02  | 460.37  | 50452  | Birmingham Police Department  |
| 4    | Jefferson  | Rural Jefferson  | I-65  | 262    | 267    | 8             | 1             | 7              | 27.5           | 0.01  | 647.22  | 70928  | Alabama DPS - Birmingham Post |
| 5    | Jefferson  | Rural Jefferson  | I-20  | 140    | 145    | 8             | 0             | 8              | 27.5           | 0.01  | 579.76  | 63535  | Alabama DPS - Birmingham Post |
| 6    | Chilton    | Rural Chilton    | I-65  | 199.5  | 204.5  | 9             | 1             | 8              | 25.56          | 0.03  | 299.54  | 32826  | Alabama DPS - Montgomery Post |
| 7    | Etowah     | Rural Etowah     | I-59  | 176.2  | 181.2  | 9             | 0             | 9              | 25.56          | 0.05  | 192.64  | 21111  | Alabama DPS - Gadsden Post    |
| 8    | Jefferson  | Rural Jefferson  | I-65  | 279.5  | 284.5  | 8             | 0             | 8              | 23.75          | 0.02  | 440.08  | 48228  | Alabama DPS - Birmingham Post |
| 9    | Mobile     | Mobile           | I-10  | 22.1   | 27.1   | 8             | 0             | 8              | 23.75          | 0.01  | 660.84  | 72421  | Mobile Police Department      |
| 10   | St Clair   | Rural St. Clair  | I-20  | 151.5  | 156.5  | 8             | 1             | 7              | 23.75          | 0.02  | 465.93  | 51061  | Alabama DPS - Birmingham Post |
| 11   | Madison    | Huntsville       | I-565 | 16     | 21     | 11            | 0             | 11             | 23.64          | 0.02  | 618.47  | 67777  | Huntsville Police Department  |
| 12   | Mobile     | Mobile           | I-65  | 0      | 5      | 12            | 1             | 11             | 23.33          | 0.01  | 801.54  | 87840  | Mobile Police Department      |
| 13   | Jefferson  | Hoover           | I-65  | 251    | 256    | 10            | 1             | 9              | 23             | 0.01  | 1093.51 | 119837 | Hoover Police Department      |
| 14   | Jefferson  | Birmingham       | I-65  | 256.1  | 261.1  | 9             | 0             | 9              | 22.22          | 0.01  | 1143.96 | 125365 | Birmingham Police Department  |
| 15   | Madison    | Huntsville       | I-565 | 9.8    | 14.8   | 10            | 0             | 10             | 22             | 0.02  | 627.86  | 68807  | Huntsville Police Department  |
| 16   | Cullman    | Rural Cullman    | I-65  | 312    | 317    | 8             | 0             | 8              | 21.25          | 0.03  | 264.81  | 29020  | Alabama DPS - Decatur Post    |
| 17   | Jefferson  | Bessemer         | I-59  | 107    | 112    | 12            | 0             | 12             | 20.83          | 0.03  | 409.17  | 44840  | Bessemer Police Department    |
| 18   | Jefferson  | Rural Jefferson  | I-59  | 114    | 119    | 12            | 0             | 12             | 20.83          | 0.02  | 553.52  | 60660  | Alabama DPS - Birmingham Post |
| 19   | Mobile     | Mobile           | I-10  | 13     | 18     | 12            | 1             | 11             | 20.83          | 0.02  | 625.86  | 68587  | Mobile Police Department      |
| 20   | Montgomery | Rural Montgomery | I-65  | 173.5  | 178.5  | 8             | 1             | 7              | 20             | 0.01  | 537.45  | 58899  | Alabama DPS - Montgomery Post |
| 21   | Jefferson  | Hoover           | I-65  | 245.8  | 250.8  | 13            | 0             | 13             | 20             | 0.01  | 973.77  | 106715 | Hoover Police Department      |
| 22   | Baldwin    | Rural Baldwin    | I-10  | 28     | 33     | 8             | 0             | 8              | 20             | 0.01  | 555.08  | 60831  | Alabama DPS - Mobile Post     |
| 23   | Lee        | Opelika          | I-85  | 61.7   | 66.7   | 9             | 0             | 9              | 16.67          | 0.03  | 311.34  | 34119  | Opelika Police Department     |

Top 7 Mileposted Federal and State Route Locations (10 miles in length) in Alabama with 8 or More Speeding Related Crashes Resulting in Injury or Fatality



**Top 7 Mileposted Federal and State Route Locations (10 miles in length) in Alabama with 8 or More Speeding Related Crashes Resulting in Injury or Fatality**

**Regional Breakdown**

|                   |   |        |
|-------------------|---|--------|
| East Region       | 2 | 28.57% |
| North East Region | 2 | 28.57% |
| Mobile Region     | 1 | 14.29% |
| North Region      | 1 | 14.29% |
| South East Region | 1 | 14.29% |
| Birmingham Region | 0 | 0.00%  |
| Central Region    | 0 | 0.00%  |
| South West Region | 0 | 0.00%  |
| West Region       | 0 | 0.00%  |


## Top 7 Mileposted State and Federal Route Locations (10 Miles in Length) in Alabama with 8 or More Speeding Related Crashes Resulting in Injury or Fatality

The map that corresponds to this data and marks these Hotspots is titled "Top 7 Mileposted State and Federal Route Locations (10 Miles in Length) in Alabama with 8 or More Speeding Related Crashes Resulting in Injury or Fatality"

| Rank | County    | City            | Route | Beg MP | End MP | Total Crashes | Fatal Crashes | Injury Crashes | Severity Index | Crashes/MVM | MVM    | ADT   | Agency ORI                        |
|------|-----------|-----------------|-------|--------|--------|---------------|---------------|----------------|----------------|-------------|--------|-------|-----------------------------------|
| 1    | Etowah    | Rural Etowah    | S-1   | 269.1  | 279.1  | 10            | 1             | 9              | 31             | 0.03        | 305.98 | 16766 | Alabama DPS - Gadsden Post        |
| 2    | Calhoun   | Rural Calhoun   | S-21  | 266.2  | 276.2  | 8             | 2             | 6              | 30             | 0.05        | 147.06 | 8058  | Alabama DPS - Jacksonville Post   |
| 3    | Limestone | Rural Limestone | S-2   | 83     | 93     | 9             | 2             | 7              | 30             | 0.02        | 592.12 | 32445 | Alabama DPS - Decatur Post        |
| 4    | Coosa     | Rural Coosa     | S-9   | 151.8  | 161.8  | 8             | 1             | 7              | 28.75          | 0.16        | 50.86  | 2787  | Alabama DPS - Alexander City Post |
| 5    | Madison   | Rural Madison   | S-1   | 344    | 353    | 8             | 1             | 7              | 25             | 0.02        | 326.87 | 19901 | Alabama DPS - Huntsville Post     |
| 6    | Coffee    | Rural Coffee    | S-27  | 24.9   | 34.9   | 9             | 0             | 9              | 24.44          | 0.1         | 89.94  | 4928  | Alabama DPS - Dothan Post         |
| 7    | Baldwin   | Rural Baldwin   | S-3   | 8      | 18     | 10            | 1             | 9              | 23             | 0.04        | 266.01 | 14576 | Alabama DPS - Mobile Post         |



Top 32 Mileposted Locations on State and Federal Routes (5 miles in length) in Alabama with 9 or More Impaired Driving Related Crashes Resulting in Injury or Fatality



**Top 32 Mileposted Locations on State and Federal Routes (5 miles in length) in Alabama with 9 or More Impaired Driving Related Crashes Resulting in Injury or Fatality**

**Regional Breakdown**

|                   |    |        |
|-------------------|----|--------|
| North East Region | 12 | 37.50% |
| Mobile Region     | 6  | 18.75% |
| Birmingham Region | 4  | 12.50% |
| North Region      | 3  | 9.38%  |
| Central Region    | 2  | 6.25%  |
| South East Region | 2  | 6.25%  |
| West Region       | 2  | 6.25%  |
| South West Region | 1  | 3.13%  |
| East Region       | 0  | 0.00%  |

## Top 32 Mileposted State and Federal Route Locations (5 Miles in Length) in Alabama with 9 or More Impaired Driving Related Crashes Resulting in Injury or Fatality

The map that corresponds to this data and marks these Hotspots is titled "Top 32 Mileposted State and Federal Route Locations (5 Miles in Length) in Alabama with 9 or More Impaired Driving Related Crashes Resulting in Injury or Fatality"

| Rank | County     | City             | Route | Beg MP | End MP | Total Crashes | Fatal Crashes | Injury Crashes | Severity Index | Crashes/ MVM | MVM    | ADT   | Agency ORI                       |
|------|------------|------------------|-------|--------|--------|---------------|---------------|----------------|----------------|--------------|--------|-------|----------------------------------|
| 1    | Marshall   | Guntersville     | S-1   | 290.4  | 295.4  | 10            | 2             | 8              | 30             | 0.04         | 268.47 | 29421 | Guntersville Police Department   |
| 2    | Russell    | Phenix City      | S-8   | 210.2  | 215.2  | 10            | 1             | 9              | 28             | 0.05         | 213.23 | 23368 | Phenix City Police Department    |
| 3    | Escambia   | Rural Escambia   | S-21  | 4      | 9      | 11            | 1             | 10             | 27.27          | 0.19         | 59.02  | 6468  | Alabama DPS - Evergreen Post     |
| 4    | Madison    | Huntsville       | S-53  | 323.4  | 328.4  | 9             | 2             | 7              | 26.67          | 0.06         | 157.11 | 17218 | Huntsville Police Department     |
| 5    | St Clair   | Moody            | S-25  | 174    | 179    | 9             | 2             | 7              | 26.67          | 0.08         | 106.04 | 11621 | Moody Police Department          |
| 6    | Jefferson  | Rural Jefferson  | S-38  | 2      | 7      | 9             | 0             | 9              | 25.56          | 0.01         | 683.14 | 74865 | Mountain Brook Police Department |
| 7    | Jefferson  | Bessemer         | S-5   | 120    | 125    | 11            | 0             | 11             | 25.45          | 0.06         | 176.88 | 19384 | Bessemer Police Department       |
| 8    | Madison    | Rural Madison    | S-2   | 104.5  | 109.5  | 9             | 0             | 9              | 24.44          | 0.06         | 158.78 | 17401 | Alabama DPS - Huntsville Post    |
| 9    | Morgan     | Decatur          | S-3   | 352.8  | 357.8  | 9             | 1             | 8              | 24.44          | 0.04         | 244.28 | 26770 | Decatur Police Department        |
| 10   | Russell    | Phenix City      | S-1   | 110.6  | 115.6  | 11            | 0             | 11             | 23.64          | 0.04         | 307.4  | 33688 | Phenix City Police Department    |
| 11   | Madison    | Huntsville       | S-2   | 99.3   | 104.3  | 11            | 2             | 9              | 23.64          | 0.04         | 290    | 31781 | Huntsville Police Department     |
| 12   | Mobile     | Rural Mobile     | S-217 | 5.7    | 10.7   | 11            | 1             | 10             | 23.64          | 0.11         | 102.12 | 11191 | Alabama DPS - Mobile Post        |
| 13   | Dale       | Ozark            | S-53  | 39.1   | 44.1   | 9             | 1             | 8              | 23.33          | 0.05         | 163.92 | 17964 | Ozark Police Department          |
| 14   | Tuscaloosa | Tuscaloosa       | S-215 | 1.5    | 6.5    | 18            | 1             | 17             | 23.33          | 0.13         | 137.17 | 15032 | Tuscaloosa Police Department     |
| 15   | Limestone  | Rural Limestone  | S-2   | 83     | 88     | 10            | 0             | 10             | 23             | 0.05         | 191.12 | 20945 | Alabama DPS - Decatur Post       |
| 16   | Tuscaloosa | Rural Tuscaloosa | S-6   | 55.3   | 60.3   | 9             | 0             | 9              | 22.22          | 0.1          | 89.53  | 9811  | Alabama DPS - Tuscaloosa Post    |
| 17   | Madison    | Huntsville       | S-53  | 308    | 313    | 14            | 0             | 14             | 22.14          | 0.04         | 399.69 | 43802 | Huntsville Police Department     |
| 18   | Baldwin    | Daphne           | S-42  | 36     | 41     | 10            | 1             | 9              | 22             | 0.03         | 302.25 | 33123 | Daphne Police Department         |
| 19   | Winston    | Haleyville       | S-13  | 268.4  | 273.4  | 10            | 0             | 10             | 22             | 0.12         | 86.09  | 9435  | Haleyville Police Department     |
| 20   | Madison    | Huntsville       | S-1   | 327    | 332    | 9             | 0             | 9              | 21.11          | 0.04         | 232.3  | 25458 | Huntsville Police Department     |
| 21   | Baldwin    | Foley            | S-59  | 6      | 11     | 9             | 1             | 8              | 21.11          | 0.03         | 305.27 | 33454 | Foley Police Department          |
| 22   | Escambia   | Rural Escambia   | S-3   | 71.7   | 76.7   | 9             | 1             | 8              | 21.11          | 0.17         | 54.28  | 5949  | Alabama DPS - Evergreen Post     |
| 23   | Madison    | Huntsville       | S-53  | 314.7  | 319.7  | 11            | 0             | 11             | 20.91          | 0.03         | 400.79 | 43922 | Huntsville Police Department     |
| 24   | Marshall   | Boaz             | S-1   | 278    | 283    | 10            | 0             | 10             | 19             | 0.05         | 216.47 | 23723 | Boaz Police Department           |

## Top 32 Mileposted State and Federal Route Locations (5 Miles in Length) in Alabama with 9 or More Impaired Driving Related Crashes Resulting in Injury or Fatality

| Rank | County  | City          | Route | Beg MP | End MP | Total Crashes | Fatal Crashes | Injury Crashes | Severity Index | Crashes/ MVM | MVM    | ADT   | Agency ORI                    |
|------|---------|---------------|-------|--------|--------|---------------|---------------|----------------|----------------|--------------|--------|-------|-------------------------------|
| 25   | Dallas  | Rural Dallas  | S-8   | 82.9   | 87.9   | 9             | 1             | 8              | 18.89          | 0.07         | 130.28 | 14277 | Alabama DPS - Selma Post      |
| 26   | Etowah  | Southside     | S-77  | 99     | 104    | 9             | 0             | 9              | 18.89          | 0.05         | 188.35 | 20641 | Southside Police Department   |
| 27   | Madison | Huntsville    | S-1   | 337.5  | 342.5  | 13            | 0             | 13             | 18.46          | 0.05         | 257.53 | 28222 | Huntsville Police Department  |
| 28   | Madison | Rural Madison | S-1   | 345    | 350    | 13            | 0             | 13             | 18.46          | 0.06         | 203.99 | 22355 | Alabama DPS - Huntsville Post |
| 29   | Houston | Dothan        | S-210 | 9.4    | 14     | 11            | 0             | 11             | 18.18          | 0.06         | 198.26 | 23617 | Dothan Police Department      |
| 30   | Baldwin | Gulf Shores   | S-59  | 0.3    | 5.3    | 9             | 0             | 9              | 17.78          | 0.03         | 324.29 | 35539 | Gulf Shores Police Department |
| 31   | Etowah  | Gadsden       | S-1   | 258    | 263    | 10            | 0             | 10             | 17             | 0.04         | 265.79 | 29128 | Gadsden Police Department     |
| 32   | Shelby  | Hoover        | S-38  | 7      | 12     | 10            | 0             | 10             | 15             | 0.02         | 539.81 | 59157 | Hoover Police Department      |

## Top 78 Intersection Locations Statewide with 3 or More Total Impaired Driving Related Crashes

### Regional Breakdown

|                   |    |        |
|-------------------|----|--------|
| North East Region | 26 | 33.33% |
| Mobile Region     | 20 | 25.64% |
| Central Region    | 12 | 15.38% |
| West Region       | 9  | 11.54% |
| North Region      | 5  | 6.41%  |
| Birmingham Region | 4  | 5.13%  |
| South East Region | 1  | 1.28%  |
| South West Region | 1  | 1.28%  |
| East Region       | 0  | 0.00%  |

## Top 78 Intersection Locations Statewide with 3 or More Total Impaired Driving Related Crashes

These crashes are those that happened off the state systems and are therefore not mappable at this time.

| Total Crashes | Fatal Crashes | Injury Crashes | PDO Crashes | Severity | People Killed | People Injured | County     | City           | Location                                     | Node 1 | Node 2 | Route | Agency ORI                     |
|---------------|---------------|----------------|-------------|----------|---------------|----------------|------------|----------------|--|--------|--------|-------|--------------------------------|
| 3             | 0             | 0              | 0           | 23.33    | 0             | 6              | Mobile     | Mobile         | PLEASANT AVE at ALA 17 & ST STEPHENS RD      | 9874   | N/A    | 8860  | Mobile Police Department       |
| 3             | 0             | 0              | 0           | 20       | 0             | 6              | Mobile     | Mobile         | NO DESCRIPTION AVAILABLE                     | 12285  | N/A    | 1346  | Mobile Police Department       |
| 9             | 1             | 0              | 3           | 16.67    | 1             | 7              | Lawrence   | Rural Lawrence | NO DESCRIPTION AVAILABLE                     | 8840   | N/A    | 1087  | Alabama DPS - Decatur Post     |
| 3             | 0             | 0              | 1           | 16.67    | 0             | 4              | Tuscaloosa | Tuscaloosa     | 10TH AVE 5704 at 15TH ST                     | 290    | N/A    | 6299  | Tuscaloosa Police Department   |
| 3             | 0             | 0              | 1           | 16.67    | 0             | 4              | Madison    | Huntsville     | BOB WALLACE AVE at TRIANA BLVD               | 3105   | N/A    | 7219  | Huntsville Police Department   |
| 3             | 0             | 0              | 0           | 16.67    | 0             | 3              | Lauderdale | Florence       | CHISOLM RD at RICKWOOD RD                    | 1282   | N/A    | 5170  | Florence Police Department     |
| 3             | 0             | 0              | 0           | 16.67    | 0             | 6              | Tuscaloosa | Tuscaloosa     | NO DESCRIPTION AVAILABLE                     | 5203   | N/A    | 1185  | Tuscaloosa Police Department   |
| 3             | 0             | 0              | 1           | 16.67    | 0             | 2              | Madison    | Huntsville     | GOVERNORS DR SR-53 at SEMINOLE ST            | 4089   | N/A    | 5546  | Huntsville Police Department   |
| 4             | 0             | 0              | 2           | 15       | 0             | 7              | Mobile     | Mobile         | NO DESCRIPTION AVAILABLE                     | 6200   | N/A    | 8803  | Mobile Police Department       |
| 3             | 0             | 0              | 1           | 13.33    | 0             | 3              | Madison    | Huntsville     | JORDAN LN (PATTON RD at BOB WALLACE AVE      | 2566   | N/A    | 7228  | Huntsville Police Department   |
| 3             | 0             | 0              | 1           | 13.33    | 0             | 3              | Madison    | Huntsville     | AIRPORT RD at MEMORIAL PKWY S                | 3625   | N/A    | 5500  | Huntsville Police Department   |
| 3             | 0             | 0              | 1           | 13.33    | 0             | 2              | Jefferson  | Bessemer       | NO DESCRIPTION AVAILABLE                     | 1287   | N/A    | 5309  | Bessemer Police Department     |
| 4             | 0             | 0              | 2           | 12.5     | 0             | 2              | Elmore     | Millbrook      | NO DESCRIPTION AVAILABLE                     | 8199   | N/A    | 1048  | Millbrook Police Department    |
| 5             | 0             | 0              | 2           | 10       | 0             | 7              | Mobile     | Mobile         | MCGREGOR AVE at OLD SHELL RD                 | 2519   | N/A    | 6200  | Mobile Police Department       |
| 5             | 1             | 0              | 4           | 10       | 1             | 2              | Lee        | Auburn         | SR 147 COLLEGE ST at SR 267 SHUG JORDAN PKWY | 834    | N/A    | 6078  | Auburn Police Department       |
| 4             | 0             | 0              | 2           | 10       | 0             | 2              | Madison    | Madison        | NO DESCRIPTION AVAILABLE                     | 42     | N/A    | 8076  | Madison Police Department      |
| 4             | 0             | 0              | 2           | 10       | 0             | 2              | Dallas     | Selma          | NO DESCRIPTION AVAILABLE                     | 164    | N/A    |       | Selma Police Department        |
| 3             | 0             | 0              | 1           | 10       | 0             | 3              | St Clair   | Pell City      | NO DESCRIPTION AVAILABLE                     | 1234   | N/A    | 1234  | Pell City Police Department    |
| 3             | 0             | 0              | 1           | 10       | 0             | 2              | Lee        | Auburn         | GAY ST S at SAMFORD AVE E                    | 578    | N/A    | 5045  | Auburn Police Department       |
| 3             | 0             | 0              | 2           | 10       | 0             | 1              | Marshall   | Guntersville   | NO DESCRIPTION AVAILABLE                     | 159    | N/A    | 1162  | Guntersville Police Department |
| 3             | 0             | 0              | 1           | 10       | 0             | 2              | Baldwin    | Rural Baldwin  | NO DESCRIPTION AVAILABLE                     | 14601  | N/A    | 1890  | Alabama DPS - Mobile Post      |
| 9             | 0             | 0              | 6           | 8.89     | 0             | 5              | Madison    | Huntsville     | DRAKE AVE at PATTON RD                       | 2004   | N/A    | 7228  | Huntsville Police Department   |
| 4             | 0             | 0              | 2           | 7.5      | 0             | 2              | Madison    | Huntsville     | BIDEFORD DR at LEICESTER DR                  | 958    | N/A    | 1028  | Huntsville Police Department   |
| 6             | 0             | 0              | 4           | 6.67     | 0             | 3              | Madison    | Huntsville     | BLEVINS GAP RD at SEQUOYAH TRAIL             | 1363   | N/A    | 5932  | Huntsville Police Department   |
| 3             | 0             | 0              | 2           | 6.67     | 0             | 1              | Autauga    | Prattville     | MAIN ST E at MCQUEEN SMITH RD                | 890    | N/A    | 1002  | Prattville Police Department   |
| 3             | 0             | 0              | 2           | 6.67     | 0             | 2              | Madison    | Huntsville     | CALIFORNIA ST S E at GOVERNORS DR            | 4228   | N/A    | 5944  | Huntsville Police Department   |
| 3             | 0             | 0              | 2           | 6.67     | 0             | 2              | Madison    | Huntsville     | LILY FLAGG RD SE at MEMORIAL PKWY S          | 475    | N/A    |       | Huntsville Police Department   |
| 3             | 0             | 0              | 2           | 6.67     | 0             | 1              | Tuscaloosa | Tuscaloosa     | 15TH ST E 5168 at 19TH AVE E                 | 261    | N/A    | 5168  | Tuscaloosa Police Department   |
| 3             | 0             | 0              | 2           | 6.67     | 0             | 1              | Madison    | Huntsville     | NO DESCRIPTION AVAILABLE                     | 62485  | N/A    | 1016  | Huntsville Police Department   |
| 3             | 0             | 0              | 2           | 6.67     | 0             | 1              | Tuscaloosa | Tuscaloosa     | 15TH ST 5168 at LAKE AVE                     | 277    | N/A    | 6299  | Tuscaloosa Police Department   |
| 3             | 0             | 0              | 2           | 6.67     | 0             | 3              | Baldwin    | Rural Baldwin  | NO DESCRIPTION AVAILABLE                     | 8009   | N/A    | 1480  | Alabama DPS - Mobile Post      |
| 3             | 0             | 0              | 2           | 6.67     | 0             | 3              | Mobile     | Mobile         | BERWICK CT at DEAD END                       | 1384   | N/A    | 5031  | Mobile Police Department       |
| 3             | 0             | 0              | 2           | 6.67     | 0             | 1              | Mobile     | Rural Mobile   | FIRETOWER RD at HOWELLS FERRY RD             | 7951   | N/A    | 1585  | Alabama DPS - Mobile Post      |
| 3             | 0             | 0              | 2           | 6.67     | 0             | 1              | Madison    | Rural Madison  | JEFF RD at TONEY RD                          | 7371   | N/A    | 1088  | Alabama DPS - Huntsville Post  |
| 3             | 0             | 0              | 2           | 6.67     | 0             | 2              | Mobile     | Mobile         | NO DESCRIPTION AVAILABLE                     | 5232   | N/A    | 3287  | Mobile Police Department       |
| 3             | 0             | 0              | 2           | 6.67     | 0             | 2              | Madison    | Huntsville     | SPARKMAN DR at UNIVERSITY DR                 | 2707   | N/A    | 6298  | Huntsville Police Department   |
| 3             | 0             | 0              | 2           | 6.67     | 0             | 1              | Morgan     | Hartselle      | NO DESCRIPTION AVAILABLE                     | 260    | N/A    | 1055  | Hartselle Police Department    |
| 3             | 0             | 0              | 2           | 6.67     | 0             | 2              | Morgan     | Decatur        | AUSTINVILLE RD at CARRIDALE ST               | 635    | N/A    | 5052  | Decatur Police Department      |

## Top 78 Intersection Locations Statewide with 3 or More Total Impaired Driving Related Crashes

These crashes are those that happened off the state systems and are therefore not mappable at this time.

| PDO Crashes | Severity | People Killed | People Injured | County     | City             | Location                                    | Node 1 | Node 2 | Route | Agency ORI                    |
|-------------|----------|---------------|----------------|------------|------------------|---|--------|--------|-------|-------------------------------|
| 3           | 5        | 0             | 1              | Madison    | Huntsville       | MAIN DR N.E at CAMPUS RD                    | 209    | N/A    | 1305  | Huntsville Police Department  |
| 3           | 5        | 0             | 1              | Mobile     | Mobile           | AIRPORT BLVD at HILLCREST RD AT ARNOLD RD   | 2217   | N/A    | 1346  | Mobile Police Department      |
| 3           | 5        | 0             | 1              | Montgomery | Rural Montgomery | WARES FERRY RD at PRIVATE RD                | 8074   | N/A    | 2046  | Alabama DPS - Montgomery Post |
| 7           | 4        | 0             | 7              | Madison    | Huntsville       | JORDAN LN SR-53 at UNIVERSITY DR            | 2356   | N/A    |       | Huntsville Police Department  |
| 5           | 3.33     | 0             | 1              | Lee        | Auburn           | MAGNOLIA AVE at SR 147 COLLEGE ST           | 315    | N/A    | 6078  | Auburn Police Department      |
| 5           | 3.33     | 0             | 3              | Madison    | Madison          | NO DESCRIPTION AVAILABLE                    | 41     | N/A    | 1005  | Madison Police Department     |
| 2           | 3.33     | 0             | 1              | Madison    | Madison          | NO DESCRIPTION AVAILABLE                    | 200    | N/A    | 1005  | Madison Police Department     |
| 2           | 3.33     | 0             | 1              | Mobile     | Mobile           | AIRPORT BLVD at MCGREGOR AVE AT AZALEA RD   | 2005   | N/A    | 1346  | Mobile Police Department      |
| 2           | 3.33     | 0             | 1              | Montgomery | Montgomery       | INTERSTATE 65 at SOUTH BLVD INTERCHANGE     | 4718   | N/A    | 5006  | Montgomery Police Department  |
| 2           | 3.33     | 0             | 0              | Madison    | Huntsville       | MEMORIAL PKWY N SR-1 at OAKWOOD AVE         | 5701   | N/A    | 5932  | Huntsville Police Department  |
| 2           | 3.33     | 0             | 2              | Shelby     | Hoover           | RIVERCHASE PKWY E at VALLEYDALE RD          | 93     | N/A    | 1250  | Hoover Police Department      |
| 2           | 3.33     | 0             | 1              | Mobile     | Rural Mobile     | MARCH RD CO 295 at OLD PASCAGOULA RD        | 7922   | N/A    | 1145  | Alabama DPS - Mobile Post     |
| 2           | 3.33     | 0             | 4              | Mobile     | Mobile           | MOFFAT RD US HWY 98 at WOLF RIDGE RD E JCT  | 7593   | N/A    |       | Mobile Police Department      |
| 2           | 3.33     | 0             | 1              | Tuscaloosa | Tuscaloosa       | 10TH AVE 5704 at 17TH ST                    | 315    | N/A    | 5704  | Tuscaloosa Police Department  |
| 2           | 3.33     | 0             | 1              | Houston    | Dothan           | HONEYSUCKLE RD at SR 12 US84 ENTERPRISE HWY | 1250   | N/A    | 5488  | Dothan Police Department      |
| 2           | 3.33     | 0             | 1              | Madison    | Huntsville       | DRAKE AVE at IVY AVE                        | 3300   | N/A    | 5626  | Huntsville Police Department  |
| 3           | 2.5      | 0             | 1              | Madison    | Rural Madison    | OLD MONROVIA RD at CAPSHAW RD               | 8045   | N/A    | 1088  | Alabama DPS - Huntsville Post |
| 3           | 2.5      | 0             | 1              | Limestone  | Rural Limestone  | NO DESCRIPTION AVAILABLE                    | 7756   | N/A    | 1350  | Alabama DPS - Decatur Post    |
| 3           | 2.5      | 0             | 1              | Tuscaloosa | Tuscaloosa       | 15TH ST 5168 at ALA 6 MCFARLAND & 15 ST E   | 269    | N/A    | 6299  | Tuscaloosa Police Department  |
| 3           | 2.5      | 0             | 1              | Mobile     | Rural Mobile     | MOFFAT RD US HWY 98 at SCHILLINGER RD       | 10129  | N/A    | 8860  | Alabama DPS - Mobile Post     |
| 4           | 2        | 0             | 1              | Madison    | Huntsville       | AIRPORT RD at WHITESBURG DR                 | 1711   | N/A    | 5420  | Huntsville Police Department  |
| 6           | 0        | 0             | 1              | Madison    | Huntsville       | DRAKE AVE at TRIANA BLVD                    | 2065   | N/A    | 7219  | Huntsville Police Department  |
| 5           | 0        | 0             | 0              | Tuscaloosa | Tuscaloosa       | 23RD AVE 5186 at 4TH ST                     | 4135   | N/A    | 5177  | Tuscaloosa Police Department  |
| 4           | 0        | 0             | 0              | Mobile     | Mobile           | AIRPORT BLVD at UNIVERSITY BLVD             | 2139   | N/A    | 6051  | Mobile Police Department      |
| 3           | 0        | 0             | 0              | Mobile     | Mobile           | COTTAGE HILL RD at HILLCREST RD             | 667    | N/A    | 5903  | Mobile Police Department      |
| 3           | 0        | 0             | 0              | Mobile     | Mobile           | AZALEA RD at PACE LN                        | 1346   | N/A    | 5732  | Mobile Police Department      |
| 3           | 0        | 0             | 0              | Tuscaloosa | Tuscaloosa       | 15TH ST 5168 at 18TH AVE                    | 295    | N/A    | 6299  | Tuscaloosa Police Department  |
| 3           | 0        | 0             | 0              | Mobile     | Mobile           | BROAD ST US-43 at GOVERNMENT ST SR-16 US-90 | 4196   | N/A    | 6347  | Mobile Police Department      |
| 3           | 0        | 0             | 0              | Montgomery | Montgomery       | NO DESCRIPTION AVAILABLE                    | 8058   | N/A    | 5844  | Montgomery Police Department  |
| 3           | 0        | 0             | 0              | Madison    | Madison          | NO DESCRIPTION AVAILABLE                    | 140    | N/A    | 1016  | Madison Police Department     |
| 3           | 0        | 0             | 0              | Montgomery | Montgomery       | DECATUR ST N at GRAVES ST                   | 999    | N/A    |       | Montgomery Police Department  |
| 3           | 0        | 0             | 0              | Lee        | Auburn           | DONAHUE DR at SR 147 COLLEGE ST             | 704    | N/A    | 6078  | Auburn Police Department      |
| 3           | 0        | 0             | 0              | Lee        | Auburn           | SR 147 COLLEGE ST at TICHENOR AVE           | 314    | N/A    | 6078  | Auburn Police Department      |
| 3           | 0        | 0             | 0              | Mobile     | Mobile           | COTTAGE HILL RD at DEMETROPOLIS RD          | 1185   | N/A    | 1359  | Mobile Police Department      |
| 3           | 0        | 0             | 0              | Madison    | Madison          | NO DESCRIPTION AVAILABLE                    | 48     | N/A    | 8076  | Madison Police Department     |
| 3           | 0        | 0             | 0              | Montgomery | Montgomery       | ANN ST at HIGHLAND AVE                      | 1648   | N/A    | 6009  | Montgomery Police Department  |
| 3           | 0        | 0             | 0              | Baldwin    | Foley            | NO DESCRIPTION AVAILABLE                    | 15112  | N/A    | 3722  | Foley Police Department       |
| 3           | 0        | 0             | 0              | Madison    | Huntsville       | MONROE ST at WASHINGTON ST                  | 4758   | N/A    | 6027  | Huntsville Police Department  |
| 3           | 0        | 0             | 0              | Jefferson  | Rural Jefferson  | MT. OLIVE RD-CO 112 at SUTHERLAND RD        | 9362   | N/A    | 1398  | Alabama DPS - Birmingham Post |
| 3           | 0        | 0             | 0              | Tuscaloosa | Tuscaloosa       | 21ST AVE 5188 at 5TH ST E JCT               | 163    | N/A    | 5187  | Tuscaloosa Police Department  |

## Top 11 Segment Locations Statewide with 3 or More Speeding Related Crashes Resulting in Injury or Fatality

### Regional Breakdown

|                   |   |        |
|-------------------|---|--------|
| North East Region | 3 | 27.27% |
| Central Region    | 2 | 18.18% |
| East Region       | 2 | 18.18% |
| Birmingham Region | 1 | 9.09%  |
| North Region      | 1 | 9.09%  |
| South East Region | 1 | 9.09%  |
| West Region       | 1 | 9.09%  |
| Mobile Region     | 0 | 0.00%  |
| South West Region | 0 | 0.00%  |



## Top 11 Segment Locations Statewide with 3 or More Speeding Related Crashes Resulting in Injury or Fatality

These crashes are those that happened off the state systems and are therefore not mappable at this time.

| Total Crashes | Fatal Crashes | Injury Crashes | PDO Crashes | Severity | People Killed | People Injured | County     | City             | Node 1 | Node 2 | Route | Agency ORI                      |
|---------------|---------------|----------------|-------------|----------|---------------|----------------|------------|------------------|--------|--------|-------|---------------------------------|
| 3             | 2             | 0              | 0           | 40       | 3             | 2              | Talladega  | Rural Talladega  | 7824   | 8278   | 1047  | Alabama DPS - Jacksonville Post |
| 3             | 1             | 0              | 0           | 33.33    | 1             | 5              | Coffee     | Rural Coffee     | 7288   | 7315   | 1066  | Alabama DPS - Dothan Post       |
| 4             | 1             | 0              | 0           | 30       | 1             | 3              | Lauderdale | Rural Lauderdale | 9457   | 7386   | 1143  | Alabama DPS - Quad Cities Post  |
| 3             | 0             | 0              | 0           | 30       | 0             | 3              | Etowah     | Rural Etowah     | 7821   | 7824   | 1269  | Alabama DPS - Gadsden Post      |
| 3             | 0             | 0              | 0           | 30       | 0             | 3              | Etowah     | Rural Etowah     | 8068   | 8065   | 1306  | Alabama DPS - Gadsden Post      |
| 4             | 1             | 0              | 0           | 27.5     | 1             | 3              | Autauga    | Rural Autauga    | 7238   | 7353   | 1069  | Alabama DPS - Montgomery Post   |
| 5             | 0             | 0              | 0           | 26       | 0             | 6              | Talladega  | Rural Talladega  | 8040   | 7191   | 1045  | Alabama DPS - Jacksonville Post |
| 3             | 0             | 0              | 0           | 23.33    | 0             | 3              | Etowah     | Rural Etowah     | 8212   | 7669   | 1391  | Alabama DPS - Gadsden Post      |
| 3             | 0             | 0              | 0           | 20       | 0             | 4              | Tuscaloosa | Rural Tuscaloosa | 7980   | 7979   | 1405  | Alabama DPS - Tuscaloosa Post   |
| 3             | 0             | 0              | 0           | 16.67    | 0             | 5              | Chilton    | Rural Chilton    | 7819   | 7564   | 1115  | Alabama DPS - Montgomery Post   |
| 3             | 0             | 0              | 0           | 16.67    | 0             | 3              | Macon      | Rural Macon      | 7422   | 7429   | 1128  | Alabama DPS - Opelika Post      |

## Top 65 Segment Locations Statewide with 3 or More Total Impaired Driving Related Crashes

### Regional Breakdown

|                   |    |        |
|-------------------|----|--------|
| Mobile Region     | 17 | 26.15% |
| North East Region | 13 | 20.00% |
| Central Region    | 12 | 18.46% |
| North Region      | 9  | 13.85% |
| Birmingham Region | 6  | 9.23%  |
| West Region       | 5  | 7.69%  |
| East Region       | 2  | 3.08%  |
| South East Region | 1  | 1.54%  |
| South West Region | 0  | 0.00%  |

## Top 65 Segment Locations Statewide with 3 or More Total Impaired Driving Related Crashes

These crashes are those that happened off the state systems and are therefore not mappable at this time.

| Severity | People Killed | People Injured | County     | City             | Route | Node 1 | Node 2 | Location  | Agency ORI                      |
|----------|---------------|----------------|------------|------------------|-------|--------|--------|---|---------------------------------|
| 26.67    | 1             | 3              | Montgomery | Rural Montgomery | 1086  | 7431   | 7419   | DORAL TRACE at SNOWDOWN CHAMBERS RD and HANCE MILL RD             | Alabama DPS - Montgomery Post   |
| 26.67    | 0             | 3              | Escambia   | Rural Escambia   | 1154  | 8021   | 7270   | No Description Available  | Alabama DPS - Evergreen Post    |
| 26.67    | 0             | 4              | Jefferson  | Rural Jefferson  | 1231  | 17258  | 21102  | N/A at N/A and HAMBY RD at MARSH MTN RD-CO 153                    | Alabama DPS - Birmingham Post   |
| 25       | 0             | 6              | Madison    | Rural Madison    | 1154  | 7313   | 7311   | WEST LIMESTONE RD at BOBO RD and LOVELESS RD                      | Alabama DPS - Huntsville Post   |
| 23.33    | 0             | 3              | Morgan     | Rural Morgan     | 1004  | 7775   | 7702   | No Description Available  | Alabama DPS - Decatur Post      |
| 23.33    | 1             | 1              | Autauga    | Rural Autauga    | 1216  | 119    | 7178   | No Description Available  | Alabama DPS - Montgomery Post   |
| 23.33    | 1             | 1              | Lowndes    | Rural Lowndes    | 1101  | 8      | 7578   | No Description Available  | Alabama DPS - Montgomery Post   |
| 22.5     | 0             | 7              | Walker     | Jasper           | 1409  | 8248   | 1699   | No Description Available  | Jasper Police Department        |
| 20       | 0             | 4              | Tuscaloosa | Tuscaloosa       | 1185  | 846    | 336    | 24TH AVE 6138 at RIVER ROAD 1185 and 22ND AVE 5187 at RIVER RD    | Tuscaloosa Police Department    |
| 20       | 0             | 2              | Etowah     | Rural Etowah     | 1269  | 7765   | 7748   | No Description Available  | Alabama DPS - Gadsden Post      |
| 17.5     | 0             | 3              | Tuscaloosa | Tuscaloosa       | 1185  | 5203   | 5030   | No Description Available  | Tuscaloosa Police Department    |
| 16.67    | 1             | 0              | Mobile     | Rural Mobile     | 8860  | 10129  | 10138  | MOFFAT RD US HWY 98 at SCHILLINGER RD and HIGHWOOD CIR S          | Alabama DPS - Mobile Post       |
| 16.67    | 0             | 2              | Madison    | Madison          | 1088  | 366    | 62545  | No Description Available  | Madison Police Department       |
| 16.67    | 0             | 2              | Mobile     | Rural Mobile     | 1346  | 8456   | 8449   | AIRPORT BLVD CO 56 at NEWMAN RD at FERNLAND LN                    | Alabama DPS - Mobile Post       |
| 16.67    | 0             | 3              | Cleburne   | Rural Cleburne   | 1065  | 7669   | 7673   | No Description Available  | Alabama DPS - Jacksonville Post |
| 16.67    | 1             | 0              | Lauderdale | Rural Lauderdale | 1143  | 7386   | 9457   | No Description Available  | Alabama DPS - Quad Cities Post  |
| 16.67    | 0             | 2              | Madison    | Rural Madison    | 3030  | 9682   | 7666   | COLBY DR at COUNTESS RD and BALTIMORE HILL RD                     | Alabama DPS - Huntsville Post   |
| 16.67    | 0             | 5              | Mobile     | Rural Mobile     | 1326  | 8372   | 8253   | BEN HAMILTON RD CO 354 at MARCH RD and MARCH RD CO 295            | Alabama DPS - Mobile Post       |
| 16.67    | 0             | 2              | St Clair   | Rural St. Clair  | 1257  | 7076   | 7072   | No Description Available  | Alabama DPS - Birmingham Post   |
| 16.67    | 0             | 2              | Lauderdale | Rural Lauderdale | 1587  | 8094   | 8145   | No Description Available  | Alabama DPS - Quad Cities Post  |
| 16.67    | 0             | 2              | Madison    | Madison          | 1010  | 520    | 911    | No Description Available  | Madison Police Department       |
| 16.67    | 0             | 5              | Lee        | Rural Lee        | 1166  | 7387   | 7385   | No Description Available  | Alabama DPS - Opelika Post      |
| 16.67    | 0             | 3              | Lauderdale | Rural Lauderdale | 1211  | 7385   | 9426   | No Description Available  | Alabama DPS - Quad Cities Post  |
| 16.67    | 0             | 2              | Morgan     | Rural Morgan     | 1191  | 7845   | 7844   | No Description Available  | Alabama DPS - Decatur Post      |
| 16.67    | 1             | 0              | Baldwin    | Rural Baldwin    | 1031  | 13869  | 7274   | No Description Available  | Alabama DPS - Mobile Post       |
| 16.67    | 1             | 0              | Mobile     | Rural Mobile     | 1145  | 10942  | 10941  | OLD CHERRY DR E at OLD PASCAGOULA RD and LIVE OAK CIR             | Alabama DPS - Mobile Post       |
| 16.67    | 0             | 4              | Chilton    | Rural Chilton    | 1061  | 7390   | 7391   | No Description Available  | Alabama DPS - Montgomery Post   |
| 13.33    | 0             | 2              | Madison    | Rural Madison    | 2120  | 7327   | 7340   | HENSHAW RD at DAWN DR and FRANK CHURCH RD at GRIMWOOD RD          | Alabama DPS - Huntsville Post   |
| 13.33    | 0             | 2              | Tuscaloosa | Tuscaloosa       | 5970  | 34     | 35     | 37TH ST 5970 at HIGHLAND OAKS DR and 37TH ST 5970 at 6TH AVE      | Tuscaloosa Police Department    |
| 13.33    | 0             | 2              | Lee        | Smiths Station   | 1248  | 8026   | 7743   | No Description Available  | Alabama DPS - Opelika Post      |
| 10       | 0             | 3              | Mobile     | Rural Mobile     | 1215  | 12024  | 7758   | ARGYLE RD CO 71 at BEVERLY RD and ARGYLE RD CO 71 at HALF MILE RD | Alabama DPS - Mobile Post       |
| 10       | 0             | 4              | Chilton    | Rural Chilton    | 1393  | 8222   | 8223   | No Description Available  | Alabama DPS - Montgomery Post   |
| 10       | 0             | 3              | Mobile     | Rural Mobile     | 8860  | 9511   | 9489   | LOTT RD at SCHILLINGER AT NEWBURN RD and RENEE RD                 | Alabama DPS - Mobile Post       |


## Top 65 Segment Locations Statewide with 3 or More Total Impaired Driving Related Crashes

These crashes are those that happened off the state systems and are therefore not mappable at this time.

| Severity | People Killed | People Injured | County     | City             | Route | Node 1 | Node 2 | Location   | Agency ORI                     |
|----------|---------------|----------------|------------|------------------|-------|--------|--------|--|--------------------------------|
| 10       | 0             | 2              | Mobile     | Rural Mobile     | 1524  | 8906   | 8730   | GLENWOOD RD CO 576 at ICG RR and CUSS FORK RD CO 762           | Alabama DPS - Mobile Post      |
| 10       | 0             | 3              | Lee        | Rural Lee        | 1318  | 9543   | 7623   | No Description Available                                       | Alabama DPS - Opelika Post     |
| 10       | 0             | 1              | Mobile     | Rural Mobile     | 1338  | 8382   | 8391   | GRAND BAY-WILMER RD CO 5 at JEFF HAMILTON RD                   | Alabama DPS - Mobile Post      |
| 10       | 0             | 1              | Madison    | Rural Madison    | 1305  | 7205   | 7162   | HILLSBORO CIR at WINCHESTER RD N JCT and OLLIE HOWARD RD       | Alabama DPS - Huntsville Post  |
| 10       | 0             | 1              | Coffee     | Rural Coffee     | 1086  | 7303   | 7296   | No Description Available                                       | Alabama DPS - Dothan Post      |
| 10       | 0             | 1              | Madison    | Rural Madison    | 1324  | 11000  | 7667   | MOORES MILL RD at STONE HILL DR and BALTIMORE HILL RD          | Alabama DPS - Huntsville Post  |
| 10       | 0             | 1              | Madison    | Rural Madison    | 1296  | 8007   | 8005   | FORD CIR at SHIELDS RD and OCONEE DR at SHIELDS RD             | Alabama DPS - Huntsville Post  |
| 7.5      | 0             | 3              | Colbert    | Rural Colbert    | 1149  | 7139   | 7119   | No Description Available                                       | Alabama DPS - Quad Cities Post |
| 7.5      | 0             | 2              | Lee        | Opelika          | 5553  | 1582   | 1476   | No Description Available                                       | Opelika Police Department      |
| 6.67     | 0             | 2              | Mobile     | Rural Mobile     | 2072  | 8837   | 8759   | FIRETOWER RD at WARDS LN and WARDS LN at WHITESTONE DR         | Alabama DPS - Mobile Post      |
| 6.67     | 0             | 2              | Marshall   | Rural Marshall   | 1466  | 8332   | 9226   | No Description Available                                       | Alabama DPS - Huntsville Post  |
| 6.67     | 0             | 2              | Mobile     | Rural Mobile     | 1552  | 7930   | 7931   | HOWELS FERRY RD CO 599 at SNOW RD and ROOT DR CO 596           | Alabama DPS - Mobile Post      |
| 6.67     | 0             | 1              | Chilton    | Rural Chilton    | 1506  | 8100   | 8093   | No Description Available                                       | Alabama DPS - Montgomery Post  |
| 6.67     | 0             | 1              | Lauderdale | Rural Lauderdale | 1436  | 7987   | 7975   | No Description Available                                       | Alabama DPS - Quad Cities Post |
| 6.67     | 0             | 1              | Elmore     | Rural Elmore     | 2120  | 9571   | 7006   | No Description Available                                       | Alabama DPS - Montgomery Post  |
| 6.67     | 0             | 1              | Autauga    | Rural Autauga    | 1165  | 7314   | 7301   | No Description Available                                       | Alabama DPS - Montgomery Post  |
| 6.67     | 0             | 1              | Baldwin    | Rural Baldwin    | 1757  | 10130  | 311    | No Description Available                                       | Alabama DPS - Mobile Post      |
| 3.33     | 0             | 1              | Tuscaloosa | Rural Tuscaloosa | 1224  | 7197   | 7196   | No Description Available                                       | Alabama DPS - Tuscaloosa Post  |
| 3.33     | 0             | 2              | Cullman    | Rural Cullman    | 1390  | 9581   | 8321   | No Description Available                                       | Alabama DPS - Decatur Post     |
| 2.5      | 0             | 1              | Tuscaloosa | Tuscaloosa       | 6125  | 7150   | 848    | N/A at N/A and 19TH ST 5190 at RIVER RD 1185                   | Tuscaloosa Police Department   |
| 0        | 0             | 0              | Elmore     | Rural Elmore     | 1269  | 7977   | 7976   | No Description Available                                       | Alabama DPS - Montgomery Post  |
| 0        | 0             | 0              | Lee        | Auburn           | 5379  | 934    | 933    | GLENN AVE at WRIGHT ST and MAGNOLIA AVE at WRIGHT ST           | Auburn Police Department       |
| 0        | 0             | 0              | Mobile     | Rural Mobile     | 1634  | 9415   | 8731   | COLEMAN DAIRY RD CO 752 at LEE ROY JORDAN SO                   | Alabama DPS - Mobile Post      |
| 0        | 0             | 0              | Mobile     | Rural Mobile     | 8860  | 10129  | 10133  | MOFFAT RD US HWY 98 at SCHILLINGER RD and DOGWOOD DR           | Alabama DPS - Mobile Post      |
| 0        | 0             | 0              | Lee        | Auburn           | 6077  | 92     | 93     | DEAN RD at SR 14 OPELIKA RD and GENTRY DR at SR 14 OPELIKA RD  | Auburn Police Department       |
| 0        | 0             | 0              | Baldwin    | Foley            | 3722  | 15113  | 15114  | No Description Available                                       | Foley Police Department        |
| 0        | 0             | 0              | Madison    | Madison          | 5163  | 140    | 1524   | No Description Available                                       | Madison Police Department      |
| 0        | 0             | 0              | Franklin   | Rural Franklin   | 1226  | 7932   | 7715   | No Description Available                                       | Alabama DPS - Quad Cities Post |
| 0        | 0             | 0              | Escambia   | Rural Escambia   | 1337  | 7142   | 7141   | No Description Available                                       | Alabama DPS - Evergreen Post   |
| 0        | 0             | 0              | Dekalb     | Rural Dekalb     | 1173  | 7888   | 7884   | No Description Available                                       | Alabama DPS - Gadsden Post     |
| 0        | 0             | 0              | Talladega  | Talladega        | 1326  | 7564   | 8294   | No Description Available                                       | Talladega Police Department    |
| 0        | 0             | 0              | Madison    | Rural Madison    | 1239  | 7098   | 7084   | FLOOD LN at OLD HWY 431 and BOBO SECTION RD at HILLS CHAPEL RD | Alabama DPS - Huntsville Post  |

# Hotspot Totals for Alabama

(Totals include Speeding Related and Impaired Driving Related Hotspots Found on Mileposted and Non-Mileposted Routes)



Statewide Total Hotspots = 235

## Total Hotspots for Alabama (235 Total Hotspots)


### Regional Breakdown

|                   |    |        |
|-------------------|----|--------|
| North East Region | 61 | 25.96% |
| Mobile Region     | 52 | 22.13% |
| Birmingham Region | 38 | 16.17% |
| Central Region    | 31 | 13.19% |
| North Region      | 20 | 8.51%  |
| West Region       | 17 | 7.23%  |
| East Region       | 8  | 3.40%  |
| South East Region | 6  | 2.55%  |
| South West Region | 2  | 0.85%  |



# Interstate Hotspot Totals for Alabama

(Totals include Speeding Related and Impaired Driving Related Hotspots  
Occurring on Interstates Only)



Statewide Total Hotspots = 42

## Interstate Hotspots for Alabama (42 Total Hotspots)


### Regional Breakdown

|                   |    |        |
|-------------------|----|--------|
| Birmingham Region | 23 | 54.76% |
| Mobile Region     | 8  | 19.05% |
| East Region       | 2  | 4.76%  |
| North East Region | 5  | 11.90% |
| Central Region    | 3  | 7.14%  |
| North Region      | 1  | 2.38%  |
| South East Region | 0  | 0.00%  |
| South West Region | 0  | 0.00%  |
| West Region       | 0  | 0.00%  |



# Speeding Related Hotspot Totals for State/Federal Roads and Non-Mileposted Roads in Alabama

(Totals include Speeding Related Hotspots Occuring on Federal/State Roads and Non-MP Roads)




## **Speeding Related Hotspots for State/Federal and Non-Mileposted Roads (18 Total Hotspots)**

### **Regional Breakdown**

|                   |   |        |
|-------------------|---|--------|
| North East Region | 5 | 27.78% |
| East Region       | 4 | 22.22% |
| Central Region    | 2 | 11.11% |
| North Region      | 2 | 11.11% |
| South East Region | 2 | 11.11% |
| Birmingham Region | 1 | 5.56%  |
| West Region       | 1 | 5.56%  |
| Mobile Region     | 1 | 5.56%  |
| South West Region | 0 | 0.00%  |

# Impaired Driving Related Hotspot Totals for State/Federal Roads and Non-Mileposted Roads in Alabama

(Totals include Impaired Driving Related Hotspots Occurring on Federal/State Roads and Non-Mileposted Roads)



Statewide Total Hotspots = 175

**Impaired Driving Related Hotspots for State/Federal and  
Non-Mileposted Roads  
(175 Total Hotspots)**

**Regional Breakdown**

|                   |    |        |
|-------------------|----|--------|
| North East Region | 51 | 29.14% |
| Mobile Region     | 43 | 24.57% |
| Central Region    | 26 | 14.86% |
| North Region      | 17 | 9.71%  |
| West Region       | 16 | 9.14%  |
| Birmingham Region | 14 | 8.00%  |
| South East Region | 4  | 2.29%  |
| East Region       | 2  | 1.14%  |
| South West Region | 2  | 1.14%  |

## PLANNED ACTIVITIES

In previous portions of the HSP, several strategies for the coming year were laid out. Each of these strategies dealt with the operation of AOHS and the focus on the hotspot crashes that have been identified in this HSP. In this section of the HSP, these strategies will be grouped according to their funding source. Each strategy will be briefly discussed and the rationale for these projects from *NHTSA Countermeasures that Work* will be noted. The amount of money allotted to each strategy during the coming year will be given.

### 402 Planned Activities:

#### Planning and Administration:

AOHS is charged with implementing the state's highway safety efforts to reduce traffic deaths, injuries and crashes. In order to properly coordinate the efforts from across the state, a certain amount of money is allotted each year for the state office located in Montgomery, Alabama. P & A will include both direct and indirect costs for personnel with their associated costs. Personnel in the direct cost category include the Public Safety Unit Chief who will spend approximately 50% of his time on highway traffic safety related issues. Personnel in the indirect cost category will use ADECA Indirect Cost Rate, which includes the LETS Division Chief/GR, the LETS Accounting and two (2) Accounting Staff Members devoted to highway traffic safety. All P & A costs will be split 50% Federal and 50% State.

**Indirect Cost:** Per a Negotiated Indirect Cost Rate Agreement dated October 26, 2012 with the U.S. Department of Labor, the ADECA LETS Division has been approved to use a Provisional Indirect Cost Rate of 5.48% for the period of 10/1/2013 through 9/30/2014 on grants and contracts with the Federal Government. In accordance with the agreement, ADECA must submit a proposal to establish a final rate within six months after the end of the fiscal year. Any and all adjustments will be made in accordance with the terms stated in the Negotiated Indirect Cost Rate Agreement. As such, the Provisional Indirect Cost Rate of 5.48% will most likely change for future periods. The ADECA LETS Division will use the Negotiated Indirect Cost Rates determined to be in effect at that time for future periods.

**Total FY 2015 Allotment = \$200,000.00 -Funding Source – Section 402 (PA)**  
**State Match = \$200,000.00**

#### Support Community Traffic Safety Program (CTSP)/Law Enforcement Liaison (LEL) projects:

There are nine CTSP/LEL Regions across the state. For the coming year, each CTSP/LEL is charged with focusing on the hotspot locations outlined for their region. In order to coordinate the efforts within the nine regions, a CTSP/LEL office is located in each region. Each of these regions is responsible for the problem areas within their region and will supply reports and information back to the central office regarding the efforts taking place within their region.



The major focus of the CTSP/LEL efforts is involved with assuring the effective execution of very focused selective enforcement on alcohol and speed hotspots. This covers three of the four basic strategies recommended in the *NHTSA Countermeasures that Work* document (Page 1-4) to reduce alcohol-impaired crashes and drinking and driving: (1) Deterrence: enact, publicize, enforce, and adjudicate laws prohibiting alcohol-impaired driving so that people choose not to drive impaired; (2) Prevention: reduce drinking and keep drinkers from driving; and (3) Communications and outreach: inform the public of the dangers of impaired driving and establish positive social norms that make driving while impaired unacceptable.

For additional support, we have a State Highway Safety Program Manager who works as a centralized point of contact for regional CTSP/LEL offices and acts as liaison to municipal, county, state and federal officials or individuals with regard to the administration so that program goals and objectives of the 402 Highway Safety program are accomplished effectively within ADECA and NHTSA guidelines. This Program Manager reviews, monitors and recommends program expenditures, assists in the development of program plans, budgets; reviews and recommends grants, contracts and related budgets, assists in the development and reporting of program policies and procedures as necessary to ensure compliance with appropriate rules, regulations and procedures.

| Subgrant     | Applicant Subgrantee                  | Source Share |
|--------------|---------------------------------------|--------------|
| 15.SP.CP.001 | Northwest Shoals Community College    | \$320,000.00 |
| 15.SP.CP.002 | Shelton State Community College       | \$182,300.00 |
| 15.SP.CP.003 | Etowah Co Commission                  | \$210,786.99 |
| 15.SP.CP.004 | Mobile Co Commission                  | \$137,549.00 |
| 15.SP.CP.005 | City of Montgomery                    | \$84,018.38  |
| 15.SP.CP.006 | Gadsden State Community College       | \$126,380.00 |
| 15.SP.CP.007 | Enterprise Sate Community College     | \$147,083.58 |
| 15.SP.CP.008 | Jefferson State Community College     | \$165,020.00 |
| 15.SP.CP.009 | AL Tombigbee Reg. Planning Commission | \$109,440.00 |
| 15.SP.CP.010 | ADECA Com Traffic Safety Prog Manager | \$62,500.00  |

**Total FY 2015 Allotment = \$1,545,077.95 -Funding Source – Section 402 (CP)**

#### **Conduct Hotspot Special Traffic Enforcement Program (STEP) projects:**

There will be nine local STEP projects during the coming year as well as one statewide STEP project. Each of these STEP projects will focus on Hotspot crashes and the problem locations that have been identified across the state. One STEP project will take place in each of the nine CTSP/LEL regions and the statewide STEP project will be conducted in conjunction with the Alabama Department of Public Safety. By conducting these STEP projects, additional efforts can be focused on the reduction of impaired driving related crashes and speed related crashes. The Law Enforcement activity will be sustained for twelve (12) months. The enforcement effort is data driven, with the objective of preventing traffic violations, crashes, and crash fatalities and injuries in locations most at risk. The enforcement program will continuously be evaluated and the necessary adjustment will be made.

The value of such integrated enforcement efforts is demonstrated by studies referenced in Page 1-24 of *NHTSA Countermeasures that Work*. In one study a three-site evaluation of integrated impaired driving, speed, and seat belt use enforcement indicated that “sites that combined high publicity with increased enforcement reduced crashes likely to involve alcohol (such as single-vehicle nighttime crashes) by 10% to 35%. Another study of comprehensive programs in six communities used integrated enforcement methods where it was reported that these programs reduced fatal crashes involving alcohol by 42%. About half the speeding drivers detected through these enforcement activities had been drinking and about half the impaired drivers were speeding. It is well established that the same risk-taking motivations that seem to compel some drivers to be impaired and speed also leads them to avoid using proper restraints.

| <b>Subgrant</b> | <b>Applicant Subgrantee</b>           | <b>Source Share</b> |
|-----------------|---------------------------------------|---------------------|
| 15.SP.PT.001    | Northwest Shoals Community College    | \$72,000.00         |
| 15.SP.PT.002    | Shelton State Community College       | \$56,000.00         |
| 15.SP.PT.003    | Etowah Co Commission                  | \$208,000.00        |
| 15.SP.PT.004    | Mobile Co Commission                  | \$176,000.00        |
| 15.SP.PT.005    | City of Montgomery                    | \$104,000.00        |
| 15.SP.PT.006    | Gadsden State Community College       | \$24,000.00         |
| 15.SP.PT.007    | Enterprise Sate Community College     | \$24,000.00         |
| 15.SP.PT.008    | Jefferson State Community College     | \$128,000.00        |
| 15.SP.PT.009    | AL Tombigbee Reg. Planning Commission | \$8,000.00          |
| 15.SP.PT.010    | Alabama Department of Public Safety   | \$800,000.00        |

**Total FY 2015 Allotment = \$1,600,000.00 -Funding Source – Section 402 (PT)**

#### **Driver’s License Suspension Appeals (DLSA) Program:**

Plans are to fund the DLSA program through the Alabama Department of Public Safety. The goal of this program is to assure the impaired driving case load is maintained at a manageable level.

According to *NHTSA Countermeasures that Work* (Page 1-12), many State Administrative License Revocation (ALR) and Administrative License Suspension (ALS) laws have been in place for decades, and much of the research examining the effectiveness of these laws is now quite old. However, there is no reason to conclude that it is not still valid. For example, a summary of 12 evaluations through 1991 found ALR and ALS laws reduced crashes of different types by an average of 13%. A more recent study examining the long-term effects of license suspension policies across the United States concluded that ALR reduces alcohol-related fatal crash involvement by 5%, saving an estimated 800 lives each year nationally.

| <b>Subgrant</b> | <b>Applicant Subgrantee</b>    | <b>Source Share</b> |
|-----------------|--------------------------------|---------------------|
| 15.SP.AL.001    | AL Department of Public Safety | \$33,894.46         |

**Total FY 2015 Allotment = \$33,894.46 -Funding Source – Section 402 (AL)**

## **405 and 405b Planned Activities:**

### **Statewide “Click It or Ticket” campaign (High Visibility Enforcement):**

In addition to the paid media, we will have a High Visibility Enforcement program for a three week period. The enforcement program will consist of members from the Municipal Law Enforcement Agencies, County Sheriffs and State Highway Patrol (Department of Public Safety).

The value of Click it or Ticket (CIOT) projects is well documented (see *NHTSA Countermeasures that Work* Page 2-4). High-visibility, short-duration seat belt law enforcement programs were demonstrated in individual communities in the late 1980s. North Carolina’s CIOT program took this model statewide beginning in 1993 and raised the use rate above 80%. The CIOT model expanded nationwide in 2003 and seat belt use increased nationwide in almost all states from 2000-2006, in part due to CIOT seat belt enforcement programs. The national seat belt use rate reached 87% in 2013. Alabama is very enthusiastic about being a part of this national program.

| <b>Subgrant</b> | <b>Applicant Subgrantee</b>           | <b>Source Share</b> |
|-----------------|---------------------------------------|---------------------|
| 15.HS.M2.001    | Northwest Shoals Community College    | \$20,500.00         |
| 15.HS.M2.002    | Shelton State Community College       | \$19,940.00         |
| 15.HS.M2.003    | Etowah Co Commission                  | \$27,700.00         |
| 15.HS.M2.004    | Mobile Co Commission                  | \$23,260.00         |
| 15.HS.M2.005    | City of Montgomery                    | \$27,140.00         |
| 15.HS.M2.006    | Gadsden State Community College       | \$24,380.00         |
| 15.HS.M2.007    | Enterprise State Community College    | \$11,640.00         |
| 15.HS.M2.008    | Jefferson State Community College     | \$31,580.00         |
| 15.HS.M2.009    | AL Tombigbee Reg. Planning Commission | \$13,860.00         |

**Total FY 2015 Allotment = \$200,000.00 - Funding Source – Section 405b (M2HVE)**

### **Statewide “Click It or Ticket” (Surveys, Analysis, Certification and Final Report):**

The Center for Advanced Public Safety (CAPS) will conduct pre and post surveys for seat belt programs and evaluate several types of survey information regarding seat belt and child restraint usage rates as part of the “Click It or Ticket” campaign. The program will consist of waves of surveys, enforcement and media blitzes, carefully scheduled to maximize public understanding of restraint use. CAPS’ role will be to: (1) contract the conduction of annual pre and post observational survey of vehicle seat belt usage and child restraint usage throughout Alabama according to the NHTSA approved Sampling, Data Collection and Estimation Plan (2) perform an evaluation of the program results using scientific analyses of baseline observations before the STEP and post observations after it is completed and calculate the official seat belt usage rate for the State (3) collect results from all the various involved parties for their activities, (4) perform analysis of data generated through telephone polls, media campaign data and enforcement data and (5) compile the project report for “Click It or Ticket” 2015 (6) contract the conduction of the child restraint observational survey (7) analyze survey data and compute child restraint usage rate for State. (8) produce report on results of child restraint observational surveys. (9) receive and scientifically analyze data obtained (10) collect reports on



the other components of the project (11) obtain signed certification page and (12) produce a comprehensive final report covering all aspects of the campaign.

The *NHTSA Countermeasures that Work* references to Click It or Ticket have been presented above for those projects. This is a mandatory part of that effort.

| Subgrant     | Applicant Subgrantee                         | Source Share |
|--------------|--|--------------|
| 15.HS.M2.010 | Univ of AL/Center for Advanced Public Safety | \$201,008.81 |

**Total FY 2015 Allotment = \$201,008.81 - Funding Source – Section 405b (M2OP)**

#### **“Click It or Ticket” campaign (Paid Media):**

As a part of the nationwide initiative to increase seat belt usage, Alabama will participate in the “Click It or Ticket” High Visibility Paid Media campaign. This campaign will be scheduled in May and concluding on the Memorial Day Holiday. This has been a highly successful program in the past several years. Alabama will continue to lend its full support to the program in the coming year.

The value of Click it or Ticket (CIOT) projects is well documented (see *NHTSA Countermeasures that Work* Page 2-4). High-visibility, short-duration belt law enforcement programs were demonstrated in individual communities in the late 1980s. North Carolina’s CIOT program took this model statewide beginning in 1993 and raised the seat belt use rate above 80%. The CIOT model expanded nationwide in 2003 and seat belt use increased nationwide in almost all states from 2000-2006, in part due to CIOT seat belt enforcement programs. The national seat belt use rate reached 87% in 2013. Alabama is very enthusiastic about being a part of this national program.

| Subgrant     | Applicant Subgrantee | Source Share |
|--------------|----------------------|--------------|
| 15.HS.M2.012 | AL Dept of Commerce  | \$400,000.00 |

**Total FY 2015 Allotment = \$400,000.00 - Funding Source – 405b (M2HVE)**

#### **Child Passenger Safety Training and Coordination**

We will have a state Child Passenger Safety Coordinator. We will provide training for first time technicians, re-certification, and renewals for trained technicians. Fitting stations will be available to the public. The technicians will ensure the child passenger restraints are installed correctly.

According to *NHTSA Countermeasures that Work* (Page 2-1), NHTSA estimates that correctly used child restraints are even more effective than seat belts in reducing fatalities. Child restraints reduce fatalities by 71% for infants younger than 1 year old and by 54% for children 1 to 4 years old in passenger cars. In light trucks, the fatality reductions are 58% for infants and 59% for children 1 to 4 years old. In addition, research conducted by the Partners for Child Passenger Safety Program at the Children’s Hospital of Philadelphia found that belt-positioning booster seats reduce the risk of injury to children 4 to 8 in crashes by 45% when compared to the effectiveness of seat belts alone. The proper use of child restraints is not trivial, and most parents are not intuitively aware of all of the complexities involved. Improper application of

even the correct devices can lead to increased injury or even death. It is quite clear that this training project is a key component of the overall child restraint effort.

| <b>Subgrant</b>  | <b>Applicant Subgrantee</b> | <b>Source Share</b> |
|--|-----------------------------|---------------------|
| 15.HS.K2.001   | NW Shoals Community College | \$79,296.79         |
| 15.HS.M2.011   | NW Shoals Community College | \$70,703.21         |
| <b>Total FY 2015 Allotment = \$150,000.00</b>            |                             |                     |
| <b>\$79,296.79 - Funding Source – Section 405 (K2)</b>   |                             |                     |
| <b>\$70,703.21 - Funding Source – Section 405 (M2PE)</b> |                             |                     |

#### **405c Planned Activities:**

##### **Traffic Safety Records Improvement Program:**

We have an active Traffic Records Coordinating Committee (TRCC) in Alabama. AOHS will continue funding for the development of several projects such as a data entry system for EMS data for use in the field called RESCUE, continuing work on the EMS analysis portal, the SAFETY portal and other analysis portals, completing and deploying MapClick which is the new mapping tool in MOVE, developing CARE cloud datasets and developing a DUI/citation tracking system. These systems improve data quality, timeliness and completeness.

Traffic Safety Information Systems are not covered by *NHTSA Countermeasures that Work*

| <b>Subgrant</b> | <b>Applicant Subgrantee</b>                  | <b>Source Share</b> |
|-----------------|--|---------------------|
| 15.HS.M3.001    | Univ of AL/Center for Advanced Public Safety | \$698,398.75        |

**Total FY 2015 Allotment = \$698,398.75 -Funding Source – Section 405c (M3DA)**

#### **405d Planned Activities:**

##### **Impaired Driving Grant Funds:**

There will be nine local Alcohol High Visibility Enforcement projects during the coming year as well as one statewide Alcohol High Visibility Enforcement project. Each of these projects will focus on alcohol related Hotspot crashes and the problem locations that have been identified across the state. One project will take place in each of the nine CTSP/LEL regions and the statewide project will be conducted in conjunction with the Alabama Department of Public Safety. By conducting these HVE projects, additional efforts can be focused on the reduction of impaired driving related crashes. The Law Enforcement activity will be sustained for twelve (12) months. The enforcement effort is data driven, which will prevent traffic violations, crashes, and crash fatalities and injuries in locations most at risk. The enforcement program will continuously be evaluated and the necessary adjustments will be made.

*NHTSA Countermeasures that Work* (Page 1-21) reviewed intensive alcohol selective enforcement efforts such as publicized saturation patrol programs. These patrols aim to deter driving after drinking by increasing the perceived risk of arrest.

They recommend saturation patrols that are publicized extensively and conducted regularly, as well as roving patrols in which individual patrol officers concentrate on detecting and arresting impaired drivers in an area where impaired driving is common or where alcohol-involved crashes have occurred. A demonstration program in Michigan, where sobriety checkpoints are prohibited by State law, revealed that saturation patrols can be effective in reducing alcohol-related fatal crashes when accompanied by intensive publicity.

| <b>Subgrant</b> | <b>Applicant Subgrantee</b>           | <b>Source Share</b> |
|-----------------|---------------------------------------|---------------------|
| 15.HS.M5.001    | Northwest Shoals Community College    | \$101,520.00        |
| 15.HS.M5.002    | Shelton State Community College       | \$60,160.00         |
| 15.HS.M5.003    | Etowah Co Commission                  | \$163,760.00        |
| 15.HS.M5.004    | Mobile Co Commission                  | \$123,200.00        |
| 15.HS.M5.005    | City of Montgomery                    | \$107,760.00        |
| 15.HS.M5.006    | Gadsden State Community College       | \$44,800.00         |
| 15.HS.M5.007    | Enterprise State Community College    | \$56,000.00         |
| 15.HS.M5.008    | Jefferson State Community College     | \$116,880.00        |
| 15.HS.M5.009    | AL Tombigbee Reg. Planning Commission | \$25,920.00         |
| 15.HS.M5.010    | Alabama Department of Public Safety   | \$300,000.00        |

**Total FY 2015 Allotment = \$1,100,000.00 -Funding Source – Section 405d (M5HVE)**

#### **Impaired Driving campaign (Paid Media):**

As a part of the nationwide impaired driving campaign to reduce impaired driving-related fatalities, Alabama will participate in the High Visibility Impaired Driving Enforcement Paid Media Campaign. The campaign will take place year round and encompass an array of multimedia messages. Along with traditional print, radio and television advertisements, the Department of Commerce will use additional means of reaching the motoring public. Through professional services contracts, Alabama will be able to place campaign messages in movie theatres, as well as interactive web banners on the concert ticket purchasing page for the popular Verizon Wireless Amphitheatre in Pelham, AL.

The *NHTSA Countermeasures that Work* review for this effort is discussed immediately above.

| <b>Subgrant</b> | <b>Applicant Subgrantee</b> | <b>Source Share</b> |
|-----------------|-----------------------------|---------------------|
| 15.HS.M5.011    | AL Dept of Commerce         | \$400,000.00        |

**Total FY 2015 Allotment = \$400,000.00 - Funding Source – 405d (M5PEM)**

#### **Traffic Safety Resource Prosecutor Program (TSRP):**

Goals for the TSRP program are to provide training requirements to all District Attorneys, ADA's and their staff in order to increase the level of readiness and proficiency for the effective prosecution of traffic related cases. Additionally the goals of this program will emphasize:

- Practical impaired driving Course: Nuts & Bolts
- Handling the Experts
- Legal Updates
- Search & Seizure
- Jury Selection
- Coordinate Drug Recognition Expert (DRE) Program

According to *NHTSA Countermeasures that Work* (Page 1-26), “DWI cases can be highly complex and difficult to prosecute, yet they are often assigned to the least experienced prosecutors”. In one survey, about half of prosecutors and judges said the training and education they received prior to assuming their position was inadequate for preparing them to prosecute and preside over DWI cases (Robertson & Simpson, 2002a). Traffic Safety Resource Prosecutors (TSRPs) are current (or former) prosecutors who specialize in the prosecution of traffic crimes, and DWI cases in particular. They provide training, education, and technical support to other prosecutors and law enforcement agencies within their State. Judicial Outreach Liaisons (JOLs) are current (or former) judges who are experienced in handling DWI cases. Many JOLs have presided over DWI or Drug courts. They share information and provide education to judges and other court personnel about DWI cases. NHTSA has developed a manual to assist new TSRPs (NHTSA, 2007b) and is in the process of developing one for JOLs.”

| Subgrant     | Applicant Subgrantee            | Source Share |
|--------------|---------------------------------|--------------|
| 15.HS.M5.012 | Auburn University at Montgomery | \$395,967.29 |

**Total FY 2015 Allotment = \$395,967.29 -Funding Source – Section 405d (M5CS)**

#### **408 Planned Activities:**

##### **Electronic Patient Care Reports (ePCR) Program:**

The Alabama Department of Public Health will utilize grant funds to purchase a maintenance and support contract for software to continue their process of electronic patient care reports in accordance with the National Emergency Medical Services Information System (NEMSIS) standards.

Traffic Safety Information Systems are not covered by *NHTSA Countermeasures that Work*

| Subgrant     | Applicant Subgrantee     | Source Share |
|--------------|--------------------------|--------------|
| 15.HS.K9.001 | AL Dept of Public Health | \$60,000.00  |

**Total FY 2015 Allotment = \$60,000.00 -Funding Source – Section 408 (K9)**

#### **410 Planned Activities:**

##### **Nationwide “Drive Sober or Get Pulled Over” Campaign:**

In addition to the paid media, we will have a High Visibility Enforcement program for a two week period. The enforcement program will consist of members from the Municipal Law Enforcement

Agencies, County Sheriffs and State Highway Patrol (Department of Public Safety). This campaign will begin in August and conclude on Labor Day.

*NHTSA Countermeasures that Work* (Page 1-21) reviewed intensive alcohol selective enforcement efforts. The primary purpose of publicized saturation patrol programs is to deter driving after drinking by increasing the perceived risk of arrest. They recommend saturation patrols that are publicized extensively and conducted regularly, as well as roving patrols in which individual patrol officers concentrate on detecting and arresting impaired drivers in an area where impaired driving is common or where alcohol-involved crashes have occurred. A demonstration program in Michigan, where sobriety checkpoints are prohibited by State law, revealed that saturation patrols can be effective in reducing alcohol-related fatal crashes when accompanied by intensive publicity.

| <b>Subgrant</b> | <b>Applicant Subgrantee</b>           | <b>Source Share</b> |
|-----------------|---------------------------------------|---------------------|
| 15.HS.K8.001    | Northwest Shoals Community College    | \$20,960.00         |
| 15.HS.K8.002    | Shelton State Community College       | \$15,240.00         |
| 15.HS.K8.003    | Etowah Co Commission                  | \$30,480.00         |
| 15.HS.K8.004    | Mobile Co Commission                  | \$26,660.00         |
| 15.HS.K8.005    | City of Montgomery                    | \$21,900.00         |
| 15.HS.K8.006    | Gadsden State Community College       | \$9,520.00          |
| 15.HS.K8.007    | Enterprise State Community College    | \$18,100.00         |
| 15.HS.K8.008    | Jefferson State Community College     | \$31,420.00         |
| 15.HS.K8.009    | AL Tombigbee Reg. Planning Commission | \$25,720.00         |

**Total FY 2015 Allotment = \$200,000.00 -Funding Source – Section 410 (K8)**

#### **Statewide High Visibility Impaired Driving Enforcement Campaign (Paid Media):**

As a part of the nationwide impaired driving campaign to reduce impaired driving-related fatalities, Alabama will participate in the High Visibility Impaired Driving Enforcement Paid Media Campaign. This “Drive Sober or Get Pulled Over” campaign will begin in August and conclude on Labor Day.

The *NHTSA Countermeasures that Work* review for this effort is discussed immediately above.

| <b>Subgrant</b> | <b>Applicant Subgrantee</b> | <b>Source Share</b> |
|-----------------|-----------------------------|---------------------|
| 15.HS.K8.010    | AL Dept of Commerce         | \$400,000.00        |

**Total FY 2015 Allotment = \$400,000.00 -Funding Source – Section 410 (K8PM)**

#### **State Traffic Safety Trust Fund Planned Activities:**

##### **Alabama Yellow Dot Program**

This grant will provide funding for the continued implementation of the Yellow Dot Program for Senior and At Risk Drivers. The Northeast Alabama Highway Safety Office will take the lead role in the implementation of the Yellow Dot Program throughout all regions of the State of Alabama and will coordinate the forming and training of coalitions of Law Enforcement, Fire, EMS and Senior Groups.

The “Yellow Dot” program provides detailed medical information that can be crucial following a crash. Participants of the program receive a “Yellow Dot” decal, a “Yellow Dot” folder and an information form with the participant’s name, an identifying photo, emergency contact information, personal physicians’ information, medical conditions, recent surgeries, allergies and medications being used. A “Yellow Dot” decal on the driver’s side rear window of a vehicle alerts first responders to check in the glove compartment for the corresponding “Yellow Dot” folder. Having this information following a crash helps first responders positively identify the person, get in touch with family or emergency contacts and ensures that the person’s current medications and pre-existing medical conditions are considered when treatment is administered for injuries. Because of the novelty of this program it has not been considered in *NHTSA Countermeasures that Work*; however, we feel that it will be added as soon as its many benefits are established.

| <b>Subgrant</b> | <b>Applicant Subgrantee</b> | <b>Source Share</b> |
|-----------------|-----------------------------|---------------------|
| 15.TF.ST.001    | Etowah Co Commission        | \$30,000.00         |

**Total FY 2015 Allotment = \$30,000.00 -Funding Source – State Traffic Safety Trust Fund (TFST)**

#### **Support the Center for Advanced Public Safety (CAPS):**

CAPS at the University of Alabama develops and maintains the CARE program which is the software used for all traffic crash and safety analysis done in Alabama. In exchange for the support that CAPS receives from ADECA LETS, CAPS provides ADECA LETS with crash and traffic safety data throughout the year. This includes preparing reports and grant applications as required and providing answers for data requests from across the state that come up throughout the year. CAPS also provides technical support, training, and maintenance on CAPS software products like eCite, eCrash, eForms, MapClick and others. CAPS has developed basically a grant accounting system for CTSPs and their reporting agencies called CORE to eliminate the paper forms the CTSPs and law enforcement agencies were using to report STEP enforcement grant expenditures. CAPS will work to get this deployed to all CTSPs in FY15 after the pilot program is successful. CAPS will also continue to update and maintain the SafeHomeAlabama.gov web portal. Its goal is to be totally comprehensive in keeping the entire traffic safety community aware of the most recent developments in traffic safety both in Alabama and nationally.

Traffic Safety Information Systems are specifically excluded from *NHTSA Countermeasures that Work*. However, it is well known and commonly accepted that without crash, citation, EMS, drivers' license, registration, and many other types of traffic records data, it would be impossible to operate and manage an effective traffic safety program. This is true down to the project level for all of the countermeasures that will be implemented in FY 2015, and studies have been conducted and will continue to be updated continually and pushed out on the [www.safehomealabama.gov](http://www.safehomealabama.gov) web site.

| <b>Subgrant</b> | <b>Applicant Subgrantee</b>                  | <b>Source Share</b> |
|-----------------|--|---------------------|
| 15.TF.TR.001    | Univ of AL/Center for Advanced Public Safety | \$857,064.20        |

**Total FY 2015 Allotment = \$857,064.20 -Funding Source – State Traffic Safety Trust Fund (TFTR)**

## **Attitude and Awareness Survey**

AOHS will use the NHTSA/GHSA survey questions to track driver attitudes and awareness concerning impaired driving, seat belt use, and speeding issues. This survey will be conducted by phone during the month of July. The attitude and awareness survey will be funded by the State Traffic Safety Trust Fund.

### **Impaired Driving**

A-1: In the past 60 days, how many times have you driven a motor vehicle within 2 hours after drinking alcoholic beverages?

A-2: In the past 30 days, have you read, seen or heard anything about alcohol impaired driving (or drunk driving) enforcement by police?

A-3: What do you think the chances are of someone getting arrested if they drive after drinking?

### **Seat Belts**

B-1: How often do you use seat belts when you drive or ride in a car, van, sport utility vehicle or pick up?

B-2: In the past 60 days, have you read, seen or heard anything about seat belt law enforcement by police?

B-3: What do you think the chances are of getting a ticket if you don't wear your seat belt?

### **Speeding**

S-1a: On a local road with a speed limit of 30 mph, how often do you drive faster than 35 mph – most of the time, half the time, rarely, never?

S-1b: On a road with a speed limit of 65 mph, how often do you drive faster than 70 mph – most of the time, half the time, rarely, never?

S-2: In the past 30 days, have you read, seen or heard anything about speed enforcement by police?

S-3: What do you think the chances are of getting a ticket if you drive over the speed limit?

# OCCUPANT PROTECTION PLAN FOR STATE OF ALABAMA

## FY 2015 – SECTION 405b

### Executive Summary

This document presents the strategic plan for all restraint programs conducted in Alabama with special emphasis on those that are proposed to be funded under the MAP-21 405b Occupant Protection Grants section for FY 2015. The Alabama Office of Highway Safety (AOHS) has developed a comprehensive highway safety program on an annualized basis since the early 1970s for the purpose of reduction in traffic crashes, fatalities, and injuries on public roads. As demonstrated by the annually documented Highway Safety Plan (HSP), this program has been evidence driven and reflective of the particular issues within the State. These HSPs were developed to assure that traffic safety resources were used in an optimal manner to bring about the maximum traffic safety benefits to the roadway users of the State, and they have been improved annually to that effect.

The purpose of the 405B program is to “encourage States to adopt and implement occupant protection laws and programs to reduce highway deaths and injuries from individuals riding unrestrained in motor vehicles.” Since Alabama’s 2013 restraint survey indicated that their usage rate was 97.3% for front seat occupants Alabama now qualifies as a high seat belt use state since our usage rate was above 90%.

MAP-21 provides that a high seat belt use rate State may qualify for funds by submitting an occupant protection plan and meeting three programmatic criteria which are participating in the Click It or Ticket campaign, having child restraint inspection stations and having child passenger safety technicians. Alabama meets all of these requirements.

*Problem Identification.* The AOHS conducts ongoing problem identifications for all traffic safety issues, including occupant protection. Special problem identification studies are performed when any new issues arise, or for all countermeasures for which discretionary funds are expended. The analytical procedures employed for occupant protection are presented in the Problem Identification section of this document. The basic goal of this evidenced based analytical process is to evaluate the overall countermeasure strategy, and once that is resolved, to use the analyses to fine-tune the particular countermeasures that are implemented. This includes all of the countermeasures that are presented in this plan as well as the particular tactics to be applied in their implementations. From the highest strategic point of view, Table 1 in the Problem Identification Section presents a comparison of the general weighting of each of the major issues that AOHS has been charged to address. The extract from Table 1 on the following page gives insight into the basic prioritization that was performed in resolving the overall state countermeasure strategies. The various categories are not mutually exclusive, and the detailed explanation for each crash type is given in the State’s HSP.

Clearly, to bring about the maximum improvement in traffic safety, available resources must be allocated to general areas and to particular countermeasures where they will have the greatest chances of reducing fatalities and severe injuries. Table 1 demonstrates the highest potential for countermeasures is in the crash type where there were restraint deficiencies. Both the potential for reduction and the effectiveness in the countermeasures applied to a given category determine the optimal countermeasures to apply.



**Extract from Table 1**

| <b>Crash Type (Causal Driver)</b> | <b>Fatal<br/>Number</b> | <b>Fatal<br/>%</b> | <b>Injury<br/>Number</b> | <b>Injury<br/>%</b> | <b>PDO<br/>No.</b> | <b>PDO %</b> | <b>Total</b> |
|-----------------------------------|-------------------------|--------------------|--------------------------|---------------------|--------------------|--------------|--------------|
| 1. Restraint Deficient*           | 365                     | 3.92%              | 3,607                    | 38.78%              | 5,328              | 57.29%       | 9,300        |
| 2. Impaired Driving               | 184                     | 2.63%              | 2,292                    | 32.81%              | 4,509              | 64.55%       | 6,985        |
| 3. Speeding                       | 160                     | 4.18%              | 1,494                    | 39.04%              | 2,173              | 56.78%       | 3,827        |
| 4. Obstacle Removal               | 124                     | 2.05%              | 2,114                    | 34.90%              | 3,819              | 63.05%       | 6,057        |
| 5. Mature – Age > 64              | 83                      | 0.66%              | 2,776                    | 22.13%              | 9,683              | 77.20%       | 12,542       |
| 6. License Status Deficiency      | 90                      | 1.42%              | 1,751                    | 27.65%              | 4,491              | 70.93%       | 6,332        |
| 7. Youth – Age 16-20              | 80                      | 0.39%              | 4,478                    | 21.72%              | 16,062             | 77.90%       | 20,620       |
| 8. Motorcycle                     | 71                      | 4.49%              | 1,092                    | 68.98%              | 420                | 26.53%       | 1,583        |
| 9. Ped., Bicycle, School Bus      | 66                      | 4.39%              | 895                      | 59.55%              | 542                | 36.06%       | 1,503        |
| 10. Pedestrian                    | 57                      | 7.89%              | 602                      | 83.38%              | 63                 | 8.73%        | 722          |

Table 1, which is further detailed and explained in the Problem Identification Section below, is at the highest level of crash data analysis. Two terms are introduced in this section to facilitate the discussion:

- Restraint-Deficient Crashes (RDC) – any crash in which one more of the occupants of any involved vehicle (including the driver(s)) were not properly restrained; and
- Child Restraint-Deficient Crashes (CRDC) – any crash in which one or more children who are subject to child restraint laws were not properly restrained, independent of the restraint characteristics of the other occupants.

This section of the plan will illustrate the two types of problem identifications that were performed for restraint deficiencies:

- By locations with the highest RDC and CRDC hotspots (detailed in Attachment A); and
- General information mining of the crash records to determine over-represented characteristics of RDC and CRDC crashes in order to guide the selective enforcement and all other counter-measures applied (detailed in Attachment B).

The Problem Identification Section given in this Appendix is itself a summary of these analyses, which will not be repeated here. The full details and results of the two analyses are given in Attachments A and B, respectively, to this Appendix.

*Legislation.* The Legislation Section presents a review of Alabama’s current restraint laws and those proposed for future enactment as well as the continued efforts to educate law makers as to the need for continued improvement in the current laws. A number of proposed safety legislation bills were endorsed by the State’s Strategic Highway Safety Plan Committee (SHSP, Page 41). The SHSP proposes a “primary seat belt law for all passengers” that would address this issue for adult passengers in the back seat. Furthermore, the SHSP goes on to address the issue of passengers in the rear of pickups. This provision would require that passengers would only be allowed to ride in areas equipped with seat belts.

While the State's child restraint law is quite comprehensive, legislation has been proposed to adjust the booster seat requirement for children so as to require each occupant who is eight years of age and under, weighs less than 80 pounds and is less than four feet, nine inches in height to be secured in an age-appropriate child restraint. This measure would address discrepancies concerning the proper age and weight for eliminating the use of a booster seat. Furthermore, the State's SHSP intends to address the Child Restraint Law to ensure that there are no gaps in restraint laws to ensure that all occupants of a motor vehicle under the age of sixteen are covered by specific laws. These suggested provisions do not include a provision regarding an age requirement for riding as passenger in the front seat. Many states include such stipulations that make this a primary offense if a child under the age requirement is sitting in the front seat, with or without safety restraints. A complete list of current traffic safety legislation under consideration is given on:

[http://www.safehomealabama.gov/GovAgencies/ALLegislature\(SSCC\).aspx](http://www.safehomealabama.gov/GovAgencies/ALLegislature(SSCC).aspx)

*Data Driven Enforcement Programs (DDEP).* This section demonstrates how the problem identification efforts translate themselves into activities with the goal of being the most effective use of restraint dedicated resources statewide. It details three major enforcement activities:

- General data driven enforcement programs (DDEP) that will take place throughout the year;
- Click It Or Ticket (CIOT), which is part of the highly focused National effort; and
- Child Restraint Data Driven Enforcement Program that will supplement the Occupant Protection of Children Program.

An analysis of the citations given in the CY2010 through CY2012 time frame indicated that well over 96% of the state was covered by the State's restraint enforcement program. There is no reason to believe that there has been any shift since that time, and these estimates are still valid for FY 2015.

*Occupant Protection for Children Program.* This part of the occupant restraint program will continue to be administered by the State Child Passenger Safety (CPS) Coordinator. This will include training for first time technicians, recertification, and renewals for trained technicians. Inspection stations will be available to the public. The technicians will ensure the child passenger restraints are installed correctly. The plan is to further reach out to underserved communities and technicians and to provide the services of additional trained CPS professionals in all communities. The goal for the CPS program is to develop trained CPS professionals in as many communities over the state as possible. The ultimate goal is to create statewide community inspection stations where parents and other caregivers can obtain proper education about restraining their children for safety, while at the same time providing a supporting public information and education program that informs and motivates the public in proper child restraint use.

*Data and Program Evaluation.* This section provides a review of the use of data and analysis for overall restraint program improvement. It is subdivided according to the follow categories:

- Observational survey of occupant protection and child restraint use. Pre and post surveys for seat belt programs will be conducted using the 2013 NHTSA-compliant seat belt survey design. A telephone survey will be used to evaluate the effectiveness of the paid media related to the CIOT campaign.
- Occupant protection and child restraint citation analysis. These are performed to assure that the citations issued are consistent with the locations and other demographics are consistent with those found to be most advantageous by the problem identification efforts.
- Continued problem identification and evaluation. The efforts exemplified in the Problem Identification section will be repeated, extended and updated as needed to assure the most effective distribution of resources that can be obtained from evidence-base and data driven decisions. In addition, several evaluation studies are described to determine program success and to improve the program in future years.

It would be impossible to accomplish all of the plans set forth in this document without statewide co-operation throughout the traffic safety community. To accomplish this, AOHS has forged key partnerships with the following entities, which will be described in detail in the context of the various programs:

- Community Traffic Safety Program/Law Enforcement Liaison (CTSP/LEL) Coordinators,
- The University of Alabama Center for Advanced Public Safety (UA-CAPS),
- The Alabama Department of Public Safety,
- Local law enforcement,
- Full range of Media,
- Alabama Department of Public Health,
- Traffic Records Coordinating Committee, and
- State and local District Attorneys.

Specific countermeasures within each of these categories given above were checked for their effectiveness estimates from the NHTSA-recommended document: *Countermeasures That Work: A Highway Safety Countermeasure Guide for State Highway Safety Offices, Seventh Edition, 2013*; which can be viewed at:

<http://www.safehomealabama.gov/Portals/0/PDF/Countermeasures%20that%20Work%20811727.pdf>

[This document will be henceforth referenced as “NHTSA Countermeasures that Work.”]

## Introduction

The Alabama Office of Highway Safety (AOHS) has developed a comprehensive highway safety program on an annualized basis since the early 1970s for the purpose of reduction in traffic crashes, fatalities, and injuries on public roads. As demonstrated by the annually documented Highway Safety Plan (HSP), this program has been data driven and reflective of identified issues within the State. These plans were developed to assure that traffic safety resources were used in an optimal manner to bring about the maximum traffic safety benefits to the roadway users of the State. As will be shown in the Problem Identification section below, occupant restraints surfaced as the most effective approach to crash injury severity reduction.

AOHS personnel have served on the steering committee for the development of the Alabama Strategic Highway Safety Plan (SHSP), and they are presently active in its implementation phase. The AOHS Highway Safety Plan has been incorporated into the Alabama SHSP. The major goals of both the HSP and the SHSP are to bring about a more effective statewide allocation of traffic safety resources, including funding and equipment, but most importantly, personnel.

It will be impossible to accomplish all of the plans set forth in this document without statewide cooperation throughout the traffic safety community. To accomplish this, AOHS has forged key partnerships that are briefly described below:

- Community Traffic Safety Program/Law Enforcement Liaison (CTSP/LEL) Coordinators, who live and have offices within their respective regions, and who build ongoing relationships with local and state level law enforcement who serve that region. In addition, they build relationships with all other traffic safety stakeholders in the local communities assuring coordination among the occupant protection efforts.
- The University of Alabama Center for Advanced Public Safety (UA-CAPS) provides the information foundation for data-driven decisions, including the HSP document; data sources include crash, citation, EMS runs and other databases to enable the AOHS and the CTSP/LEL Coordinators and LELs to be assured that their traffic safety resources are being allocated most effectively.
- The Alabama Department of Public Safety officers are the pilot implementers of systems such as eCrash, eCite and other innovations, providing a much more efficient system of law enforcement as well as a model for local acceptance of technology and the enforcement of occupant protection laws.
- Local law enforcement, including city police and county sheriffs; these partners are essential to all statewide and local occupant protection enforcement programs.
- Media provides continued support through their efforts to inform the public of all data driven enforcement and other occupant protection projects.
- Alabama Department of Public Health provides data and subject matter knowledge for EMSIS and trauma data integration and use, and they have been instrumental in the past in performing restraint-use surveys.
- Traffic Records Coordinating Committee – a broad based committee that represents all developers and users of traffic safety information systems, including those involved with occupant protection.
- State and local District Attorneys – involved to increase their level of readiness and proficiency for the effective prosecution of traffic related cases.

The HSP has reflected that seat belt and child safety seat usage can only be increased by a combination of legislation and use requirements, enforcement, communication, education, and other incentive strategies. This document will begin by summarizing the results of an intensive problem identification that has been performed and updated on a regular basis to guide the overall occupant protection strategies. It will go on to describe the occupant protection program management, followed by a section on each of the planned programs. A final section is devoted to occupant protection data and program evaluation.

## Problem Identification

### Procedure for the Problem Identification

Table 1 provides the context for the problem identification results summarized in this section. It is sorted so that the crash type category with the highest number of fatal crashes (fatalities in the case of occupant restraints) is listed at the top, descending to the crash type category with the lowest number of fatal crashes listed last.

**Table 1. Summary of Crash Severity by Crash Type – CY 2013 Alabama Data**

| Crash Type (Causal Driver)      | Fatal Number | Fatal % | Injury Number | Injury % | PDO No. | PDO %  | Total  |
|---------------------------------|--------------|---------|---------------|----------|---------|--------|--------|
| 1. Restraint Deficient*         | 366          | 3.53%   | 4,075         | 39.35%   | 5,916   | 57.12% | 10,357 |
| 2. Impaired Driving             | 186          | 2.67%   | 2,661         | 38.19%   | 4,120   | 59.14% | 6,967  |
| 3. Speeding                     | 176          | 4.60%   | 1,779         | 46.49%   | 1,872   | 48.92% | 3,827  |
| 4. Obstacle Removal             | 123          | 2.03%   | 2,102         | 34.75%   | 3,824   | 63.22% | 6,049  |
| 5. Mature – Age > 64            | 103          | 0.90%   | 2,477         | 21.60%   | 8,887   | 77.50% | 11,467 |
| 6. License Status Deficiency    | 97           | 1.53%   | 2,048         | 32.36%   | 4,183   | 66.10% | 6,324  |
| 7. Youth – Age 16-20            | 91           | 0.43%   | 4,790         | 22.51%   | 16,400  | 77.06% | 21,281 |
| 8. Motorcycle                   | 89           | 4.65%   | 1,289         | 67.42%   | 534     | 27.93% | 1,912  |
| 9. Ped., Bicycle, School Bus    | 88           | 4.36%   | 1,004         | 49.70%   | 928     | 45.94% | 2,020  |
| 10. Pedestrian                  | 78           | 9.01%   | 647           | 74.71%   | 141     | 16.28% | 866    |
| 11. Fail to Conform to S/Y Sign | 32           | 0.52%   | 1,663         | 26.80%   | 4,510   | 72.68% | 6,205  |
| 12. Utility Pole                | 30           | 1.32%   | 831           | 36.53%   | 1,414   | 62.15% | 2,275  |
| 13. Non-pickup Truck Involved   | 30           | 0.68%   | 712           | 16.20%   | 3,653   | 83.12% | 4,395  |
| 14. Construction Zone           | 23           | 1.03%   | 477           | 21.37%   | 1,732   | 77.60% | 2,232  |
| 15. Roadway Defects – All       | 21           | 0.61%   | 807           | 23.56%   | 2,598   | 75.83% | 3,426  |
| 16. Vehicle Defects – All       | 17           | 1.14%   | 350           | 23.46%   | 1,125   | 75.40% | 1,492  |
| 17. Vision Obscured – Env.      | 13           | 1.21%   | 271           | 25.28%   | 788     | 73.51% | 1,072  |
| 18. Fail to Conform to Signal   | 12           | 0.27%   | 1,306         | 29.49%   | 3,110   | 70.23% | 4,428  |
| 19. Bicycle                     | 9            | 1.46%   | 270           | 43.76%   | 338     | 54.78% | 617    |
| 20. Child Restraint Deficient*  | 4            | 0.18%   | 347           | 15.22%   | 1,929   | 84.61% | 2,280  |
| 21. Railroad Trains             | 1            | 0.83%   | 35            | 28.93%   | 85      | 70.25% | 121    |
| 22. School Bus                  | 1            | 0.18%   | 103           | 18.39%   | 456     | 81.43% | 560    |

\* The Fatal, Injury and PDO numbers for the “Restraint Deficient” and “Child Restraint Deficient” are the total number of persons killed, injured and uninjured, respectively. This is different from the other categories in that they list the number of crashes in which such an injury severity was incurred.

The categories given in Table 1 are not mutually exclusive (e.g., you could have unrestrained passengers in an alcohol/drug crash that involved speeding). However, they still tend to demonstrate the relative criticality of each of the particular categories. Clearly the failure to use occupant protective devices is one of the most critical factors in fatality causation. For this reason the State has put considerable

emphasis on occupant protection, and extensive analyses have been performed in an effort to determine the best approach to increasing restraint use.

Given that occupant restraints are so important to fatality and injury reduction, the next step in the problem identification process is to determine the who, what, where, when and why of crashes involving non-restrained occupants, and thus to determine the best approaches for countermeasure implementation (i.e., the how). This starts by determining those types of crashes that were going to be targeted for occupant protection countermeasure implementation.

For the data driven enforcement program, specific locations were identified where there were concentrations of crashes involving unrestrained occupants. Once the hotspots were defined and the locations were found using the Critical Analysis Reporting Environment (CARE) software, the Community Traffic Safety Program/Law Enforcement Liaison (CTSP/LEL) Coordinators across the state were given information on the hotspot locations for the state as a whole. They were also provided detailed hotspot reports specific to their region to assist them in their focused efforts.

Using the reports and maps developed for each region, the CTSP/LEL Coordinators will develop a plan, including the time schedule and work assignments, for their region that focuses on the hotspot locations. The goals set on a regional basis will be in line with the goals and strategies laid out in that section.

## **Problem Identification Results**

### **Data Driven Enforcement Program (DDEP) Hotspot Analysis**

For the FY 2015 analysis, data from three prior years (CY 2011-2013) were used to find what we will call “restraint-deficient hotspots” or RD hotspots. RD includes both adult and child restraint deficiencies. Child Restraint Deficient crashes (i.e., crashes in which one or more children are not restrained independently of whether the adults are restrained) will be indicated by CRD. The CRD hotspots were based on one year of data (CY 2013). The following table gives the numbers of hotspots found according to the various location types and criteria.

| <b>Hotspot Target</b> | <b>Location Type</b> | <b>Number of Hotspots</b> | <b>Criteria</b>                      |
|-----------------------|----------------------|---------------------------|--------------------------------------|
| General               | Mileposted           | 87                        | $\geq 20$ RD Crashes in 10 Miles     |
| General               | Intersection         | 73                        | $\geq 4$ RD Crashes at Intersection  |
| General               | Segment              | 67                        | $\geq 4$ RD Crashes on Segment       |
| Child Restraint       | Mileposted           | 71                        | $\geq 4$ CRD Crashes in 10 Miles     |
| Child Restraint       | Intersection         | 80                        | $\geq 2$ CRD Crashes at Intersection |
| Child Restraint       | Segment              | 24                        | $\geq 2$ CRD Crashes on Segment      |
| <b>TOTAL</b>          |                      | <b>402</b>                |                                      |

These restraint-deficient hotspots were defined, listed and mapped for ease of identification by the CTSP/LEL Coordinators and their respective local police agencies. The plans for each of the regional coordinators for the coming year will focus on these hotspot areas, as this part of their funding will be restricted to working restraint-deficient hotspot locations defined for each region. The details for this plan are given in Attachment A.

The general strategy is to require the CTSP/LEL Coordinators to focus their plans primarily on restraint-deficient hotspot locations identified for their respective regions. By doing this they will be focusing on the most critical problem areas and the biggest killers. Display 1 below shows a map of the most critical restraint-deficient segments on the mileposted roadways of the state. There were 87 segments found of 10 miles in length that had 20 or more restraint-deficient crashes.

Table 2 illustrates the organization of these hotspots by county and region for implementation by the CTSP/LELs, with a corresponding column for crashes by severity. Table 3 presents a summary of these locations for each of the regions, with an indication of the number of crashes by severity for each region. It is important to recognize that the hotspot analyses are intended to target those locations that have the highest potential for restraint-deficient crash improvement.





**Display 1. Mileposted Unrestrained Hotspot Map**

**Table 2. Mileposted Hotspots by County within Region**


| Region            | County       | Hotspots  | Fatal Crashes | Injury Crashes | Total Crashes |
|-------------------|--------------|-----------|---------------|----------------|---------------|
|                   | <i>TOTAL</i> | <i>87</i> | <i>1135</i>   | <i>10352</i>   | <i>20032</i>  |
| <b>Birmingham</b> |              | <b>27</b> | <b>209</b>    | <b>1904</b>    | <b>3834</b>   |
|                   | Bibb         | 0         | 11            | 43             | 79            |
|                   | Blount       | 0         | 17            | 158            | 288           |
|                   | Chilton      | 4         | 24            | 171            | 315           |
|                   | Jefferson    | 15        | 74            | 825            | 1806          |
|                   | Saint Clair  | 2         | 16            | 236            | 462           |
|                   | Shelby       | 4         | 28            | 167            | 321           |
|                   | Walker       | 2         | 39            | 304            | 563           |
| <b>Central</b>    |              | <b>6</b>  | <b>124</b>    | <b>1064</b>    | <b>2043</b>   |
|                   | Autauga      | 0         | 15            | 79             | 164           |
|                   | Bullock      | 0         | 7             | 29             | 47            |
|                   | Elmore       | 1         | 15            | 176            | 310           |
|                   | Lee          | 1         | 21            | 261            | 576           |
|                   | Lowndes      | 0         | 10            | 35             | 60            |
|                   | Macon        | 1         | 8             | 76             | 123           |
|                   | Montgomery   | 1         | 36            | 299            | 580           |
|                   | Russell      | 2         | 12            | 109            | 183           |
| <b>East</b>       |              | <b>6</b>  | <b>105</b>    | <b>951</b>     | <b>1818</b>   |
|                   | Calhoun      | 3         | 15            | 351            | 657           |
|                   | Chambers     | 1         | 19            | 77             | 182           |
|                   | Clay         | 0         | 4             | 29             | 54            |
|                   | Cleburne     | 0         | 6             | 49             | 92            |
|                   | Coosa        | 0         | 5             | 34             | 64            |
|                   | Randolph     | 0         | 15            | 64             | 128           |
|                   | Talladega    | 2         | 32            | 234            | 433           |
|                   | Tallapoosa   | 0         | 9             | 113            | 208           |
| <b>Mobile</b>     |              | <b>13</b> | <b>143</b>    | <b>1299</b>    | <b>2605</b>   |
|                   | Baldwin      | 3         | 42            | 363            | 720           |
|                   | Escambia     | 1         | 21            | 136            | 284           |
|                   | Mobile       | 9         | 80            | 800            | 1601          |
| <b>North East</b> |              | <b>17</b> | <b>146</b>    | <b>1564</b>    | <b>2939</b>   |
|                   | Cherokee     | 0         | 14            | 92             | 156           |
|                   | DeKalb       | 0         | 19            | 165            | 282           |
|                   | Etowah       | 5         | 26            | 303            | 568           |
|                   | Jackson      | 2         | 15            | 183            | 339           |
|                   | Madison      | 6         | 44            | 558            | 1070          |
|                   | Marshall     | 4         | 28            | 263            | 524           |

|                   |            |           |            |             |             |
|-------------------|------------|-----------|------------|-------------|-------------|
| <b>North</b>      |            | <b>10</b> | <b>139</b> | <b>1302</b> | <b>2590</b> |
|                   | Colbert    | 0         | 13         | 116         | 255         |
|                   | Cullman    | 2         | 22         | 247         | 529         |
|                   | Franklin   | 1         | 9          | 76          | 171         |
|                   | Lauderdale | 1         | 17         | 190         | 379         |
|                   | Lawrence   | 0         | 12         | 70          | 131         |
|                   | Limestone  | 2         | 23         | 179         | 350         |
|                   | Marion     | 0         | 11         | 102         | 159         |
|                   | Morgan     | 4         | 24         | 250         | 500         |
|                   | Winston    | 0         | 8          | 72          | 116         |
| <b>South East</b> |            | <b>2</b>  | <b>89</b>  | <b>954</b>  | <b>1760</b> |
|                   | Barbour    | 0         | 9          | 49          | 85          |
|                   | Butler     | 0         | 10         | 99          | 182         |
|                   | Coffee     | 0         | 11         | 121         | 235         |
|                   | Covington  | 0         | 12         | 122         | 248         |
|                   | Crenshaw   | 0         | 6          | 44          | 87          |
|                   | Dale       | 0         | 12         | 81          | 146         |
|                   | Geneva     | 0         | 2          | 64          | 124         |
|                   | Henry      | 0         | 2          | 33          | 59          |
|                   | Houston    | 2         | 16         | 233         | 402         |
|                   | Pike       | 0         | 9          | 108         | 192         |
| <b>South West</b> |            | <b>1</b>  | <b>95</b>  | <b>569</b>  | <b>1046</b> |
|                   | Choctaw    | 0         | 7          | 41          | 82          |
|                   | Clarke     | 0         | 13         | 97          | 178         |
|                   | Conecuh    | 0         | 11         | 90          | 162         |
|                   | Dallas     | 1         | 20         | 107         | 212         |
|                   | Marengo    | 0         | 11         | 47          | 95          |
|                   | Monroe     | 0         | 9          | 76          | 133         |
|                   | Washington | 0         | 11         | 55          | 93          |
|                   | Wilcox     | 0         | 13         | 56          | 91          |
| <b>West</b>       |            | <b>5</b>  | <b>85</b>  | <b>745</b>  | <b>1397</b> |
|                   | Fayette    | 0         | 3          | 40          | 70          |
|                   | Greene     | 0         | 8          | 38          | 63          |
|                   | Hale       | 0         | 8          | 53          | 88          |
|                   | Lamar      | 0         | 4          | 41          | 66          |
|                   | Perry      | 0         | 9          | 25          | 43          |
|                   | Pickens    | 0         | 12         | 32          | 66          |
|                   | Sumter     | 0         | 8          | 51          | 85          |
|                   | Tuscaloosa | 5         | 33         | 465         | 916         |

**Table 3. Summary of Hotspots by Crash and Region**

| Region     | Hotspots | Regional | Fatal<br>Crashes | Regional | Injury<br>Crashes | Regional | Total<br>Crashes | Regional |
|------------|----------|----------|------------------|----------|-------------------|----------|------------------|----------|
| Birmingham | 27       | 31.0%    | 209              | 18.4%    | 1904              | 18.4%    | 3834             | 19.1%    |
| North East | 17       | 19.5%    | 146              | 12.9%    | 1564              | 15.1%    | 2939             | 14.7%    |
| North      | 10       | 11.5%    | 139              | 12.2%    | 1302              | 12.6%    | 2590             | 12.9%    |
| Mobile     | 13       | 14.9%    | 143              | 12.6%    | 1299              | 12.5%    | 2605             | 13.0%    |
| East       | 6        | 6.9%     | 105              | 9.3%     | 951               | 9.2%     | 1818             | 9.1%     |
| Central    | 6        | 6.9%     | 124              | 10.9%    | 1064              | 10.3%    | 2043             | 10.2%    |
| South East | 2        | 2.3%     | 89               | 7.8%     | 954               | 9.2%     | 1760             | 8.8%     |
| South West | 1        | 1.1%     | 95               | 8.4%     | 569               | 5.5%     | 1046             | 5.2%     |
| West       | 5        | 5.7%     | 85               | 7.5%     | 745               | 7.2%     | 1397             | 7.0%     |
| TOTAL      | 87       |          | 1135             |          | 10352             |          | 20032            |          |

Analyses similar to those above were performed for non-mileposted roadways to obtain the non-mileposted intersections and segments that had the largest number of restraint deficient crashes in the state.



**Display 2. Number of Hotspots Found in the Birmingham Region by Type**

Display 2 is a graphic representation of the various hotspot types compared by the roadway type and also by the restraint deficiency type for the Birmingham Region (an example of one of nine regions). The entire set of hotspot analyses were repeated for Child Restraint Deficient crashes. Officers will use these hotspot specifications as a guide in targeting the general locations for restraint deficiencies. All of these analyses were subdivided by region so that the local CTSP/LEL Coordinators could effectively administer their respective programs.

Details of the specific locations found during the problem identification analyses are given in Attachment A. The analytical arrangement is as follows:

- Region
  - All restraint deficiencies
    - Mileposted
    - Intersections
    - Non-mileposted segments
  - Child restraint deficiencies
    - Mileposted
    - Intersections
    - Non-mileposted segments

## Other Problem Identification Analysis Results

A detailed problem identification to determine the “who, what, when, where and why” of restraint-deficient crashes is given in Attachment B. This information was forwarded to the CTSP/LEL Coordinators so that they could provide guidance in the data driven enforcement and public information aspects of the various projects. The following summarizes these results:

- **Geographical Factors**
  - Counties with the greatest over-representation factors for unrestrained driver crashes include Walker, Talladega, Escambia and Jackson.
  - The number of crashes involving drivers who use no restraints is greatly overrepresented in rural areas in comparison to the urban areas. The odds ratio for rural areas is well over twice what would be expected if rural and urban restraint use were the same.
  - The most over-represented (worse) areas are the rural county areas in Walker, Mobile, Cullman, and Escambia.
  - The most under-represented (best) cities are Montgomery, Birmingham, Mobile, and Tuscaloosa.
  - Crash incidents with no driver restraints being used are greatly overrepresented on county highways, with 2.5 times the expected number of crashes. County was the only roadway classification that was over-represented.
  - In the analysis of locale, crashes involving no restraints are most commonly over-represented in open country areas.
- **Time Factors**
  - The weekend days are the most over-represented days of the week for crashes in which drivers did not use restraints. This correlates highly with impaired driving crashes.
  - In the evaluation of time of day, over-representation peaks during the 12 PM to 5 AM period and then tapers off, falling back below crashes involving causal drivers who use restraints in the 7 AM to 7 PM time periods. Additional cross-tabulations were performed for specific target groups (see below).
- **Crash Causal Factors**
  - The over-representation factors indicate that certain risk-taking behaviors are often associated with crashes in which restraints are not used, including DUI, over the speed limit, running off the road, aggressive operation, and fatigue/sleep.
  - Crashes attributed to drivers who used no restraints are greatly overrepresented in vehicles with model years 1960-1989, which could be attributed to the lack of standard safety restraints in these older model vehicles, or perhaps the removal of these safety devices over time.
  - The speed at impact for crashes for this type of crash is overrepresented in all of the categories above 40 MPH, indicating that these crashes consistently occur at higher speeds than crashes in which restraints were used by the causal driver.
- **Severity Factors**
  - Fatal, incapacitating, and non-incapacitating injuries are all overrepresented in crashes where drivers were not restrained; this analysis quantified the benefits of the restraint use.

- Fatal injuries in crashes where no restraints are used are over-represented on interstate and state roadways. “Possible Injuries” were over-represented on municipal highways.
- Analysis of injuries shows that the proportion of injuries (including fatalities) in unrestrained driver crashes is overrepresented from 1 to 6 injuries per crash. Crashes without restraints are clearly causing much more severe injuries.
- The proportion of fatalities in general as well as the proportion of multiple fatality crashes is dramatically overrepresented in crashes where the causal driver is unrestrained.
- As expected, ejection of the unrestrained driver is overrepresented, indicating one major cause for many fatalities in which safety equipment is not properly utilized.
- All types of injuries, including fatalities, are consistently overrepresented in crashes where no restraints were used.
- Driver Demographics
  - Analysis of individual driver ages indicates that crashes involving no restraints are overrepresented in drivers in and immediately above the teen driver classification (age range 16-35).
  - Male drivers account for a majority of crashes in which restraints are not used, and they are overrepresented by a factor of 1.29.
- Analysis of Time of Day by Day of Week. Crosstab analyses of time of day by day of the week of crashes in which restraints were not used enables officers to determine target times and days to enforce restraint laws so that this severe crashes may be prevented. Three analyses were performed and compared for three target groups: rural crashes, crashes caused by drivers 16-20, and crashes caused by drivers 21-25. While the rural and 21-25 crosstabs were expected to correlate very heavily with impaired driving, it was found that the 16-20 year old causal drivers were not very much different. It seems clear that while they might not be involved with alcohol or drugs, they are out and engaged in risk-taking practices at the same time as the impaired driving by their older counterparts, they further compounding the problem at these times. The 16-20 would also reasonable be expected to be over-represented in the week-day after school hours in the proximity of their schools and after-school activities.

## **Focus Area and Age Groups**

The problem identification clearly identified rural areas and the 16-25 year old age group for more intensive selective enforcement. Some preliminary analyses to identify specific 10-mile locations for these specific targets found one of two things: either the locations found were highly over-lapping the locations specified above in the general restraint deficiency locations, or else the number of crashes that qualified in the focus group was well below that for the locations already established to have the highest potential for improvement. Therefore, the decision was made to train the officers to be particularly sensitive to these focus areas and age groups rather than to direct them specifically to target locations that were not already identified above.

In particular, the following provided guidance to the training of the officers who would be involved in the selective enforcement efforts:

- Rural Areas
  - Within the segments specified, pay special attention to the rural areas; for example, along a 10-mile section there could be both rural and urban areas, in which case the portion of the segment that was in the open country should be worked as opposed to in the urban area.
  - Concentrate especially in the rural areas where there might be a relatively large traffic flow due to the proximity of an urban area.
  - If county roads were not specified as high restraint deficient areas, include some county roads as part of the normal enforcement routing cycle.
  - When county roads are specified, give them a higher priority in enforcement routing.
  - Give special attention to older vehicles.
  - Combine restraint deficiency enforcement with DUI enforcement since the most critical times for both are late Friday night, early Saturday morning (until 6 AM), late Saturday night (after 6 PM), and early Sunday morning (until 4 AM).
  - Morning and afternoon rush hours would also be targeted times in rural areas, although the per-vehicle incidence will only be about half of that which occurs during the night-time hours.
- Age Group 16-20
  - Give special attention to male drivers.
  - Give special attention to drivers that may be engaged in marginal risk-taking behavior.
  - Concentrate on school-proximal areas in the 7 AM to 8 AM time frame, and in the afternoon from 2 PM to 6 PM.
  - Concentrate on high-school type night spots on Friday-Saturday night and Saturday-Sunday night in the 9 PM until 2 AM time frame.
- Age Group 21-25
  - Give special attention to male drivers.
  - Concentrate on areas where there is college or university “night-life.”
  - Combine restraint deficiency enforcement with DUI enforcement since the most critical times for both are late Friday night, early Saturday morning (until 6 AM), late Saturday night (after 6 PM), and early Sunday morning (until 4 AM).
  - Concentrate on the afternoon protracted rush hour (3 PM to 7 PM) as opposed to the morning rush hours.



## Program Management

The Alabama Office of Highway Safety (AOHS), which is the state highway safety office, provides centralized leadership, planning, implementation, and coordination on all State occupant restraint programs. As demonstrated by the problem identification summary above, and by the data and program evaluation efforts in that section below, AOHS monitors existing programs, and modifies them based on their progress and success. New programs are developed as they are shown to have a high potential for success.

AOHS will administer the program with the support of the CTSP/LEL Coordinators and the other partner state agencies that will be involved. As part of this effort, AOHS will do the following:

- Develop a vision and mission statement and monitor the program to assure that it stays consistent with these intended ideals;
- Develop goals consistent with the vision/mission statement from which measurable objectives are established,
- Evaluate the effectiveness of the program against these objectives;
- With guidance from NHTSA, develop strategies that will accomplish the established goals, among them to include:
  - Training and technical assistance to other State and local agencies as well as any private advocacy groups that are involved with occupant protection;
  - Establish a broad base of support for the various programs;
  - Establish and convene various committees or other work teams that will reflect the demographic composition of those most in need of training and assistance;
  - Fully involve the CTSP/LEL Coordinators in continuing to integrate occupant protection programs into their ongoing community/corridor traffic safety and other injury prevention programs.

This section will continue by presenting the Vision and Mission Statements along with the overall goals and strategies for implementing improved occupant restraint programs.

### Vision and Mission Statements

AOHS has established the following overall vision statement for all of its programs:

**To create the safest possible surface transportation system by means of a cooperative effort that involves all organizations and individuals within the state who have traffic safety interests.**

This vision is measurable in terms of crash, injury and fatality rates (per million vehicle mile). More specifically, the vision statement for the occupant restraint programs is as follows:

**To create a culture change in the percentage of the motoring public who are not using occupant restraints that will motivate them to see the lost benefits and take those actions to assure that they and their fellow passengers are properly restrained.**

With regard to occupant protection, AOHS has developed the following Mission Statement:

**Coordinate and build cooperation among all involved within the traffic safety community to effectively conduct a broad range of the most effective programs possible to significantly and permanently increase restraint use within the State.**

This mission statement recognizes that the following ideals that will need to become part of the culture of the general public, starting with all members of the traffic safety community within the State:

- *Saving Lives.* Preserve the lives of all users of the Alabama surface transportation system by minimizing the frequency and severity of all potentially fatal crashes, regardless of the countermeasure type or the organization that has primary responsibility for its implementation.
- *Reduction in Severity.* Reduce the suffering results from injuries sustained in motor vehicle crashes.
- *Focus on occupant restraints.* When considering crashes in Alabama and the damage that they cause in terms of human loss and suffering, increased injury severity resulting from a failure to use occupant restraints must be recognized as one of the most critical issues. All organizations and individuals in the area of traffic safety must be committed to improvement in this area. Enforcement plans developed by the state's safety coordinators will reflect this focus, and data driven enforcement funding will be concentrated on hotspot crash locations that have been identified as problems. In addition, all of the strategies discussed below will become part of the overall safety culture.
- *Teamwork and Diversity.* Recognize that these ideals will only be attained through the dedication to cooperative efforts among a wide range of federal, state and local organizations as well as private advocate groups. All highway users and user groups must be adequately represented, and all sub-disciplines will be given the opportunity to provide input and information to improve the overall program.

By focusing efforts on increased restraint use, lives have been saved in the past and will be saved in the future. The severity increase in each crash involving unrestrained passengers is caused by the *choice* not to use restraints. By changing driver and passenger behaviors in this regard, a measurable increase in restraint use should be forthcoming as well as a measurable decrease in crash severity.

## Goals and Strategies

Goals have been established for the overall occupant restraint program based measures of improvements that have been obtained in the past as well as the anticipated potential benefits from the more comprehensive proposed programs. Consistent with the State's dedication to the ultimate goal of zero deaths, and the Toward Zero Deaths (TZD) approach, it is our long term goal to have all passengers in the state restrained, and thus to get the maximum benefit in terms of reduced crash severity that occupant restraints offer.

Because it is impossible to identify the cause of fatalities saved, the overall strategic program goal for all programs in the state will be referenced, as follows:

*To reduce the three-year average annual number of fatalities by 2% per year over the next 25 years (i.e., using 2010 as a base year, through 2035).*

Embracing the concept of Toward Zero Deaths (TZD), the Alabama Strategic Highway Safety Plan set a strategic goal of reducing fatalities by 50% over the next 25 years. Based on the 2011 fatality count of 894, this 2% (of the base year) per year reduction would average about 18 fatalities per year. While this might seem a modest number, if maintained as the average over a 25 year period it will save more than 5,600 lives over that time period. This will be a major accomplishment in continuing the downward trend that was established in the 2007-2011 time frame, which reversed the alarming increase in fatalities that preceded 2007. Also, if the 2% of the base year is viewed as a percentage of the years in which reductions

have taken place, this percentage grows linearly until in the 25<sup>th</sup> year it amounts to 4% of the previous year.

Unlike the long range goal, short range goals are established each year. These goals are along the same line as the long range goals but are adjusted more frequently in order to track progress that the state has made by looking at the coming fiscal year. When looking at these goals, it is important to note that the data being used for these goals is somewhat delayed. Because of the delay in receiving completed crash data for the year, 2012 FARS Data must be used to develop the plan for fiscal year 2015.

### **Occupant Protection Performance Measures and Goals**

The performance measures for both child safety seat and overall restraint use have been obtained from annual surveys that were conducted by the Alabama Department of Public Health and CAPS. The Seat Belt Usage Rate is obtained immediately following the “Click It or Ticket” campaign and the Child Safety Seat Usage Rate data is collected in August. The latest data for both of these rates was obtained from reports made available by the Alabama Department of Public Health and UA-CAPS, as follows:

| <b>Performance Measures</b>  | <b>2001</b> | <b>2002</b> | <b>2003</b> | <b>2004</b> | <b>2005</b> | <b>2006</b> |
|------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Seat Belt Usage Rate         | 79.40%      | 78.80%      | 77.40%      | 80.00%      | 81.90%      | 82.90%      |
| Child Safety Seat Usage Rate | 77.00%      | 89.40%      | 87.00%      | 82.90%      | 91.60%      | 88.00%      |

| <b>Performance Measures</b>  | <b>2007</b> | <b>2008</b> | <b>2009</b> | <b>2010</b> | <b>2011</b> | <b>2012</b> | <b>2013</b> |
|------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Seat Belt Usage Rate         | 82.30%      | 86.10%      | 90.00%      | 91.43%      | 88.00%      | 89.50%      | 97.26%      |
| Child Safety Seat Usage Rate | 92.30%      | 88.20%      | 94.91%      | 93.12%      | 95.83%      | 93.00%      | 97.70%      |

Goals cannot be progressively realized without appropriate performance measures. These will be given with the goals along with a description of the data sources used. Performance measures include one or more of the following:

1. Fatal crash frequency (e.g., the number or proportion of fatal crashes in which the fatally injured passenger (including drivers) was properly restrained;
2. Crash severity reduction (e.g., the ratio of the proportion of fatalities to severe injuries, and
3. Percentages of all crashes that are fatal (to gauge the proportion within the overall population of crashes).


Only injury and fatal collisions will be included in the crash frequency goals. Goals will now be presented in the following categories (reference to the FY 2015 HSP):

- Number of Unrestrained Passengers Killed (C-4)
- Seat belt Usage (B-1)
- Traffic Safety Activity Measures (A-3).

**HSP Metric C-4. Number of unrestrained passenger vehicle occupant fatalities, all seat positions (FARS)**

| 2008 | 2009 | 2010 | 2011 | 2012 | Goal |
|------|------|------|------|------|------|
| 452  | 378  | 394  | 382  | 354  | 390  |

**Number of Unrestrained Vehicle Occupant Fatalities**




Reduce the unrestrained passenger vehicle occupant fatalities by .5 percent from the five year base line average of 392 (2008-2012) to 390 by 2015\*.

**HSP Metric B-1. Observed seat belt use for passenger vehicles, front seat outboard occupants (survey).**

| 2008  | 2009  | 2010  | 2011  | 2012  | Goal  |
|-------|-------|-------|-------|-------|-------|
| 86.1% | 90.0% | 91.4% | 88.0% | 89.5% | 92.0% |

**Observed Seat Belt Use**



Increase the observed seat belt by 3% from the five year baseline average (2008 -2012) of 89.0% to 92.0% in 2015\*.

\*Five Year Average Goal

## Strategies for FY 2015

The following outlines the strategies to be applied during FY 2015:

- Planning and Administration – The Alabama Office of Highway Safety (AOHS) is charged by the Governor with the responsibility for implementing the state's highway safety efforts to reduce traffic deaths, injuries and crashes; as such, they will continue to perform the overall administrative functions for the programs and projects implemented.
- The nine Community Traffic Safety Programs/Law Enforcement Liaison (CTSP/LEL) projects are seen to be an essential element in maintaining distributed governance over the statewide traffic safety program, and they will be maintained, including the support of the CTSP/LEL Coordinators and the administrative support for their offices.
- The University of Alabama Center for Advanced Public Safety (UA-CAPS) is seen to be vital in providing the information required for allocating traffic safety resources in an optimal way, and they will continue to be supported in providing AOHS with Alabama crash and traffic safety data throughout the year.
- Conduct nine local Hotspot Data Driven Enforcement Program (DDEP) projects, one within each of the CTSP/LEL regions. Additionally, a statewide DDEP project will be conducted in conjunction with the Alabama Department of Public Safety (DPS). The efforts of all CTSP/LEL data driven enforcement projects will be focused on hotspot locations. By focusing on the hotspot locations, every effort will be taken to reduce restraint-deficient crashes, and in so doing, reduce the fatality rate for the state.
- Continue the (LEL) programs statewide. Beginning in FY 2007, this program was absorbed by the regional CTSP/LEL offices and was funded through the Community Traffic Safety Projects. This funding arrangement will continue in FY 2015.
- Participate in national "Click It or Ticket" campaign on the statewide level.

## **Child Restraint Laws**

Child safety belt laws were specifically targeted in the 2006 Child Restraint Law, which provided amendments to the section of the Code of Alabama 1975. This legislation is listed below:

### **Child Restraint Regulations**

#### **Set Forth Guidelines for Infant-only, Forward-facing, and Booster Seats**

Act 2006-623

Effective July 1, 2006

#### **ENROLLED, An Act,**

To amend Section 32-5-222 of the Code of Alabama 1975, relating to child passenger restraints, to further provide for the use of child passenger restraints; to increase the fine; to provide for a point system; to provide for dismissal of charges upon proof of acquisition of an appropriate child passenger restraint; to provide for \$15 to be deposited in the State Treasury to be disbursed by the State Comptroller to the Alabama Head Injury Foundation to administer; to subject the foundation to examination by the Department of Examiners of Public Accounts; and in connection therewith would have as its purpose or effect the requirement of a new or increased expenditure of local funds within the meaning of Amendment 621 of the Constitution of Alabama of 1901.

BE IT ENACTED BY THE LEGISLATURE OF ALABAMA:

#### **Section 1. Section 32-5-222 of the Code of Alabama 1975, is amended to read as follows:**

##### **§32-5-222.**

(a) Every person transporting a child in a motor vehicle operated on the roadways, streets, or highways of this state, shall provide for the protection of the child by properly using an aftermarket or integrated child passenger restraint system meeting applicable federal motor vehicle safety standards and the requirements of subsection (b). This section shall not be interpreted to release in part or in whole the responsibility of an automobile manufacturer to insure the safety of children to a level at least equivalent to existing federal safety standards for adults. In no event shall failure to wear a child passenger restraint system be considered as contributory negligence. The term "motor vehicle" as used in this section shall include a passenger car, pickup truck, van (seating capacity of 10 or less), minivan, or sports utility vehicle.

(b) The size appropriate restraint system required for a child in subsection (a) shall include all of the following:

- (1) Infant only seats and convertible seats used in the rear facing position for infants until at least one year of age or 20 pounds.
- (2) Convertible seats in the forward position or forward facing seats until the child is at least five years of age or 40 pounds.
- (3) Booster seats until the child is six years of age.
- (4) Seat belts until 15 years of age.

However this bill must meet the requirements of Code Section 32-5b-4.

## **Proposed Legislation**

There are many opportunities to strengthen the current restraint laws in Alabama. Despite the revisions to the Primary Seat Belt Law in 1999, the law still fails to address the use of restraints for any

adult passengers in the back seat. Alabama law addresses this requirement in child restraint laws, but there is no requirement for adults.

A number of proposed safety legislation bills were endorsed by the State's Strategic Highway Safety Plan Committee (SHSP, Page 41). The SHSP proposes a "primary seat belt law for all passengers" that would address this issue for adult passengers in the back seat. Furthermore, the SHSP goes on to address the issue of passengers in the rear of pickups. This provision would require that passengers would only be allowed to ride in areas equipped with safety belts.

The State's child restraint law is rather comprehensive; however, legislation has been proposed to adjust the booster seat requirement for children so as to require each occupant who is eight years of age and under, weighs less than 80 pounds and is less than four feet, nine inches in height to be secured in an age-appropriate child restraint. This measure would address discrepancies concerning the proper age and weight for eliminating the use of a booster seat. Furthermore, the State's SHSP intends to address the Child Restraint Law to ensure that there are no gaps in restraint laws to ensure that all occupants of a motor vehicle under the age of sixteen are covered by specific laws. These suggested provisions do not include a provision regarding an age requirement for riding as passenger in the front seat. Many states include such stipulations that make this a primary offense if a child under the age requirement is sitting in the front seat, with or without safety restraints. Still to be proposed is the law that all occupants riding in passenger motor vehicles must be secured in a seat belt or appropriate child restraint so that there will be no gaps in coverage in the State occupant protection laws.

In summary, proposed legislation includes the following items:

- People sitting in all seat positions wear seat belts.
- Minimum fine of \$25.00.
- Adjust the booster seat requirement for children so as to require each occupant who is eight years of age and under, weighs less than 80 pounds and is less than four feet, nine inches in height to be secured in an age-appropriate child restraint.
- Provide incentives for motor vehicle insurance companies to offer economic incentives for policy holders who agree to use appropriate restraints; with the stipulation that there will be penalties to them if they are in a crash and injured without being restrained.
- Provide extremely stiff penalties as part of the State GDL (perhaps up to the short suspension of license) for any driver who is caught without everyone in the vehicle being restrained. The only exception might be if there were never restraints installed. While the current law addresses the maximum number of occupants and restricted driving schedule, it does not specify seat belt use for drivers or passengers. For example, the GDL law in Delaware includes a seat belt provision that requires teen drivers and passengers under age 18 to wear a seat belt at all times. If this provision is violated, the teen driver faces suspension of a license or permit for two months.
- Provide some legal basis for making the degree of injury sustained not covered by insurance when there is contributory negligence on the part of passengers who fail to be properly restrained.

The list of bills that is being promoted and supported are given at:

[http://www.safehomealabama.gov/GovAgencies/ALLegislature\(SSCC\).aspx](http://www.safehomealabama.gov/GovAgencies/ALLegislature(SSCC).aspx)

# **Data Driven Enforcement Program (DDEP)**

## **General Program Overview**

The State will engage in an evidence-based data driven enforcement effort to assure that its child restraint and occupant protection laws are vigorously enforced. The AOHS law enforcement liaisons (LEL) are synonymous with the CTSP Coordinators, but to emphasize this they will be referenced as CTSP/LELs in this context. The following provides a summary of the planned enforcement (and enforcement-related) efforts that will be made throughout the 2015 fiscal year:

- Totally involve the CTSP/LEL Regional Coordinators. In addition to the efforts of the state office in Montgomery, there is a Coordinator within each of the nine CTSP/LEL Regions across the state. Each CTSP/LEL Coordinator has been charged with focusing on the occupant restraint hotspot locations outlined for their region. In order to coordinate the efforts within the nine regions, a CTSP/LEL office is located in each region. Each of these regions is responsible for the problem areas within their region and will supply reports and information back to the central office regarding the efforts taking place within their region.
- Obtain analytical support from the University of Alabama Center for Advanced Public Safety (UA-CAPS), which has developed and currently maintains the CARE program, which is the software used for all traffic crash and safety analysis done in Alabama. UA-CAPS will provide continuous updates of crash and other traffic safety (e.g., citation) data throughout the year. This includes updates of the analyses given in the problem identification above, preparing reports and providing answers for information requests related to the occupant safety program.
- Conduct Data Driven Enforcement Program (DDEP) projects. There will be nine local DDEP projects during the coming year as well as one statewide DDEP project focusing specifically on occupant restraint enforcement. Each of these DDEP projects will be located at one of the problem locations that have been identified across the state. One DDEP project will take place in each of the nine CTSP/LEL regions, and the statewide DDEP project will be conducted in conjunction with the Alabama Department of Public Safety. General Law Enforcement activity including restraint enforcement will be sustained for twelve (12) months, and the special restraint-focused DDEP project will not diminish the normal efforts being made in this regard.

## **Data Driven Enforcement Programs (DDEP)**

The State's ongoing Data Driven Enforcement Program (DDEP) plan targets countermeasures that result in lower injury and fatality rates by enabling law enforcement at a local level to enforce non-use of occupant and child restraints laws. Increasing citation rates has shown to have positive effects on lowering the incidence of the offense in the location where the citations are given. In addition to the special Memorial Day and the Labor Day campaigns, Alabama will also conduct sustained enforcement throughout the year.

The Data Driven Enforcement Program (DDEP) is developed using traffic crash data, as illustrated in the Problem Identification Section above. Each potential location for enforcement is selected based upon the determination of restraint-deficient hotspots. Fatalities due to non-use or inappropriate use of occupant and/or child restraints are seen in both adult and child populations and remain overrepresented statistically as compared to the national data. Education efforts will be offered to augment the high visibility enforcement of the primary-enforcement occupant restraint laws.



The project with regional coordinators and the Alabama Department of Public Safety, and local law enforcement involves overtime pay for officers to conduct a statewide data driven enforcement program aimed at identified segments of roadway with restraint-deficient crashes (i.e., crashes where one or more occupants, including the driver, were not properly restrained). The strategy of this effort is to reduce these hotspots in the state, or to reduce the frequency of restraint-deficient crashes within each. Current policy is to fund overtime as it gives the greatest flexibility in manpower deployment, and is thus more effective and efficient, since overtime allows more flexibility in scheduling. Law enforcement agencies will use saturation patrols, line patrols, checkpoints, and regular patrol in order for the DDEP projects to be effective.

## **Seat Belt Enforcement Plan**

The state is divided into nine Community Traffic Safety Programs/Law Enforcement Liaison (CTSP/LEL) regions across the state. Within these groups, law enforcement agencies at all levels are in partnership to execute the DDEP program throughout the year. The Alabama Department of Public Safety will also be a full partner in all of these efforts.

The specific locations of enforcement activities will be deployed to those specific segments defined by the problem identification above, specifically in Tables 2 and 3 in the “Data Driven Enforcement Program Hotspots Analysis” section.

To the extent that resources will permit, the DDEP program will be supported my media efforts similar to those described below for the Click It or Ticket Program described below.

The total population percentage covered by the DDEP program will be over 96 percent. The Alabama Department of Public Safety (DPS) will participate in the DDEP.

## **Click It or Ticket (CIOT)**

### **Overall CIOT Summary**

Since passing the Primary Seat belt Law in 1999, Alabama continues to steadily improve its seat belt and child restraint use rates. As part of this process, a Data Driven Enforcement Program (DDEP) called “Click It or Ticket” (CIOT) is run on an annual basis in April, May and June of each year (see schedule below).

The following summarizes the CIOT effort:

- The State will conduct an aggressive “Click It or Ticket” (CIOT) campaign (generally, paid media) in close concert with NHTSA coordination. As part of the nationwide initiative to increase seat belt usage, there will be a CIOT High Visibility Paid Media campaign. This has been a highly successful program in the past several years. The State will continue to lend its full support to the program in the coming year.
- A statewide CIOT High Visibility Enforcement campaign will be conducted in addition to the paid media, we will have High Visibility Enforcement program for a three week period. The enforcement program will consist of members from the Municipal Law Enforcement Agencies, County Sheriffs and State Highway Patrol (Department of Public Safety).
- An additional effort in conjunction with CIOT will be supported to conduct surveys, perform analyses, and verify certification. UA-CAPS will conduct pre and post surveys for seat belt programs and evaluate several types of survey data regarding seat belt and child restraint usage

rates as part of the CIOT campaign. The program will consist of waves of surveys, enforcement and media blitzes, carefully scheduled to maximize public understanding of restraint use. UA-CAPS' role will be to: (1) receive and scientifically analyze data obtained (2) collect reports on the other components of the project (3) obtain signed certification page and (4) produce a comprehensive final report covering all aspects of the campaign.

- This data driven enforcement program will involve multiple agencies and organizations that will participate in this effort, under the leadership of the Law Enforcement and Traffic Safety (LETS) Division of the Alabama Department of Economic and Community Affairs (ADECA). Waves of public education and enforcement will be conducted, working toward the single goal of increasing proper restraint use for both children and adults to improve highway safety.
- The University of Alabama Center for Advanced Public Safety (UA-CAPS) will support ADECA/LETS in providing the following services:
  - Contracting out the performance of the annual pre and post observational survey of vehicle belt usage and child restraint usage throughout Alabama according to the new NHTSA approved Sampling, Data Collection and Estimation Plan;
  - Performing an evaluation of the program results using scientific analyses of baseline observations before the STEP and post observations after it is completed and calculate the official seat belt usage rate for the State;
  - Collecting results from all the various involved parties for their activities;
  - Performing analyses of data generated through telephone polls, media campaign data and enforcement data;
  - Compiling the project report for "Click It or Ticket" 2015;
  - Contracting out the performance of the child restraint observational survey;
  - Analyzing survey data and computing child seat belt usage rate for State
  - Producing a report on results of child restraint observational surveys.

The listing of general activities to be conducted during the STEP and the proposed schedule are shown below:

| <b>Weeks</b> | <b>Dates</b>   | <b>Activities</b>                              |
|--------------|----------------|--|
| 1-2          | April 20-May 3 | Statewide Observational Survey (Baseline)*     |
| 3-8+         | May 4-June 11  | Earned Media for CIOT                          |
| 4-5          | May 11-25      | Paid media for CIOT                            |
| 5-6          | May 18-31      | Enforcement for CIOT                           |
| 7-8          | June 1-11      | Statewide Observational and Telephone Surveys* |

\* Activities that involve data collection and analysis

The problem identification for the CIOT DDEP program is documented above. This section will continue by presenting the media plan, followed by the plan for the CIOT evaluation.

## Media Plan for CIOT

The "Click it or Ticket" statewide multimedia campaign will be aimed at increasing seat belt usage on Alabama's highways in the most effective ways. The campaign will incorporate advertising, bonus spots, website links, and support of government agencies, local coalitions and school officials in an effort that will impact restraint usage.

The campaign will consist of:

- Development of the "Click It or Ticket" marketing approach based on Nielsen and Arbitron ratings and targeted primarily towards the 18-34 male age group.
- Placement of paid "Click It or Ticket" ads on broadcast television, cable television, and radio in addition to public service spots. Paid advertising will be placed primarily in the five largest media markets.
- Management of public relations efforts including press releases and special media events to stimulate media coverage and alert the public to the "Click It or Ticket" campaign.
- In addition to the paid and free media, the Office of Highway Safety website will have updated information including ads, articles and other information pertaining to the seat belt campaigns.
- Each CTSP/LEL Coordinator will be responsible for generating sustained earned media in their area of the state throughout the year. The CTSP/LEL Coordinators are also responsible for developing press releases and conducting press events that are specifically targeted to their regions.

In addition, other enforcement and education campaigns throughout the year encourage increased seat belt usage. These campaigns have been successful in that survey data after the 2013 campaign revealed that 97 percent of respondents reported that they used their seat belts "all the time" or "most of the time" at the end of the media campaign.

The CIOT Media Campaign will include placement of approved, paid CIOT programming on broadcast and cable TV and radio spots during the appropriate time frame, and negotiations will be conducted to maximize the earned (free) media as well. These media efforts, including commercials, will supplement law enforcement agencies statewide as they conducted a zero-tolerance enforcement of seat belt laws.

Further, electronic billboards, the AL.com website and statewide newspapers will be employed to reach the target audiences aimed at yielding increases in seat belt and child restraint use. Previous efforts resulted in the Alabama Department of Commerce placing 15,512 paid media and 7,144 bonus commercials for the Click It or Ticket campaign.

The following will summarize the anticipated paid media campaign, which will be engaged based on parameters outlined below:

- Broadcast Television. Experience has shown that broadcast television buys provide the greatest reach. The buys will be focused on programming in prime times: morning drive (M-F, 7A-9A) and evenings (M-F, 5P-Midnight). Selected weekend day parts, especially sporting events, will also be employed if the media programming is assessed to appeal to the target group.
- Cable Television. The large number of cable networks in Alabama can be effective in building frequency for the male 16-34 target market. The buys will focus on the following day parts: morning drive (M-F, 7A-9A) and evenings (M-F, 5P-Midnight) with selected weekend day parts, especially sporting events. Paid scheduling will be placed for networks that cater to males in the target areas.
- Radio. The campaign will target that same key at-risk group, 16-34 year olds, particularly males. The buy will focus on the following day parts:

morning drive (M-F, 7A-9A), midday (M-F 11A-1P), afternoon (M-F, 4P-7P), evenings (M-F, 7P-Midnight). Selected weekend day parts will be considered as well.

Commercials will be produced for television and radio to emphasize the Click It or Ticket theme. Advertisements for electronic billboards, newspaper and AL.com will relate back to the video media to the extent possible. Billboards will be used to reinforce the radio and TV commercials. At least three designs will be developed to correspond to and reinforce the video commercials. The AL.com website will be employed in the planned program. This is the state's leading news website, and they provide excellent coverage.

## **CIOT Evaluation**

This project will be evaluated using methods and procedures approved by NHTSA. FY 2015 is the second year to use the new survey plan that is documented in a report entitled “Alabama Observational Survey Plan for Occupant Restraint Use – 2013,” and the details of that plan will not be repeated here. This data collection and estimation plan is based on fatality rates rather than population as was done previously. UA-CAPS will manage the process for the observational surveys, phone survey evaluation of the media campaign, and be involved in evaluation and report generation portions of the project.

UA-CAPS will conduct overall coordination between other agencies and consultants participating in the project. This will keep UA-CAPS in close contact during the design of data collection forms and procedures, will help ensure timely and accurate data collection, and will help ensure that UA-CAPS receives data and preliminary analyses in a timely manner. Data observation, collection and processing will be in accordance with NHTSA-approved techniques.

Basic phone and observational surveys will be used to gather data for the in-depth evaluation. The target will be the measurement of proper restraint use by drivers and front seat outboard passengers in passenger motor vehicles. The phone surveys will be conducted throughout the state. The observation surveys will be conducted at a total of 343 assigned sites in 40 Alabama counties: Jefferson, Mobile, Madison, Tuscaloosa, Baldwin, Montgomery, Marshall, Lee, Walker, Calhoun, Shelby, Elmore, Cullman, Talladega, Limestone, St. Clair, Russell, Etowah, Morgan, Jackson, Houston, Lauderdale, Lawrence, Escambia, Blount, Chilton, Dallas, Pike, Autauga, Dekalb, Dale, Coffee, Monroe, Chambers, Tallapoosa, Franklin, Winston, Colbert, Conecuh and Covington.

In addition to direct field measurement of restraint use, a parallel thrust will measure changes in public awareness and attitude. This will be based upon statewide telephone surveys.

With regard to the observational surveys, UA-CAPS will:

- Contract a highly qualified vendor to recruit and train the Observational Surveyors, and to conduct the three observational surveys described within this document
- Assign observation locations and dates to the Surveyors, and
- Collect and process the raw data produced by the Surveyors.

In conducting the evaluation, UA-CAPS will require the assistance of other agencies and organizations, as follows:

- The Alabama Department of Commerce (ADC) will:
  - Implement the media portion of the campaign;

- Contract with another group to produce ads if that is found to be most expedient;
- Determine where and when the ads are run; this will include the avenues of TV, cable, radio and electronic billboards;
- Update the web site;
- Produce promotional brochures for the project;
- Submit reports to ADECA-LETS; and
- Submit reports to UA-CAPS for inclusion in the overall final report for the project.
- ADECA LETS will:
  - Provide funding for the project;
  - Serve as the host agency for the effort, providing ongoing oversight coordination, and guidance as needed;
  - Coordinate the enforcement campaign and provide summary reports to UA-CAPS for inclusion in final report; and
  - Assist UA-CAPS, if needed, in obtaining data from Surveyor observations, consultant phone polls, and consultant questionnaires.
- The abt SRBI group, which performed the phone survey for the 2001 through 2013 “Click It or Ticket” programs, will be engaged to conduct the telephone surveys that will involve:
  - Design and prepare the telephone questionnaire instrument (with guidance from LETS and UA-CAPS);
  - Conduct a post survey only this year;
  - Encode and analyze the data, and
  - Deliver the data and a preliminary analysis of the data to UA-CAPS in a timely manner.

To summarize, restraint use will be evaluated in two primary ways: (1) by direct observation of vehicles, based upon a carefully designed sampling technique, and (2) through a telephone survey. Before and after seat belt usage rates will be evaluated by direct observation, and after rates will be evaluated through the telephone surveys. A final report will be produced by CAPS that will describe the results of the current year evaluation efforts and summarize past year’s evaluation efforts to hopefully show continual improvements being made by participating in the campaigns.

## **General Restraint Data Driven Enforcement Program**

The Problem Identification Results section above, along with Attachment A detail the procedures and results obtained from the hotspot analyses. By using actual crash data in which it was found that occupants (including drivers) were not properly restrained, resources can be focused on the best possible place to perform the Data Driven Enforcement Programs.

## **Child Restraint Data Driven Enforcement Efforts**

The very same procedures that were used to find hotspots for all restraint deficient crashes were applied to find those crashes in which child restraints were deficient. The only difference was that the criterion for the subsets used in this case was only those crashes in which there were child restraint deficiencies. Attachment A is organized by region to facilitate its use by the CTSP/LEL coordinators in administering the various programs. Officers will be required to cover the specific locations listed.

## **Communication Program**

In order to keep the components of the various programs together, communication efforts have been described within each program. These will be an integral part of the enforcement effort, recognizing that the effects of the law enforcement efforts can be dramatically increased by effective and relatively inexpensive paid and earned media campaigns. They will also be integrated into the other child protection programs.

The AOHS and their partners, such as UA-CAPS and others, put forth efforts to capitalize on special events, such as nationally recognized safety and injury prevention weeks and local enforcement campaigns, by promoting these events on their social media sites including Facebook and Twitter. Brief, but very focused, messages are frequently pushed out through these means. This is an especially effective avenue of reaching younger audiences. These events are also promoted on agency websites and the [www.SafeHome.Alabama.gov](http://www.SafeHome.Alabama.gov) website that is comprehensive of all of the Alabama's traffic safety endeavors. Not only are the events publicized prior to occurring but the results are published afterwards through these means as another opportunity to get the word out.

A major goal of the CPS program (detailed in the next section) for FY 2015 will be to increase communication and awareness on the issue of CPS in each of the nine CTSP/LEL regions. The statewide CPS website is heavily utilized by parents and technicians alike. The website ([www.cpsalabama.org](http://www.cpsalabama.org)) offers a place to go to get accurate, up-to-date CPS information for parents and technicians. More detail on this website is given in the Occupant Protection for Children Program section, Increased Communication and Awareness subsection.

## **Occupant Protection for Children Program**

The occupant protection for children part of the occupant restraint program will be administered by the State Child Passenger Safety (CPS) coordinator. This will include training for first time technicians, and recertification for trained technicians. Inspection stations will be available to the public. The technicians will ensure that parents learn how to properly install their child passenger restraints. Key components to this education are to educate the parent on proper harnessing of their child and proper installation of the child restraint in the vehicle.

Alabama's CPS program was in its tenth year in FY2014. The single CPS coordinator and instructors are addressing the needs of the nine CTSP/LEL regions. The plan for FY 2015 is to further reach out to underserved communities and technicians and to provide the services of additional trained CPS professionals in all communities. The following sections will detail how the program will accomplish these goals.

The State plans to continue with the Child Passenger Safety (CPS) program that began in FY2006. In that year, a single CPS coordinator was appointed, augmented with three additional instructors from the CTSP/LEL offices and tasked them with addressing CPS from a regional perspective. The CPS program will be continued through FY 2015 with an emphasis on teaching new technicians in communities throughout the 9 CTSP/LEL regions. The overall goal of the CPS program remains to have more child restraint technicians available so that it will lead to an increase in child restraint usage within the State of Alabama, resulting in a reduction of fatalities and serious injuries.

## **Alabama Child Passenger Safety (CPS) Program**

The Alabama CPS program for FY 2015 will be staffed by the state coordinator. The single CPS coordinator handles all CTSP/LEL regional needs. The plan for FY 2015 is to train new CPS technicians all around the state but place a special emphasis on the small and high risk communities. Additionally, the plan is to maintain existing technicians who live anywhere in Alabama but especially these small/under-served communities. Reaching small/underserved communities remains a major goal for the program. Gaining champions in these communities takes a commitment from Police Chiefs, Fire Chiefs, hospital CEOs and other leaders in the community. These communities have little to no resources for such trainings, and therefore, gaining inroads into these communities has proved difficult. The economic down turn has made this program outreach even more challenging.

The goal for the CPS program is to develop trained CPS professionals in as many communities over the state as possible. The ultimate goal is to create statewide community inspection stations where parents and other caregivers can obtain proper education about safely restraining their children. The following paragraphs will detail how the program will accomplish these goals.

There will be at least 10 Child Passenger Safety standardized certification training opportunities for up to 10 community individuals in each class. These 10 training classes will be conducted by the CPS coordinator and at least two additional instructors. The goal for the CTSP/LEL offices is to make these trainings as accessible to as many dedicated people in these communities as possible. The Alabama CPS program is building a network of trained CPS professionals and inspection stations in as many communities around the state as possible. The CPS state-wide website [www.cpsalabama.org](http://www.cpsalabama.org) provides a calendar and registration form for prospective participants, as well as the necessary tools for technicians and inspection stations to keep up with the ever changing field of CPS.

The CPS program has developed an updated curriculum that will be applied in FY 2015 to help technicians maintain their certification. Recertification requires that the technician acquire at least 6 Child Passenger Safety Continuing Education Units (CEUs). The curriculum developed by the Alabama CPS program, provides all 6 CPS CEU's. Alabama has several options for technicians to acquire the 6 CEUs, but the primary one is the CPS update curriculum. The update class has been structured to offer all 6 CEUs in one sitting. Additionally, there are websites that have online offerings for CEUs. All CEU opportunities, either in-person or on-line, will highlight the changes in the CPS field since the technician/instructor originally took the course and make them the local "expert" for the communities they serve. A major change in the role of a Child Passenger Safety technician, implemented in late 2007, is to "educate" parents regarding proper restraint of child passengers. This education process will enable technicians to reach out to more parents since the parent will be able to properly restrain child passengers regardless of the type of restraint used. The technician can then focus on the remainder of the parents and children in the community.

As previously stated, the entire recertification process requires that existing technicians earn 6 CEUs to recertify in addition to the 5 specific car seat installations (witnessed and signed off by an instructor or by an instructor authorized proxy), and they must attend a 2 hour community car seat check event. Once the technician has completed these tasks, they enter the information in their "profile" on the certification website. During FY 2015, events are being planned to assist these technicians to attend a two hour community event and obtain signoff for all required car seat instal-

lations. No currently certified technicians should lose their certifications since there are many opportunities for those technicians to obtain CEUs. If they are unable to attend an Alabama CPS program update class, they may satisfy CEU requirements by reading CPS articles, taking on-line quizzes or participating in teleconferences with links that are all posted on [www.cpsalabama.org](http://www.cpsalabama.org). All CEU opportunities encompass the goals and objective of the NHTSA Standardized Child Passenger Safety Training Program.

In the ever-changing world of Child Passenger Safety, the CPS coordinator plans to train and update child passenger technicians, law enforcement officials, fire, and emergency rescue personnel and provide them with the educational tools necessary to teach parents and caregivers the proper installation of child safety seats.

The statewide website ([www.cpsalabama.org](http://www.cpsalabama.org)) will continue to be upgraded. It has been recently enhanced to include more information for parents looking for help within their community, how to bring a CPS class to their community and how to become a technician if they so desire. The technician section of the website alerts technicians on how to obtain a recall list, how technicians can receive a standardized car seat inspection form and also updated information on the latest child restraints, vehicle to child restraint incompatibilities and other information vital to protecting Alabama's children. Materials from NHTSA and the American Academy of Pediatrics (AAP) have been added to the website along with child growth charts and other resources that parents and technicians alike will find beneficial. The website has a calendar of events with a list of all car seat educational opportunities available around the state. The calendar also gives the dates and locations of car seat inspection events. All on-going child safety seat inspection stations and their hours of operation, location and contact information are listed as well. The website has evolved into a repository/statewide resource for all CPS information, such as printed materials, media, checkup event resources and links to all major websites that can aid parents and technicians. The website provides means for technicians to report upcoming events or to submit a report on a completed event.

The best method to teach parents and caregivers about safely transporting their children is to conduct child safety seat inspections and education clinics in their communities. The Alabama CPS program currently has 18 child safety seat inspection sites, listed on the NHTSA website and distributed around the state. Each CTSP/LEL region has promoted CPS and will continue to promote CPS, which has the goal of increasing the child safety inspection/clinics in their regions. These efforts will hopefully enable all of the parents and caregivers in the state to receive this valuable education. During FY 2015 the NHTSA website will be updated with Alabama inspection station locations (with certified technicians) as they are added. The NHTSA website currently has an accurate record of these inspection stations and each inspection station is maintaining the standards set by the national CPS curriculum.

In FY2012, the CPS public information program reached 62 percent of the State's total population. The goal for FY 2015 will be to increase this level to a larger portion of the population of parents and caregivers. The CTSP/LELs will help increase this rate by increasing child safety seat inspections and education clinics to parents and caregivers in their region. The CTSP/LELs will also use earned media to make parents and caregivers aware of the clinics and inspection stations in their regions.

The agendas for both the certification and update classes taught are available upon request. The statewide website ([www.cpsalabama.org](http://www.cpsalabama.org)) also provides pages containing information about hosting



CPS classes. The website has the American Academy of Pediatrics (AAP) recommendations for car seat use. Each NHTSA-recognized inspection station will receive a copy of the latest Lower Anchors and Tethers for Children (LATCH) manual. This valuable resource provides additional information for each inspection station. All other vital information will also be found on the website, which will be updated on a continuous basis.

More detail on increasing the number of certified child restraint technicians and adding inspection stations is given in the next two sections.

### **Increase Number of Certified Child Passenger Technicians**

During the past year, 13 certification classes were taught and 8 recertification classes were taught. The recertification rate for Alabama for this year was 53%, which was comparable to the national average of 54%. Alabama's high recertification rate can be attributed to the recertification classes and to an increased awareness of Child Passenger Safety across the state. The increased awareness has resulted in better retention of technicians. To aid in the retention of these technicians, the statewide coordinator is sending an email to remind all technicians, within 2 months of their expiration date, to follow through and complete the recertification requirements.

The plan for FY 2015 includes maintaining the number of certification classes, and the number of update classes to 15 or more, while maintaining the high recertification rate. There will be at least 10 three day training opportunities for up to 10 community individuals in each class. These 10 training classes will be taught by the state-wide CPS coordinator and two additional instructors. The goal for the CTSP/LEL offices is to make these trainings as accessible to as many dedicated people in these communities as possible. The Alabama CPS program is building a structure of having a trained CPS professional within 25 miles of every community in the state.

To keep the current CPS professionals "sharp" with their skills and help them maintain their certification, 8 update/recertification classes are scheduled in FY 2015. These classes will highlight the changes in the CPS field since the technician/instructor originally took the course and make them the local "expert" for those communities they serve. Once they complete the class, perform 5 specific car seat installations (witnessed and signed off by a local instructor), and attend a 2 hour community car seat check event they have successfully completed the recertification requirements. For those technicians/instructors who follow these guidelines, the grant funds cover the recertification fee.

A statewide website was formed in 2005 and has been constantly updated so the public and local technicians can easily see who they can contact to get help within their community. The website has a map of Alabama and the CTSP/LEL contacts for each county. If a community has an on-going child safety seat inspection station/clinic, then the hours of operation, location and contact information will be listed as well.

To meet this goal for FY 2015, it is anticipated that three-day classes will be held in:

- Birmingham, Alabama;
- Florence, Alabama;
- Mobile, Alabama;
- Fairhope, Alabama;
- Grove Hill, Alabama;

- Gadsden, Alabama;
- Dothan, Alabama;
- Huntsville, Alabama;
- Eufaula, Alabama;
- Montgomery, Alabama;
- Selma, Alabama;
- Geneva, Alabama; and
- Tuscaloosa, Alabama.

Each CTSP/LEL office will be made aware of all the training opportunities available for the year. Generally these classes are on a first-come, first-served basis. Not only are the classes advertised through the CTSP/LEL offices but each CTSP/LEL office is responsible for making sure all participants sign up using the website, [www.cpsalabama.org](http://www.cpsalabama.org). Many classes are being projected for all over the state and many of the smaller communities are now willing to participate. The smaller (higher risk, underserved) communities have been a goal of the CPS program since its inception.

A special emphasis will be placed on keeping currently certified technicians. To meet this need, update classes will be offered throughout the state. This update class enables the technicians the opportunity to acquire all six CPS Continuing Education Units (CEUs) required for recertification. The technician is also required to attend a two hour (minimum) checkup event and install five car seat scenarios with an instructor or tech proxy present to complete all the requirements for recertification. The calendar on [www.cpsalabama.org](http://www.cpsalabama.org) is constantly updated and all the classes (both certification & update) are shown. Each CTSP/LEL Coordinator will be encouraged to hold both a CPS certification class and a CPS update class in their region.

In FY 2015, a minimum of 8 update classes will be held to support the inspection stations in the region. The CPS Coordinator will manage the development of the update curriculum for use in Alabama, and it is already approved for CPS CEUs with SAFE Kids worldwide, which makes recertification much easier for technicians. For FY2014, the standardized CPS curriculum was revised and taught over three days instead of the previous four days.

### **Additional Inspection Stations**

In FY 2015 the CTSP/LEL regional offices will increase the number of inspection stations from their current 18. The goal has been to add Inspection Stations to the NHTSA website but due to issues with some organizations this is not possible so these community resources are being offered by word-of-mouth and not advertised on the NHTSA website. Meeting the goal of having an inspection station within 25 miles (previously 50 miles for FY 2014) of parents anywhere in the state is slowly being realized using these unadvertised Inspection Stations. This ambitious goal is a challenge to meet in the rural areas but great in-roads have been made in the past few years. With concentrated assistance from the CTSP/LEL regional offices, this goal can be met.


All these inspections stations will be staffed with nationally certified CPS technicians during posted working hours.

Display 3 presents the location of the 18 NHTSA and the 8 non-NHTSA listed inspection stations. The red circles which represent a 25 mile radius around the NHTSA recognized inspection stations. Some of the red circles contain more than one inspection station. The blue circles represent inspection


stations that report numbers and assist parents but they do not want to be recognized as locations on the NHTSA website.

Display 4 presents the location of the 18 NHTSA listed inspection stations, with specific responsible agencies given in the key beneath the display.

Table 5 is a summary table indicating the proportion of the state that is covered.



**Display 3. Location of Alabama’s CPS Inspections Stations**



**Display 4. Location of NHTSA recognized CPS Inspections Stations**

The following is the key to Display 4:

1. SAFE Kids Montgomery Area
2. Demopolis Police Department
3. Crenshaw County Sheriff's Office
4. Children's Hospital
5. Andalusia Police Department
6. Troy Police Department
7. Tuscaloosa Police Department

8. Trussville Fire and Rescue Station 1
9. Trussville Fire and Rescue Station 2
10. Trussville Fire and Rescue Station 3
11. Child Passenger Inspection Center
12. Enterprise Police Department
13. Ozark Police Department
14. Hartford Police Department
15. Southeast Alabama Medical
16. Saraland Police Dept.
17. Huntsville Hospital
18. Eliza Coffee Memorial Hospital

**Table 5. Proportion of Alabama's Population Covered by Inspection Stations Listed on NHTSA website**

| <b>Station Numbers</b> | <b>Population Served</b> | <b>Percentage of AL Population</b> |
|------------------------|--------------------------|------------------------------------|
| 1                      | 321,790                  | 7%                                 |
| 2                      | 25,670                   | 0.5%                               |
| 3                      | 13,845                   | 0.3%                               |
| 4, 8, 9, 10            | 936,752                  | 20%                                |
| 5                      | 20,551                   | 0.4%                               |
| 6                      | 49,804                   | 1%                                 |
| 7, 11                  | 224,400                  | 5%                                 |
| 12, 13, 14             | 76,936                   | 1.6%                               |
| 15                     | 119,207                  | 2.5%                               |
| 16                     | 596,420                  | 12%                                |
| 17                     | 432,195                  | 9%                                 |
| 18                     | 146,587                  | 3%                                 |
| <b>TOTAL</b>           | <b>2,990,351</b>         | <b>62.3%</b>                       |

Alabama's total population in the 2010 census was 4,779,736.

With the addition of the eight additional sites shown on Display 3, the gain in coverage for Alabama becomes approximately **90.4%**. The sites shown on blue do not wish to be recognized on the NHTSA website due to liability, internal policy or other reasons, but they help cover those previously under-served communities.

## **Increased Communication and Awareness**

A major goal of the CPS program for FY 2015 will be to increase communication and awareness on the issue of CPS in each of the nine CTSP/LEL regions. The statewide CPS website is heavily utilized by parents and technicians alike. The website offers a place to go to get accurate up-to-date CPS information for parents and technicians. The website ([www.cpsalabama.org](http://www.cpsalabama.org)) is now being utilized all over the country. Since the website offers a single place for all accurate CPS information, both technicians and parents are able to use it. The website has also generated phone calls from all over the country about the law in Alabama, the proper way to travel with children through Alabama and who they can contact for help in their local community.

Additional printable items will be added to the website in FY 2015. For example, the web site now produces a chart of the minimum and maximum weight ranges for all car seats, and this will be updated as necessary to aid technicians when working with parents. A chart on how child restraint manufacturer's view inflatable seat belts has also been added. The website has valuable information for current CPS technicians so that they may retain their certification. The website has a recertification page with links to articles, activities and tests to help technicians stay current. The calendar on the website notes Child Passenger Safety related events such as classes. The website also now offers valuable information on changes in the technology of child restraints. This website will be maintained and upgraded in FY 2015.

## **Data Driven Enforcement Program for Child Restraints**

This is an integral part of the data driven enforcement efforts as indicated in the Enforcement Program described above, and the details of that effort will not be repeated here.

## **Data and Program Evaluation**

This section is subdivided according to the follow categories:

- Observational survey of occupant protection and child restraint use
- Data driven enforcement citation analysis
- Continued problem identification and evaluation efforts

### **Observational Survey of Occupant Protection and Child Restraint Use**

Pre and post surveys for seat belt programs will be conducted by the University of Alabama Center for Advanced Public Safety (UA-CAPS). The 2013 compliant seat belt survey design will be used for these surveys. The University of Alabama will coordinate the post telephone survey to evaluate the effectiveness of our paid media and compile all data related to the CIOT campaign.

The National Highway Traffic Safety Administration (NHTSA) recently issued new Uniform Criteria for State Observational Surveys of Seat Belt Use (NHTSA, 2011a). The final rule was published in Federal Register Vol. 76 No. 63, April 1, 2011, Rules and Regulations, pp. 18042 – 18059. The approved survey plan is Alabama's response to the requirement to submit to NHTSA a study and data collection protocol for an annual state survey to estimate passenger vehicle occupant restraint and child safety restraint use. This plan is fully compliant with the Uniform Criteria and will be used for the implementation of Alabama's 2015 seat belt survey.

The University of Alabama Center for Advanced Public Safety (UA-CAPS) will conduct the annual survey of vehicle belt usage and child restraint usage throughout Alabama working together with faculty within the Department of Information Systems, Statistics, and Management Science in the Culverhouse College of Commerce and Business Administration at the University of Alabama.

### **Data Driven Enforcement Citation Analysis**

The State has an advanced capability to analyze and evaluate its enforcement efforts by the analysis of data obtained from its recently implemented electronic citation system (eCite). The following subsections will illustrate this capability with the following examples:

- Analysis by target areas: rural/urban within regions;
- Analysis by target groups: 16-25 year old drivers;
- Analysis by citation coverage of the state.

Evaluation efforts such as these will continue in order to assure that the appropriate subgroups of the population and areas of the state are covered, thus assuring that resources are used in the best possible way. The tables in the next section are based on citations in the eCite database for the 2010-2012 time period and the 2010 census data.



## Rural-Urban Analysis

According to the 2011 survey, the usage rate was indicated to be lower in the rural areas than in the urban areas. A comparison of the rural and urban counties surveyed showed the estimate of the rural rate to be 85.9%, while the urban rate was 89.2%. The study given in Attachment B also shows that the number of crashes involving drivers who use no restraints is over-represented in rural areas. So these two facts prove that rural areas needed to be targeted, and this has been done over the past two years.

Based on the 2013 survey, a weighted average of the rural and urban counties similar to that done for the 2011 survey showed that the rural restraint usage rate was 94.1%, and the urban usage rate was 96.8%. This demonstrates a major increase in the overall usage rate, but it also shows that the differential between the urban and the rural rates has been reduced from 3.3% to 2.7%, showing relative improvement in the rural areas.

Table 5 presents a comparison of rural versus urban citations issued over the state by regions in the CY2010-2012 time frame. The total for the region is given in the “All” column, with the regional percentage given in the next column. This is followed by two pairs of comparable columns, the first pair for the citations issued in rural areas and the second for citations issued in urban areas of the region.


**Table 5. Citation Analysis by Urban/Rural**

| Region       | All           | Regional | Rural         | Regional | Urban         | Regional |
|--------------|---------------|----------|---------------|----------|---------------|----------|
| Birmingham   | 41481         | 11.9%    | 24760         | 10.3%    | 16721         | 15.5%    |
| North East   | 42008         | 12.1%    | 31511         | 13.1%    | 10497         | 9.7%     |
| North        | 57838         | 16.6%    | 46900         | 19.6%    | 10938         | 10.1%    |
| Mobile       | 48489         | 13.9%    | 30720         | 12.8%    | 17769         | 16.5%    |
| East         | 31594         | 9.1%     | 20814         | 8.7%     | 10780         | 10.0%    |
| Central      | 42298         | 12.2%    | 21803         | 9.1%     | 20495         | 19.0%    |
| South East   | 39545         | 11.4%    | 26458         | 11.0%    | 13087         | 12.1%    |
| South West   | 16693         | 4.8%     | 12390         | 5.2%     | 4303          | 4.0%     |
| West         | 27731         | 8.0%     | 24338         | 10.2%    | 3393          | 3.1%     |
| <b>TOTAL</b> | <b>347677</b> |          | <b>239694</b> |          | <b>107983</b> |          |

The proportion of rural tickets issued is  $239,694/347,677 = 68.9\%$ . The population of Alabama is 28.5% rural and 71.5% urban, according to the 2010 census data. The statistical significance for the ratio of 68.9% of the seat belt citations to 28.5% rural population is enormous, clearly demonstrating a concentration in the rural areas with a goal of improving seat belt usage among rural drivers in order to decrease fatalities and the overall severity of crashes. This clearly demonstrates that the State’s plan for the past two years has focused on rural areas.

## 16-25 Year Old Driver Analysis

The following chart illustrates the high numbers of crashes involving causal drivers in the 16-25 year age group.



Analysis of individual driver ages indicates that crashes involving no restraints are overrepresented in the years above the teen-drivers (age range 20-35). While it appears that teen-aged drivers are more likely to use safety equipment (perhaps due to the emphasis on it place during training), there is still a very large proportion that are unrestrained, and this problem is multiplied by their over-representation in crashes in general (see how they are at least twice the average of the other ages).

An analysis of fatalities that compare 21-25 year old males against their older counterparts (both male and females) indicated that the average number of fatalities incurred over the 2008-2012 period was **83.2** for males ages 21-25. This was compared to the older ages (in this case 26-70 so as not to bias the results with the drop off in population after age 70). The average fatality per year for the 26-70 year old group was **50.9**. This difference was found to be significant at the highest possible level.

The difference in the number of fatalities within these two groups on a per year basis was **83.2-50.9 = 32.3 fatalities**. If the restraint use by this target group of 21-25 year old males could be increased to that of the general population, the fatality number would be significantly reduced. This was the goal in targeting this age group.

### **Restraint Citation Coverage Analysis**

The restraint citation coverage analysis was performed by determining the populations of those cities in which no citations were issued in the 2009-2012 citation data. The populations for these cities were determined in order to obtain the total coverage. There were 61 very small cities that did not have a population listing. Many of these are without police departments, whose enforcement activities would generally be covered by the Alabama Department of Public Safety or the county sheriff's department. To obtain a conservative estimate of coverage, we assumed that none of these had citations issued by DPS or the county sheriff. Further, a liberal estimate of their population was obtained from the average population of those who did not report, since they would generally be of the same or lower population size. The total came out to a population of 185,522 that were not covered out of a total population of 4,779,736 (2010 population), which **gives a total coverage of over 96% for the State of Alabama.**


### **Continued Problem Identification and Evaluation Efforts**

The efforts exemplified in the Problem Identification section above will be repeated and updated as needed to assure the most effective distribution of resources that can be obtained from evidence based and data driven decisions. In addition, several evaluation studies will be performed to determine program success and to improve the program in future years. More specifically, the following types of analyses will be performed:

- GIS based locations of restraint-deficient crashes combined with the locations of citations given for these deficiencies; this will be performed for both restraints in general and for child restraints.
- Comparisons of the number and severity of the hotspots found over time.
- Comparisons of the number of citations by citation type issued over time.
- Comparison of the above by rate among the various regions.
- Mapping of best routes for officers to take to cover the maximum number of hotspots in one shift.

## **ATTACHMENT A – LOCATION HOTSPOT RESTRAINT PROBLEM IDENTIFICATION**

## Birmingham Region: Restraint Deficient and Child Restraint Deficient Hotspots



## Top 27 Mileposted Locations (10 Miles in Length) in the Birmingham Region with 20 or More Re-straint Deficient Crashes

| Rank | County    | City            | Route | Beg MP | End MP | Total Crashes | Fatal Crashes | Injury Crashes | C/MVM | Severity Index | MVM     | ADT    | Agency ORI                       |
|------|-----------|-----------------|-------|--------|--------|---------------|---------------|----------------|-------|----------------|---------|--------|----------------------------------|
| 1    | Jefferson | Vestavia Hills  | I-65  | 252    | 262    | 51            | 3             | 23             | 0.02  | 11.96          | 2203.16 | 120721 | Vestavia Hills Police Department |
| 2    | Jefferson | Hoover          | S-3   | 263.7  | 273.7  | 38            | 0             | 17             | 0.05  | 8.68           | 756.66  | 41461  | Hoover Police Department         |
| 3    | Jefferson | Rural Jefferson | I-59  | 112.5  | 122.5  | 37            | 4             | 18             | 0.03  | 16.22          | 1324.18 | 72558  | Alabama DPS- Birmingham Post     |
| 4    | Jefferson | Birmingham      | I-59  | 123    | 133    | 36            | 3             | 20             | 0.02  | 15.56          | 2276.51 | 124740 | Birmingham Police Department     |
| 5    | Shelby    | Hoover          | I-65  | 241.9  | 251.9  | 33            | 1             | 23             | 0.02  | 15.45          | 1797.22 | 98478  | Hoover Police Department         |
| 6    | Shelby    | Rural Jefferson | S-38  | 0.7    | 10.7   | 33            | 0             | 11             | 0.03  | 6.67           | 1253.72 | 68697  | Alabama DPS- Birmingham Post     |
| 7    | Jefferson | Rural Jefferson | I-65  | 262    | 272    | 31            | 1             | 11             | 0.03  | 10             | 1193.62 | 65404  | Alabama DPS- Birmingham Post     |
| 8    | St Clair  | Moody           | S-25  | 170.1  | 180.1  | 29            | 3             | 12             | 0.11  | 13.1           | 274.72  | 15053  | Moody Police Department          |
| 9    | Jefferson | Rural Jefferson | S-75  | 0.4    | 10.4   | 27            | 0             | 14             | 0.07  | 11.48          | 411.59  | 22553  | Alabama DPS- Birmingham Post     |
| 10   | Walker    | Jasper          | S-5   | 169.6  | 179.6  | 27            | 1             | 14             | 0.14  | 11.11          | 199.51  | 10932  | Jasper Police Department         |
| 11   | Jefferson | Bessemer        | S-5   | 121.7  | 131.7  | 26            | 0             | 11             | 0.07  | 8.85           | 368.07  | 20168  | Bessemer Police Department       |
| 12   | Jefferson | Rural Jefferson | I-459 | 14     | 24     | 26            | 1             | 13             | 0.02  | 15             | 1645.84 | 90183  | Alabama DPS- Birmingham Post     |
| 13   | Jefferson | Rural Jefferson | I-65  | 275    | 285    | 23            | 3             | 11             | 0.03  | 15.65          | 886.75  | 48589  | Alabama DPS- Birmingham Post     |

| Rank | County    | City            | Route | Beg MP | End MP | Total Crashes | Fatal Crashes | Injury Crashes | C/MVM | Severity Index | MVM     | ADT   | Agency ORI                   |
|------|-----------|-----------------|-------|--------|--------|---------------|---------------|----------------|-------|----------------|---------|-------|------------------------------|
| 14   | Jefferson | Trussville      | S-7   | 139.4  | 149.4  | 22            | 1             | 8              | 0.05  | 10.91          | 406.59  | 22279 | Trussville Police Department |
| 15   | Chilton   | Rural Chilton   | I-65  | 220    | 230    | 21            | 4             | 11             | 0.03  | 22.86          | 726.33  | 39799 | Alabama DPS- Montgomery Post |
| 16   | Chilton   | Clanton         | S-3   | 213.4  | 223.4  | 21            | 0             | 14             | 0.11  | 11.43          | 184.91  | 10132 | Clanton Police Department    |
| 17   | Jefferson | Gardendale      | S-3   | 280.1  | 290.1  | 21            | 2             | 6              | 0.08  | 11.43          | 251.41  | 13776 | Gardendale Police Department |
| 18   | Jefferson | Bessemer        | I-59  | 102.4  | 112.4  | 21            | 0             | 10             | 0.02  | 9.52           | 931.17  | 51023 | Bessemer Police Department   |
| 19   | Jefferson | Rural Jefferson | I-459 | 24.8   | 34     | 21            | 2             | 12             | 0.02  | 18.57          | 1105.94 | 65869 | Alabama DPS- Birmingham Post |
| 20   | Shelby    | Pelham          | S-3   | 253.1  | 263.1  | 21            | 0             | 9              | 0.03  | 9.52           | 604.11  | 33102 | Pelham Police Department     |
| 21   | St Clair  | Rural St. Clair | I-20  | 140.9  | 150.9  | 21            | 0             | 8              | 0.02  | 9.05           | 1044.5  | 57233 | Alabama DPS- Birmingham Post |
| 22   | Chilton   | Rural Chilton   | I-65  | 194    | 204    | 20            | 3             | 11             | 0.03  | 19.5           | 599.17  | 32831 | Alabama DPS- Montgomery Post |
| 23   | Chilton   | Rural Chilton   | I-65  | 210    | 220    | 20            | 5             | 10             | 0.03  | 21             | 682.48  | 37396 | Alabama DPS- Montgomery Post |
| 24   | Jefferson | Rural Jefferson | I-20  | 130.5  | 140.5  | 20            | 3             | 10             | 0.02  | 19.5           | 1114.78 | 61084 | Alabama DPS- Birmingham Post |
| 25   | Jefferson | Hoover          | I-459 | 4      | 14     | 20            | 3             | 8              | 0.02  | 16             | 1122.08 | 61484 | Hoover Police Department     |
| 26   | Shelby    | Rural Shelby    | I-65  | 231.7  | 241.7  | 20            | 0             | 7              | 0.02  | 10.5           | 1123.67 | 61571 | Alabama DPS- Birmingham Post |
| 27   | Walker    | Rural Walker    | S-5   | 159.5  | 169.5  | 20            | 3             | 13             | 0.06  | 22             | 315.49  | 17287 | Alabama DPS- Birmingham Post |

## Top 15 Intersections in the Birmingham Region with 4 or More Restraint Deficient Crashes

| Rank | County    | City            | Total Crashes | Fatal Crashes | Injury Crashes | PDO Crashes | Severity Index | People Killed | People Injured | Link  | Node 1 | Location                                  | Agency ORI                       |
|------|-----------|-----------------|---------------|---------------|----------------|-------------|----------------|---------------|----------------|-------|--------|---|----------------------------------|
| 1    | Jefferson | Vestavia Hills  | 11            | 0             | 2              | 9           | 2.73           | 0             | 3              | I-65  | 91     | NO DESCRIPTION AVAILABLE                  | Vestavia Hills Police Department |
| 2    | Jefferson | Hoover          | 7             | 0             | 4              | 3           | 12.86          | 0             | 6              | I-459 | 292    | INTERSTATE 459 at SR-3 US-31 INTER-CHANGE | Hoover Police Department         |
| 3    | Walker    | Rural Walker    | 7             | 2             | 4              | 1           | 27.14          | 2             | 11             | S-5   | 7794   | NO DESCRIPTION AVAILABLE                  | Alabama DPS – Birmingham Post    |
| 4    | Jefferson | Hoover          | 6             | 0             | 4              | 2           | 18.33          | 0             | 5              | I-65  | 15192  | INTERSTATE 459 at I-65 INTERCHANGE        | Hoover Police Department         |
| 5    | Jefferson | Brighton        | 5             | 0             | 0              | 5           | 0              | 0             | 0              |       | 5021   | NO DESCRIPTION AVAILABLE                  | Brighton Police Department       |
| 6    | Jefferson | Hoover          | 5             | 0             | 1              | 4           | 6              | 0             | 1              | I-65  | 781    | INTERSTATE 65 at SR-3 US-31 INTER-CHANGE  | Hoover Police Department         |
| 7    | Jefferson | Rural Jefferson | 5             | 0             | 4              | 1           | 18             | 0             | 10             | I-20  | 15125  | NO DESCRIPTION AVAILABLE                  | Alabama DPS – Birmingham Post    |
| 8    | Shelby    | Alabaster       | 5             | 0             | 1              | 4           | 2              | 0             | 2              | S-3   | 175    | INTERSTATE 65 at US-31 SR-3 INTER-CHANGE  | Alabaster Police Department      |
| 9    | St Clair  | Pell City       | 5             | 0             | 2              | 3           | 10             | 0             | 4              | 1234  | 1234   | NO DESCRIPTION AVAILABLE                  | Pell City Police Department      |
| 10   | Walker    | Jasper          | 5             | 0             | 1              | 4           | 2              | 0             | 2              | S-5   | 114    | NO DESCRIPTION AVAILABLE                  | Jasper Police Department         |



| Rank | County    | City         | Total Crashes | Fatal Crashes | Injury Crashes | PDO Crashes | Severity Index | People Killed | People Injured | Link | Node 1 | Location                 | Agency ORI                    |
|------|-----------|--------------|---------------|---------------|----------------|-------------|----------------|---------------|----------------|------|--------|--------------------------|-------------------------------|
| 11   | Jefferson | Fultondale   | 4             | 0             | 0              | 4           | 0              | 0             | 0              | 5221 | 630    | NO DESCRIPTION AVAILABLE | Fultondale Police Department  |
| 12   | Jefferson | Fultondale   | 4             | 0             | 1              | 3           | 2.5            | 0             | 1              | 1332 | 515    | NO DESCRIPTION AVAILABLE | Fultondale Police Department  |
| 13   | St Clair  | Pell City    | 4             | 0             | 2              | 2           | 12.5           | 0             | 4              | 1    | 1      | NO DESCRIPTION AVAILABLE | Pell City Police Department   |
| 14   | Walker    | Jasper       | 4             | 0             | 1              | 3           | 2.5            | 0             | 1              | S-5  | 119    | NO DESCRIPTION AVAILABLE | Jasper Police Department      |
| 15   | Walker    | Rural Walker | 4             | 0             | 2              | 2           | 15             | 0             | 4              | S-69 | 7846   | NO DESCRIPTION AVAILABLE | Alabama DPS – Birmingham Post |

## Top 20 Segment in the Birmingham Region with 4 or More Restraint Deficient Crashes

| Rank | County    | City            | Total Crashes | Fatal Crashes | Injury Crashes | PDO Crashes | Severity Index | People Killed | People Injured | Link  | Node 1 | Node 2 | Location                         | Agency ORI                    |
|------|-----------|-----------------|---------------|---------------|----------------|-------------|----------------|---------------|----------------|-------|--------|--------|----------------------------------|-------------------------------|
| 1    | Chilton   | Rural Chilton   | 10            | 1             | 5              | 4           | 17             | 1             | 9              | I-65  | 8123   | 8067   | NO DESCRIPTION AVAILABLE         | Alabama DPS – Montgomery Post |
| 2    | Jefferson | Bessemer        | 8             | 1             | 6              | 1           | 25             | 1             | 11             | I-459 | 13917  | 680    | NO DESCRIPTION AVAILABLE         | Bessemer Police Department    |
| 3    | Jefferson | Rural Jefferson | 7             | 0             | 6              | 1           | 20             | 0             | 10             | I-459 | 14947  | 15125  | NO DESCRIPTION AVAILABLE         | Alabama DPS – Birmingham Post |
| 4    | Jefferson | Rural Jefferson | 6             | 0             | 0              | 6           | 0              | 0             | 0              | I-65  | 515    | 11507  | NO DESCRIPTION AVAILABLE         | Alabama DPS – Birmingham Post |
| 5    | St Clair  | Rural St. Clair | 6             | 0             | 1              | 5           | 3.33           | 0             | 1              | I-20  | 7536   | 7775   | NO DESCRIPTION AVAILABLE         | Alabama DPS – Birmingham Post |
| 6    | Jefferson | Hoover          | 5             | 0             | 3              | 2           | 12             | 0             | 6              | S-3   | 8852   | 770    | MONTGOMERY HWY and OLD CHAPLE RD | Hoover Police Department      |
| 7    | Jefferson | Rural Jefferson | 5             | 0             | 2              | 3           | 10             | 0             | 3              | I-59  | 12509  | 386    | NO DESCRIPTION AVAILABLE         | Alabama DPS – Birmingham Post |
| 8    | Shelby    | Rural Shelby    | 5             | 2             | 3              | 0           | 38             | 3             | 9              | I-65  | 172    | 7265   | NO DESCRIPTION AVAILABLE         | Alabama DPS – Birmingham Post |
| 9    | St Clair  | Rural St. Clair | 5             | 0             | 1              | 4           | 4              | 0             | 2              | I-20  | 7780   | 7819   | NO DESCRIPTION AVAILABLE         | Alabama DPS – Birmingham Post |
| 10   | St Clair  | Rural St. Clair | 5             | 1             | 3              | 1           | 20             | 1             | 8              | I-59  | 7154   | 7287   | NO DESCRIPTION AVAILABLE         | Alabama DPS – Birmingham Post |
| 11   | Chilton   | Rural Chilton   | 4             | 0             | 2              | 2           | 12.5           | 0             | 5              | I-65  | 8146   | 8067   | NO DESCRIPTION AVAILABLE         | Alabama DPS – Montgomery Post |
| 12   | Chilton   | Rural Chilton   | 4             | 1             | 2              | 1           | 27.5           | 1             | 8              | S-155 | 8013   | 8015   | NO DESCRIPTION AVAILABLE         | Alabama DPS – Montgomery Post |
| 13   | Chilton   | Rural Chilton   | 4             | 0             | 3              | 1           | 15             | 0             | 4              | S-22  | 7666   | 7583   | NO DESCRIPTION AVAILABLE         | Alabama DPS – Montgomery Post |

| Rank | County    | City            | Total Crashes | Fatal Crashes | Injury Crashes | PDO Crashes | Severity Index | People Killed | People Injured | Link  | Node 1 | Node 2 | Location  | Agency ORI                    |
|------|-----------|-----------------|---------------|---------------|----------------|-------------|----------------|---------------|----------------|-------|--------|--------|---|-------------------------------|
| 14   | Jefferson | Rural Jefferson | 4             | 0             | 3              | 1           | 20             | 0             | 3              | I-459 | 15192  | 14391  | NO DESCRIPTION AVAILABLE  | Alabama DPS – Birmingham Post |
| 15   | Jefferson | Rural Jefferson | 4             | 0             | 1              | 3           | 5              | 0             | 1              | I-459 | 14396  | 15582  | Between ACTON RD at I-459 INTERCHANGE and NO DESCRIPTION AVAILABLE                | Alabama DPS – Birmingham Post |
| 16   | Jefferson | Rural Jefferson | 4             | 1             | 2              | 2           | 20             | 1             | 2              | I-20  | 17479  | 15125  | NO DESCRIPTION AVAILABLE  | Alabama DPS – Birmingham Post |
| 17   | Jefferson | Birmingham      | 4             | 1             | 3              | 0           | 27.5           | 1             | 3              | I-59  | 1512   | 1771   | INTERSTATE 59 at BRIDGE AVE V ENSLEY and INTERSTATE 59 at ARKADELPHIA RD SR4 US78 | Birmingham Police Department  |
| 18   | Shelby    | Pelham          | 4             | 0             | 2              | 2           | 12.5           | 0             | 2              | 1429  | 24     | 462    | NO DESCRIPTION AVAILABLE  | Pelham Police Department      |
| 19   | Shelby    | Pelham          | 4             | 0             | 2              | 2           | 7.5            | 0             | 2              | I-65  | 71     | 366    | NO DESCRIPTION AVAILABLE  | Pelham Police Department      |
| 20   | St Clair  | Rural St. Clair | 4             | 0             | 1              | 3           | 7.5            | 0             | 2              | I-20  | 7780   | 7775   | NO DESCRIPTION AVAILABLE  | Alabama DPS – Birmingham Post |

## Top 25 Mileposted Locations (10 miles in Length) in the Birmingham Region with 4 or More Child Restraint Deficient Crashes

| Rank | County    | City            | Route | Beg MP | End MP | Total Crashes | Fatal Crashes | Injury Crashes | C/MVM | Severity Index | MVM     | ADT    | Agency ORI                       |
|------|-----------|-----------------|-------|--------|--------|---------------|---------------|----------------|-------|----------------|---------|--------|----------------------------------|
| 1    | Jefferson | Hoover          | I-65  | 247.2  | 257.2  | 15            | 0             | 1              | 0.01  | 1.33           | 1035.26 | 117365 | Hoover Police Department         |
| 2    | Shelby    | Rural Jefferson | S-38  | 1.7    | 11.7   | 15            | 0             | 3              | 0.03  | 2.67           | 589.87  | 66872  | Mountain Brook Police Department |
| 3    | Jefferson | Birmingham      | I-59  | 124    | 134    | 14            | 0             | 3              | 0.01  | 5              | 1020.48 | 115690 | Birmingham Police Department     |
| 4    | Jefferson | Vestavia Hills  | S-3   | 265    | 275    | 11            | 0             | 0              | 0.03  | 0              | 400.12  | 45361  | Vestavia Hills Police Department |
| 5    | Jefferson | Birmingham      | I-65  | 259    | 269    | 11            | 0             | 3              | 0.02  | 6.36           | 702.91  | 79687  | Birmingham Police Department     |
| 6    | Jefferson | Hoover          | S-150 | 7.1    | 12     | 9             | 0             | 1              | 0.08  | 2.22           | 118.67  | 27456  | Hoover Police Department         |
| 7    | St Clair  | Moody           | S-25  | 169.9  | 179.9  | 9             | 0             | 2              | 0.07  | 2.22           | 134.85  | 15288  | Moody Police Department          |
| 8    | Jefferson | Bessemer        | I-59  | 114    | 124    | 7             | 0             | 2              | 0.01  | 5.71           | 747.35  | 84726  | Birmingham Police Department     |
| 9    | Jefferson | Trussville      | S-7   | 147.1  | 157.1  | 7             | 0             | 1              | 0.05  | 1.43           | 129.81  | 14716  | Trussville Police Department     |
| 10   | Blount    | Oneonta         | S-75  | 26.2   | 36.2   | 5             | 0             | 2              | 0.06  | 6              | 86.87   | 9848   | Oneonta Police Department        |
| 11   | Jefferson | Trussville      | I-59  | 137.1  | 147.1  | 5             | 0             | 1              | 0.01  | 6              | 352.39  | 39950  | Trussville Police Department     |
| 12   | Jefferson | Hoover          | I-459 | 13     | 23     | 5             | 0             | 1              | 0.01  | 2              | 830.41  | 94142  | Hoover Police Department         |
| 13   | Jefferson | Rural Jefferson | I-459 | 23.2   | 33.2   | 5             | 0             | 0              | 0.01  | 0              | 601.37  | 68176  | Alabama DPS – Birmingham Post    |

| Rank | County    | City            | Route | Beg MP | End MP | Total Crashes | Fatal Crashes | Injury Crashes | C/MVM | Severity Index | MVM    | ADT   | Agency ORI                        |
|------|-----------|-----------------|-------|--------|--------|---------------|---------------|----------------|-------|----------------|--------|-------|-----------------------------------|
| 14   | Jefferson | Rural Jefferson | S-75  | 2.9    | 12.9   | 5             | 0             | 2              | 0.03  | 8              | 147.94 | 16772 | Jefferson County Sheriff's Office |
| 15   | Jefferson | Birmingham      | S-7   | 137    | 147    | 5             | 0             | 0              | 0.03  | 0              | 171.45 | 19437 | Birmingham Police Department      |
| 16   | Shelby    | Calera          | S-3   | 242.7  | 252.7  | 5             | 0             | 1              | 0.05  | 4              | 107.01 | 12132 | Calera Police Department          |
| 17   | Shelby    | Pelham          | S-3   | 254.8  | 264.8  | 5             | 0             | 0              | 0.02  | 0              | 317.07 | 35946 | Pelham Police Department          |
| 18   | Shelby    | Pelham          | I-65  | 237    | 247    | 5             | 0             | 0              | 0.01  | 0              | 684.3  | 77578 | Pelham Police Department          |
| 19   | Shelby    | Chelsea         | S-38  | 12.3   | 22.3   | 5             | 0             | 2              | 0.02  | 8              | 231.04 | 26192 | Shelby County Sheriff's Office    |
| 20   | Jefferson | Gardendale      | S-3   | 277.1  | 287.1  | 4             | 0             | 1              | 0.03  | 0              | 133.9  | 15180 | Gardendale Police Department      |
| 21   | Jefferson | Birmingham      | S-5   | 122.7  | 132.7  | 4             | 0             | 1              | 0.02  | 7.5            | 173.07 | 19621 | Birmingham Police Department      |
| 22   | Jefferson | Adamsville      | S-5   | 133    | 143    | 4             | 0             | 2              | 0.01  | 10             | 317.53 | 35998 | Adamsville Police Department      |
| 23   | Jefferson | Homewood        | S-149 | 0.8    | 9      | 4             | 0             | 0              | 0.02  | 0              | 179.54 | 24822 | Homewood Police Department        |
| 24   | Shelby    | Rural Shelby    | S-119 | 18.4   | 28.4   | 4             | 0             | 1              | 0.03  | 7.5            | 148.09 | 16789 | Pelham Police Department          |
| 25   | St Clair  | Rural St. Clair | I-20  | 145    | 155    | 4             | 0             | 2              | 0.01  | 12.5           | 472.71 | 53590 | Alabama DPS - Birmingham Post     |

## Top 20 Intersections in the Birmingham Region with 2 or More Child Restraint Deficient Crashes

| Rank | County    | City       | Total Crashes | Fatal Crashes | Injury Crashes | PDO Crashes | Severity | Node 1 | Link  | Location                                  | Agency ORI                   |
|------|-----------|------------|---------------|---------------|----------------|-------------|----------|--------|-------|---|------------------------------|
| 1    | St Clair  | Pell City  | 6             | 0             | 2              | 4           | 6.67     | 1234   | 1234  | NO DESCRIPTION AVAILABLE                  | Pell City Police Department  |
| 2    | Jefferson | Hoover     | 4             | 0             | 1              | 3           | 5        | 11593  | S-150 | BESSEMER CUT-OFF RD at STADIUM TRACE PKWY | Hoover Police Department     |
| 3    | Jefferson | Homewood   | 4             | 0             | 2              | 2           | 10       | 185    | I-65  | NO DESCRIPTION AVAILABLE                  | Homewood Police Department   |
| 4    | Shelby    | Hoover     | 4             | 0             | 4              | 4           | 0        | 8057   | S-38  | US 280 at VALLEYDALE RD                   | Hoover Police Department     |
| 5    | Jefferson | Birmingham | 3             | 0             | 2              | 1           | 13.33    | 2653   | I-59  | INTERSTATE 59 at US-280 SR-38 INTERCHANGE | Birmingham Police Department |
| 6    | Jefferson | Hoover     | 3             | 0             | 0              | 3           | 0        | 155    | 5067  | MONTGOMERY HWY US-31 at RIVERCHASE RD     | Hoover Police Department     |
| 7    | Jefferson | Birmingham | 2             | 0             | 0              | 2           | 0        | 346    | 3562  | 13TH ST SW at TUSCALOOSA AVE              | Birmingham Police Department |
| 8    | Jefferson | Birmingham | 2             | 0             | 1              | 1           | 10       | 2512   | 7316  | 17TH ST N at 5TH AVE N                    | Birmingham Police Department |
| 9    | Jefferson | Birmingham | 2             | 0             | 0              | 2           | 0        | 4625   | S-7   | 1ST AVE N at 55TH ST N                    | Birmingham Police Department |
| 10   | Jefferson | Birmingham | 2             | 0             | 0              | 2           | 0        | 903    | 3478  | AVE T ENSLEY at PIKE RD W JCT             | Birmingham Police Department |
| 11   | Jefferson | Hoover     | 2             | 0             | 0              | 2           | 0        | 781    | S-3   | INTERSTATE 65 at SR-3 US-31 INTERCHANGE   | Hoover Police Department     |
| 12   | Jefferson | Leeds      | 2             | 0             | 0              | 2           | 0        | 549    | 5227  | NO DESCRIPTION AVAILABLE                  | Leeds Police Department      |
| 13   | Jefferson | Trussville | 2             | 0             | 0              | 2           | 0        | 169    | 1229  | NO DESCRIPTION AVAILABLE                  | Trussville Police Department |


| Rank | County    | City           | Total Crashes | Fatal Crashes | Injury Crashes | PDO Crashes | Severity | Node 1 | Link | Location                                      | Agency ORI                       |
|------|-----------|----------------|---------------|---------------|----------------|-------------|----------|--------|------|---|----------------------------------|
| 14   | Jefferson | Vestavia Hills | 2             | 0             | 0              | 2           | 0        | 97     | S-3  | NO DESCRIPTION AVAILABLE                      | Vestavia Hills Police Department |
| 15   | Jefferson | Birmingham     | 2             | 0             | 0              | 2           | 0        | 35566  | 2714 | Intersection: RESEARCH PKWY at WEST OXMOOR RD | Birmingham Police Department     |
| 16   | Shelby    | Rural Shelby   | 2             | 0             | 1              | 1           | 10       | 10666  | S-38 | NO DESCRIPTION AVAILABLE                      | Shelby County Sheriff's Office   |
| 17   | Shelby    | Rural Shelby   | 2             | 0             | 1              | 1           | 5        | 8056   | S-38 | NO DESCRIPTION AVAILABLE                      | Shelby County Sheriff's Office   |
| 18   | St Clair  | Moody          | 2             | 0             | 0              | 2           | 0        | 7877   | S-25 | NO DESCRIPTION AVAILABLE                      | Moody Police Department          |
| 19   | Walker    | Jasper         | 2             | 0             | 1              | 1           | 5        | 1411   | 5174 | NO DESCRIPTION AVAILABLE                      | Jasper Police Department         |
| 20   | Walker    | Sumiton        | 2             | 0             | 0              | 2           | 0        | 1607   | 1018 | NO DESCRIPTION AVAILABLE                      | Sumiton Police Department        |

## Top 9 Segments in the Birmingham Region with 2 or More Child Restraint Deficient Crashes

| Rank | County    | City         | Total Crashes | Fatal Crashes | Injury Crashes | PDO Crashes | Severity | Node 1 | Node 2 | Link | Location  | Agency ORI                     |
|------|-----------|--------------|---------------|---------------|----------------|-------------|----------|--------|--------|------|---|--------------------------------|
| 1    | Jefferson | Birmingham   | 3             | 0             | 1              | 2           | 10       | 2136   | 2374   | I-65 | INTERSTATE 59 at I65 INTERCHANGE and INTERSTATE 65 at 3RD AVE N SR4-7 INTERCHNG         | Birmingham Police Department   |
| 2    | Jefferson | Birmingham   | 3             | 0             | 1              | 2           | 3.33     | 2107   | 2374   | I-65 | INTERSTATE 65 at BRIDGE-8TH AVE N and INTERSTATE 65 at 3RD AVE N SR4-7 INTERCHNG        | Birmingham Police Department   |
| 3    | Jefferson | Birmingham   | 2             | 0             | 0              | 2           | 0        | 11811  | 4730   | I-59 | 86TH PL NW at DEAD END W OF 10TH AVE N and INTERSTATE 59 at 77TH ST N INTERCHANGE       | Birmingham Police Department   |
| 4    | Jefferson | Birmingham   | 2             | 0             | 0              | 2           | 0        | 2136   | 3199   | I-59 | INTERSTATE 59 at I65 INTERCHANGE and INTERSTATE 59 at BRIDGE CENTER ST                  | Birmingham Police Department   |
| 5    | Jefferson | Birmingham   | 2             | 0             | 0              | 2           | 0        | 2873   | 4714   | I-59 | INTERSTATE 59 at TALLAPOOSA ST SR79 INTCHG and INTERSTATE 59 at AIRPORT HWY INTERCHANGE | Birmingham Police Department   |
| 6    | Jefferson | Birmingham   | 2             | 0             | 0              | 2           | 0        | 2873   | 3192   | I-59 | INTERSTATE 59 at TALLAPOOSA ST SR79 INTCHG and INTERSTATE 59 at BRIDGE OVER RR          | Birmingham Police Department   |
| 7    | Jefferson | Bessemer     | 2             | 0             | 0              | 2           | 0        | 14380  | 14378  | I-59 | NO DESCRIPTION AVAILABLE  | Bessemer Police Department     |
| 8    | Shelby    | Chelsea      | 2             | 0             | 0              | 2           | 0        | 80     | 7773   | S-38 | NO DESCRIPTION AVAILABLE  | Shelby County Sheriff's Office |
| 9    | Shelby    | Rural Shelby | 2             | 0             | 1              | 1           | 10       | 7784   | 10225  | S-38 | NO DESCRIPTION AVAILABLE  | Shelby County Sheriff's Office |



### Central Region: Restraint Deficient and Child Restraint Deficient Hotspots



## Top 6 Mileposted Locations (10 Miles in Length) in the Central Region with 20 or More Re-straint Deficient Crashes

| Rank | County     | City             | Route | Beg MP | End MP | Total Crashes | Fatal Crashes | Injury Crashes | C/MVM | Severity Index | MVM     | ADT   | Agency ORI                     |
|------|------------|------------------|-------|--------|--------|---------------|---------------|----------------|-------|----------------|---------|-------|--------------------------------|
| 1    | Russell    | Phoenix City     | S-1   | 107.5  | 117.5  | 30            | 3             | 20             | 0.06  | 20             | 488.99  | 26794 | Phoenix City Police Department |
| 2    | Lee        | Opelika          | I-85  | 51.5   | 61.5   | 21            | 2             | 6              | 0.03  | 11.9           | 738.78  | 40481 | Opelika Police Department      |
| 3    | Montgomery | Rural Montgomery | I-65  | 166.6  | 176.6  | 21            | 0             | 12             | 0.02  | 12.38          | 1171.83 | 64210 | Alabama DPS- Montgomery Post   |
| 4    | Russell    | Rural Russell    | S-8   | 205.7  | 215.7  | 21            | 2             | 13             | 0.06  | 19.52          | 324.08  | 17758 | Phoenix City Police Department |
| 5    | Elmore     | Millbrook        | S-14  | 152.8  | 162.8  | 20            | 3             | 11             | 0.05  | 20             | 365.89  | 20049 | Millbrook Police Department    |
| 6    | Macon      | Tuskegee         | S-8   | 169    | 179    | 20            | 1             | 13             | 0.17  | 15             | 120.96  | 6628  | Tuskegee Police Department     |

## Top 7 Intersections in the Central Region with 4 or More Restraint Deficient Crashes

| Rank | County  | City         | Total Crashes | Fatal Crashes | Injury Crashes | PDO Crashes | Severity Index | People Killed | People Injured | Link | Node 1 | Location                                     | Agency ORI                    |
|------|---------|--------------|---------------|---------------|----------------|-------------|----------------|---------------|----------------|------|--------|--|-------------------------------|
| 1    | Lee     | Auburn       | 6             | 1             | 1              | 4           | 10             | 1             | 3              | 6078 | 834    | SR 147 COLLEGE ST at SR 267 SHUG JORDAN PKWY | Auburn Police Department      |
| 2    | Elmore  | Millbrook    | 4             | 0             | 3              | 1           | 20             | 0             | 3              | 1048 | 8199   | NO DESCRIPTION AVAILABLE                     | Millbrook Police Department   |
| 3    | Elmore  | Rural Elmore | 4             | 0             | 0              | 4           | 0              | 0             | 0              | S-14 | 8415   | NO DESCRIPTION AVAILABLE                     | Alabama DPS - Montgomery Post |
| 4    | Lee     | Opelika      | 4             | 0             | 0              | 4           | 0              | 0             | 0              | I-85 | 58     | HAMILTON RD at I085                          | Opelika Police Department     |
| 5    | Lee     | Auburn       | 4             | 0             | 2              | 2           | 5              | 0             | 2              | 6077 | 92     | DEAN RD at SR 14 OPELIKA RD                  | Auburn Police Department      |
| 6    | Russell | Phenix City  | 4             | 0             | 2              | 2           | 10             | 0             | 2              | S-1  | 1218   | CRAWFORD RD at SR 1901 SR 8 US 80            | Phenix City Police Department |
| 7    | Russell | Phenix City  | 4             | 0             | 1              | 3           | 5              | 0             | 1              | 5672 | 1455   | CITY ST at CRAWFORD RD 5672                  | Phenix City Police Department |

## Top 9 Segments in the Central Region with 4 or More Restraint Deficient Crashes

| Rank | County     | City             | Total Crashes | Fatal Crashes | Injury Crashes | PDO Crashes | Severity Index | People Killed | People Injured | Link | Node 1 | Node 2 | Location  | Agency ORI                    |
|------|------------|------------------|---------------|---------------|----------------|-------------|----------------|---------------|----------------|------|--------|--------|---|-------------------------------|
| 1    | Macon      | Rural Macon      | 8             | 0             | 5              | 3           | 15             | 0             | 12             | I-85 | 7418   | 7477   | NO DESCRIPTION AVAILABLE  | Alabama DPS - Opelika Post    |
| 2    | Elmore     | Rural Elmore     | 7             | 1             | 4              | 2           | 21.43          | 1             | 9              | I-65 | 8415   | 8131   | NO DESCRIPTION AVAILABLE  | Alabama DPS – Montgomery Post |
| 3    | Lee        | Opelika          | 7             | 1             | 3              | 3           | 18.57          | 1             | 5              | I-85 | 1069   | 339    | INTERSTATE 85 at S001 and INTERSTATE 85 at S051                           | Opelika Police Department     |
| 4    | Lee        | Rural Lee        | 6             | 0             | 4              | 2           | 16.67          | 0             | 5              | S-15 | 7145   | 7124   | NO DESCRIPTION AVAILABLE  | Alabama DPS - Opelika Post    |
| 5    | Autauga    | Rural Autauga    | 4             | 1             | 0              | 3           | 12.5           | 1             | 4              | I-65 | 7438   | 7430   | NO DESCRIPTION AVAILABLE  | Alabama DPS – Montgomery Post |
| 6    | Lee        | Auburn           | 4             | 0             | 2              | 2           | 7.5            | 0             | 8              | I-85 | 434    | 770    | GLENN AVE at I 85 and I-85 at MOORES MILL RD                              | Auburn Police Department      |
| 7    | Lee        | Rural Lee        | 4             | 0             | 3              | 1           | 20             | 0             | 4              | S-15 | 9058   | 7118   | NO DESCRIPTION AVAILABLE  | Alabama DPS - Opelika Post    |
| 8    | Macon      | Rural Macon      | 4             | 0             | 2              | 2           | 10             | 0             | 6              | I-85 | 7477   | 7510   | NO DESCRIPTION AVAILABLE  | Alabama DPS - Opelika Post    |
| 9    | Montgomery | Rural Montgomery | 4             | 1             | 2              | 1           | 22.5           | 1             | 3              | S-6  | 7222   | 7491   | TROY HWY SR-6 US-82 at TROY HWY SR-53 US-231 and TROTMAN DR at SR 6 US 82 | Alabama DPS – Montgomery Post |

## Top 7 Mileposted Locations (10 miles in Length) in the Central Region with 4 or More Child Restraint Deficient Crashes

| Rank | County     | City          | Route | Beg MP | End MP | Total Crashes | Fatal Crashes | Injury Crashes | C/MVM | Severity Index | MVM    | ADT   | Agency ORI                    |
|------|------------|---------------|-------|--------|--------|---------------|---------------|----------------|-------|----------------|--------|-------|-------------------------------|
| 1    | Lee        | Opelika       | I-85  | 53.5   | 63.5   | 8             | 0             | 2              | 0.02  | 3.75           | 363.6  | 41221 | Opelika Police Department     |
| 2    | Elmore     | Millbrook     | S-14  | 153.7  | 163.7  | 7             | 0             | 1              | 0.04  | 4.29           | 181.28 | 20551 | Millbrook Police Department   |
| 3    | Montgomery | Montgomery    | I-85  | 3      | 13     | 6             | 0             | 1              | 0.01  | 1.67           | 626.92 | 71073 | Montgomery Police Department  |
| 4    | Russell    | Phenix City   | S-1   | 110    | 120    | 6             | 0             | 1              | 0.02  | 5              | 240.07 | 27216 | Phenix City Police Department |
| 5    | Russell    | Rural Russell | S-8   | 210.1  | 218    | 6             | 0             | 3              | 0.03  | 15             | 201.8  | 28959 | Phenix City Police Department |
| 6    | Lowndes    | Rural Lowndes | I-65  | 144.5  | 154.5  | 5             | 0             | 2              | 0.02  | 8              | 246.5  | 27945 | Alabama DPS – Montgomery Post |
| 7    | Elmore     | Wetumpka      | S-9   | 113.5  | 123.5  | 4             | 0             | 4              | 0.02  | 15             | 264.36 | 29970 | Wetumpka Police Department    |

## Top 20 Intersections in the Central Region with 2 or More Child Restraint Deficient Crashes

| Rank | County     | City         | Total Crashes | Fatal Crashes | Injury Crashes | PDO Crashes | Severity | Node 1 | Link  | Location                                     | Agency ORI                    |
|------|------------|--------------|---------------|---------------|----------------|-------------|----------|--------|-------|--|-------------------------------|
| 1    | Montgomery | Montgomery   | 5             | 0             | 2              | 3           | 4        | 7740   | I-85  | INTERSTATE 85 at CITY LIMIT                  | Montgomery Police Department  |
| 2    | Autauga    | Prattville   | 3             | 0             | 0              | 3           | 0        | 637    | 1002  | MARTIN BLVD at SR 3 MEMORIAL DR              | Prattville Police Department  |
| 3    | Lee        | Opelika      | 3             | 0             | 0              | 3           | 0        | 58     | I-85  | HAMILTON RD at I085                          | Opelika Police Department     |
| 4    | Lee        | Opelika      | 3             | 0             | 1              | 2           | 3.33     | 1505   | 5592  | NO DESCRIPTION AVAILABLE                     | Opelika Police Department     |
| 5    | Lee        | Auburn       | 3             | 0             | 1              | 2           | 3.33     | 834    | S-147 | SR 147 COLLEGE ST at SR 267 SHUG JORDAN PKWY | Auburn Police Department      |
| 6    | Montgomery | Montgomery   | 3             | 0             | 1              | 2           | 3.33     | 7727   | 9220  | ATLANTA HWY SR-8 US-80 at RYAN RD            | Montgomery Police Department  |
| 7    | Montgomery | Montgomery   | 3             | 0             | 1              | 2           | 3.33     | 4449   | 1254  | SOUTH BLVD SR-6 US-82 at WOODLEY RD          | Montgomery Police Department  |
| 8    | Elmore     | Prattville   | 2             | 0             | 0              | 2           | 0        | 922    | 1002  | MAIN ST E at NO NAME CS 1140                 | Prattville Police Department  |
| 9    | Elmore     | Millbrook    | 2             | 0             | 0              | 2           | 0        | 8415   | S-14  | NO DESCRIPTION AVAILABLE                     | Millbrook Police Department   |
| 10   | Elmore     | Rural Elmore | 2             | 0             | 0              | 2           | 0        | 8131   | 1002  | NO DESCRIPTION AVAILABLE                     | Alabama DPS - Montgomery Post |
| 11   | Lee        | Auburn       | 2             | 0             | 0              | 2           | 0        | 73     | 6077  | RONALD LN at SR 14 OPELIKA RD                | Auburn Police Department      |
| 12   | Lee        | Auburn       | 2             | 0             | 0              | 2           | 0        | 588    | 5046  | SAMFORD AVE at SR 147 COLLEGE ST             | Auburn Police Department      |
| 13   | Montgomery | Montgomery   | 2             | 0             | 0              | 2           | 0        | 1271   | 8192  | ATLANTA HWY at PERRY HILL RD                 | Montgomery Police Department  |


| Rank | County     | City          | Total Crashes | Fatal Crashes | Injury Crashes | PDO Crashes | Severity | Node 1 | Link | Location  | Agency ORI                    |
|------|------------|---------------|---------------|---------------|----------------|-------------|----------|--------|------|---|-------------------------------|
| 14   | Montgomery | Montgomery    | 2             | 0             | 0              | 2           | 0        | 1377   | 8192 | EAST BLVD SR-8 US-80 at AT-LANTA HWY SR-8 US 80 | Montgomery Police Department  |
| 15   | Montgomery | Montgomery    | 2             | 0             | 0              | 2           | 0        | 4718   | S-6  | INTERSTATE 65 at SOUTH BLVD INTERCHANGE         | Montgomery Police Department  |
| 16   | Montgomery | Montgomery    | 2             | 0             | 0              | 2           | 0        | 3095   | I-85 | INTERSTATE 85 at PERRY HILL RD INTERCHANGE      | Montgomery Police Department  |
| 17   | Montgomery | Montgomery    | 2             | 0             | 0              | 2           | 0        | 8534   | 5008 | MONTICELLO DR S at EAST BLVD SR-8 US-80         | Montgomery Police Department  |
| 18   | Montgomery | Montgomery    | 2             | 0             | 0              | 2           | 0        | 4370   |      | SOUTH BLVD SR-6 US-82 at MCGEHEE RD             | Montgomery Police Department  |
| 19   | Montgomery | Montgomery    | 2             | 0             | 1              | 1           | 10       | 2748   | 5955 | UNION ST S at ARBA ST                           | Montgomery Police Department  |
| 20   | Russell    | Rural Russell | 2             | 0             | 1              | 1           | 15       | 8993   | S-8  | NO DESCRIPTION AVAILABLE                        | Phenix City Police Department |

## Top 5 Segments in the Central Region with 2 or More Child Restraint Deficient Crashes

| Rank | County     | City        | Total Crashes | Fatal Crashes | Injury Crashes | PDO Crashes | Severity | Node 1 | Node 2 | Link | Location  | Agency ORI                   |
|------|------------|-------------|---------------|---------------|----------------|-------------|----------|--------|--------|------|---|------------------------------|
| 1    | Macon      | Rural Macon | 3             | 0             | 0              | 3           | 0        | 7510   | 7477   | I-85 | NO DESCRIPTION AVAILABLE                                      | Alabama DPS - Opelika Post   |
| 2    | Autauga    | Prattville  | 2             | 0             | 1              | 1           | 10       | 867    | 1050   | 1002 | MAIN ST E at SHEILA BLVD and NO DESCRIPTION AVAILABLE         | Prattville Police Department |
| 3    | Lee        | Opelika     | 2             | 0             | 0              | 2           | 0        | 58     | 339    | I-85 | HAMILTON RD at I085 and INTERSTATE 85 at S051                 | Opelika Police Department    |
| 4    | Montgomery | Montgomery  | 2             | 0             | 0              | 2           | 0        | 4305   | 11750  | 8058 | EDINBURGH DR at VAUGHN RD SR-110 and NO DESCRIPTION AVAILABLE | Montgomery Police Department |
| 5    | Montgomery | Montgomery  | 2             | 0             | 1              | 1           | 5        | 15366  | 15368  | 1187 | NO DESCRIPTION AVAILABLE                                      | Montgomery Police Department |



## East Region: Restraint Deficient and Child Restraint Deficient Hotspots



## Top 6 Mileposted Locations (10 Miles in Length) in the East Region with 20 or More Restraint Deficient Crashes

| Rank | County    | City            | Route | Beg MP | End MP | Total Crashes | Fatal Crashes | Injury Crashes | PDO Crashes | C/MVM | Severity Index | MVM    | ADT   | Agency ORI                     |
|------|-----------|-----------------|-------|--------|--------|---------------|---------------|----------------|-------------|-------|----------------|--------|-------|--------------------------------|
| 1    | Calhoun   | Anniston        | S-1   | 229.9  | 239.9  | 28            | 1             | 14             | 13          | 0.06  | 14.29          | 500.76 | 27439 | Anniston Police Department     |
| 2    | Talladega | Rural Talladega | I-20  | 176    | 186    | 22            | 2             | 10             | 10          | 0.03  | 17.27          | 684.69 | 37517 | Alabama DPS- Jacksonville Post |
| 3    | Calhoun   | Rural Calhoun   | I-20  | 186.5  | 196.5  | 21            | 2             | 8              | 11          | 0.03  | 16.19          | 656.51 | 35973 | Alabama DPS- Jacksonville Post |
| 4    | Chambers  | Valley          | S-15  | 199.3  | 209.3  | 21            | 1             | 13             | 7           | 0.13  | 15.24          | 161.29 | 8838  | Valley Police Department       |
| 5    | Calhoun   | Jacksonville    | S-21  | 258.9  | 268.9  | 20            | 0             | 11             | 9           | 0.06  | 13             | 358.87 | 19664 | Jacksonville Police Department |
| 6    | Talladega | Childersburg    | S-38  | 29.5   | 39.5   | 20            | 1             | 9              | 10          | 0.05  | 12.5           | 380.2  | 20833 | Harpersville Police Department |

## Top 2 Intersections in the East Region with 4 or More Restraint Deficient Crashes

| Rank | County  | City         | Total Crashes | Fatal Crashes | Injury Crashes | PDO Crashes | Severity Index | People Killed | People Injured | Link | Node 1 | Location                 | Agency ORI                     |
|------|---------|--------------|---------------|---------------|----------------|-------------|----------------|---------------|----------------|------|--------|--------------------------|--------------------------------|
| 1    | Calhoun | Jacksonville | 5             | 0             | 4              | 1           | 14             | 0             | 5              | S-21 | 9414   | NO DESCRIPTION AVAILABLE | Jacksonville Police Department |
| 2    | Calhoun | Anniston     | 4             | 0             | 2              | 2           | 10             | 0             | 5              | 5022 | 820    | 15TH ST at NOBLE ST      | Anniston Police Department     |

## Top 3 Segments in East Region with 4 or More Restraint Deficient Crashes

| Rank | County    | City            | Total Crashes | Fatal Crashes | Injury Crashes | PDO Crashes | Severity Index | People Killed | People Injured | Link | Node 1 | Node 2 | Location                 | Agency ORI                      |
|------|-----------|-----------------|---------------|---------------|----------------|-------------|----------------|---------------|----------------|------|--------|--------|--------------------------|---------------------------------|
| 1    | Cleburne  | Rural Cleburne  | 5             | 0             | 3              | 2           | 18             | 0             | 4              | S-1  | 7665   | 7833   | NO DESCRIPTION AVAILABLE | Alabama DPS - Jacksonville Post |
| 2    | Talladega | Lincoln         | 4             | 0             | 2              | 2           | 15             | 0             | 9              | I-20 | 55     | 25     | NO DESCRIPTION AVAILABLE | Alabama DPS - Jacksonville Post |
| 3    | Talladega | Rural Talladega | 4             | 0             | 4              | 0           | 27.5           | 0             | 5              | 1045 | 8040   | 7191   | NO DESCRIPTION AVAILABLE | Alabama DPS - Jacksonville Post |

## Top 3 Mileposted Locations (10 miles in Length) in the East Region with 4 or More Child Restraint Deficient Crashes

| Rank | County   | City          | Route | Beg MP | End MP | Total Crashes | Fatal Crashes | Injury Crashes | C/MVM | Severity Index | MVM    | ADT   | Agency ORI                      |
|------|----------|---------------|-------|--------|--------|---------------|---------------|----------------|-------|----------------|--------|-------|---------------------------------|
| 1    | Calhoun  | Rural Calhoun | S-1   | 232.2  | 242.2  | 5             | 0             | 1              | 0.02  | 6              | 200.05 | 22679 | Alabama DPS - Jacksonville Post |
| 2    | Calhoun  | Oxford        | I-20  | 185.6  | 195.6  | 4             | 0             | 0              | 0.01  | 0              | 325.83 | 36939 | Alabama DPS - Jacksonville Post |
| 3    | Randolph | Roanoke       | S-1   | 180.7  | 190.7  | 4             | 0             | 1              | 0.09  | 2.5            | 45.14  | 5117  | Roanoke Police Department       |


### Top 4 Intersections in East Region with 2 or More Child Restraint Deficient Crashes

| Rank | County    | City      | Total Crashes | Fatal Crashes | Injury Crashes | PDO Crashes | Severity | Node 1 | Link | Location                 | Agency ORI                  |
|------|-----------|-----------|---------------|---------------|----------------|-------------|----------|--------|------|--------------------------|-----------------------------|
| 1    | Calhoun   | Anniston  | 3             | 0             | 2              | 1           | 13.33    | 11706  | 5408 | NO DESCRIPTION AVAILABLE | Anniston Police Department  |
| 2    | Calhoun   | Anniston  | 2             | 0             | 2              | 0           | 20       | 1234   | 5022 | ALA 202 at NOBLE ST      | Anniston Police Department  |
| 3    | Calhoun   | Oxford    | 2             | 0             | 0              | 2           | 0        | 189    | S-21 | NO DESCRIPTION AVAILABLE | Oxford Police Department    |
| 4    | Talladega | Sylacauga | 2             | 0             | 1              | 1           | 5        | 1183   | S-53 | NO DESCRIPTION AVAILABLE | Sylacauga Police Department |

### Top 1 Segment in the East Region with 2 or More Child Restraint Deficient Crashes

| Rank | County  | City   | Total Crashes | Fatal Crashes | Injury Crashes | PDO Crashes | Severity | Node 1 | Node 2 | Link | Location                 | Agency ORI                      |
|------|---------|--------|---------------|---------------|----------------|-------------|----------|--------|--------|------|--------------------------|---------------------------------|
| 1    | Calhoun | Oxford | 2             | 0             | 0              | 2           | 0        | 449    | 847    | I-20 | NO DESCRIPTION AVAILABLE | Alabama DPS - Jacksonville Post |

## Mobile Region: Restraint Deficient and Child Restraint Deficient Hotspots



## Top 13 Mileposted Locations (10 Miles in Length) in the Mobile Region with 20 or More Re- straint Deficient Crashes

| Rank | County   | City           | Route | Beg MP | End MP | Total Crashes | Fatal Crashes | Injury Crashes | C/MVM | Severity Index | MVM     | ADT   | Agency ORI                    |
|------|----------|----------------|-------|--------|--------|---------------|---------------|----------------|-------|----------------|---------|-------|-------------------------------|
| 1    | Mobile   | Mobile         | I-10  | 21.1   | 31.1   | 48            | 1             | 26             | 0.04  | 11.46          | 1271.37 | 69664 | Mobile Police Department      |
| 2    | Mobile   | Rural Mobile   | S-42  | 3      | 13     | 36            | 2             | 19             | 0.12  | 14.17          | 298.59  | 16361 | Alabama DPS- Mobile Post      |
| 3    | Mobile   | Mobile         | I-65  | 0.5    | 10.5   | 35            | 5             | 12             | 0.02  | 15.14          | 1426.51 | 78165 | Mobile Police Department      |
| 4    | Mobile   | Prichard       | S-17  | 2.8    | 12.8   | 30            | 1             | 4              | 0.14  | 4.67           | 210.88  | 11555 | Prichard Police Department    |
| 5    | Baldwin  | Gulf Shores    | S-59  | 0.3    | 10.3   | 29            | 1             | 11             | 0.05  | 8.97           | 640.61  | 35102 | Gulf Shores Police Department |
| 6    | Mobile   | Mobile         | I-10  | 10.3   | 20.3   | 29            | 4             | 17             | 0.02  | 19.31          | 1267.37 | 69445 | Mobile Police Department      |
| 7    | Baldwin  | Daphne         | S-42  | 35     | 45     | 27            | 1             | 16             | 0.05  | 12.96          | 545.33  | 29881 | Daphne Police Department      |
| 8    | Mobile   | Rural Mobile   | S-217 | 1      | 11     | 27            | 2             | 13             | 0.18  | 15.19          | 150.71  | 8258  | Alabama DPS- Mobile Post      |
| 9    | Escambia | Rural Escambia | S-21  | 0.5    | 10.5   | 26            | 3             | 7              | 0.19  | 12.31          | 138.75  | 7603  | Alabama DPS- Evergreen Post   |
| 10   | Mobile   | Rural Mobile   | I-10  | 0.1    | 10.1   | 22            | 1             | 8              | 0.03  | 8.64           | 860.85  | 47170 | Alabama DPS- Mobile Post      |
| 11   | Mobile   | Rural Mobile   | S-42  | 13.5   | 23.5   | 22            | 1             | 14             | 0.04  | 17.73          | 508.28  | 27851 | Alabama DPS- Mobile Post      |
| 12   | Mobile   | Rural Mobile   | S-13  | 13     | 23     | 21            | 1             | 12             | 0.06  | 14.76          | 336.07  | 18415 | Alabama DPS- Mobile Post      |
| 13   | Baldwin  | Rural Baldwin  | S-181 | 7.4    | 17.4   | 20            | 0             | 14             | 0.09  | 13.5           | 224.18  | 12284 | Alabama DPS- Mobile Post      |

## Top 13 Intersection in the Mobile Region with 4 or More Restraint Deficient Crashes

| Rank | County  | City           | Total Crashes | Fatal Crashes | Injury Crashes | PDO Crashes | Severity Index | People Killed | People Injured | Link  | Node 1 | Location                                   | Agency ORI                       |
|------|---------|----------------|---------------|---------------|----------------|-------------|----------------|---------------|----------------|-------|--------|--|----------------------------------|
| 1    | Baldwin | Daphne         | 5             | 0             | 3              | 2           | 12             | 0             | 5              | S-16  | 458    | NO DESCRIPTION AVAILABLE                   | Daphne Police Department         |
| 2    | Mobile  | Bayou La Batre | 5             | 0             | 1              | 4           | 4              | 0             | 1              | S-188 | 209    | NO DESCRIPTION AVAILABLE                   | Bayou La Batre Police Department |
| 3    | Mobile  | Prichard       | 5             | 0             | 2              | 3           | 8              | 0             | 2              | S-17  | 915    | NOBLE AVE at ST STEPHENS RD SR-17          | Prichard Police Department       |
| 4    | Mobile  | Mobile         | 5             | 0             | 0              | 5           | 0              | 0             | 0              | I-10  | 7743   | INTERSTATE 10 at US HWY 90 INTERCHANGE     | Mobile Police Department         |
| 5    | Mobile  | Mobile         | 4             | 0             | 1              | 3           | 5              | 0             | 1              | S-16  | 4169   | CONCEPTION ST at GOVERNMENT ST SR-16 US-90 | Mobile Police Department         |
| 6    | Mobile  | Prichard       | 4             | 0             | 0              | 4           | 0              | 0             | 0              | S-17  | 926    | ST STEPHENS RD at HAND AVE                 | Prichard Police Department       |
| 7    | Mobile  | Rural Mobile   | 4             | 0             | 3              | 1           | 17.5           | 0             | 5              | S-42  | 8860   | HICKORY LN CO 754 at NORTHWOOD DR W        | Alabama DPS - Mobile Post        |
| 8    | Mobile  | Prichard       | 4             | 0             | 0              | 4           | 0              | 0             | 0              | I-65  | 1650   | I-165 at I-65 INTERCHANGE                  | Prichard Police Department       |
| 9    | Mobile  | Prichard       | 4             | 0             | 0              | 4           | 0              | 0             | 0              | S-17  | 1145   | OPP AVE at SR-17                           | Prichard Police Department       |
| 10   | Mobile  | Mobile         | 4             | 0             | 3              | 1           | 12.5           | 0             | 3              | I-10  | 10560  | INTERSTATE 10 at HIGGINS RD INTERCHANGE    | Mobile Police Department         |
| 11   | Mobile  | Rural Mobile   | 4             | 0             | 4              | 0           | 22.5           | 0             | 6              | S-217 | 8811   | LOTT RD at SPICE POND RD                   | Alabama DPS - Mobile Post        |
| 12   | Mobile  | Prichard       | 4             | 1             | 0              | 3           | 12.5           | 1             | 1              | I-65  | 873    | I-165 at SR-17 INTERCHANGE                 | Prichard Police Department       |
| 13   | Mobile  | Saraland       | 4             | 0             | 2              | 2           | 12.5           | 0             | 2              | 1665  | 317    | NO DESCRIPTION AVAILABLE                   | Saraland Police Department       |

## Top 12 Segments in the Mobile Region with 4 or More Restraint Deficient Crashes

| Rank | County   | City           | Total Crashes | Fatal Crashes | Injury Crashes | PDO Crashes | Severity Index | People Killed | People Injured | Link  | Node 1 | Node 2 | Location  | Agency ORI                    |
|------|----------|----------------|---------------|---------------|----------------|-------------|----------------|---------------|----------------|-------|--------|--------|---|-------------------------------|
| 1    | Baldwin  | Rural Baldwin  | 8             | 0             | 2              | 6           | 5              | 0             | 6              | I-10  | 8703   | 8726   | NO DESCRIPTION AVAILABLE  | Alabama DPS - Mobile Post     |
| 2    | Baldwin  | Rural Baldwin  | 5             | 0             | 0              | 5           | 0              | 0             | 0              | I-10  | 8901   | 8841   | NO DESCRIPTION AVAILABLE  | Alabama DPS - Mobile Post     |
| 3    | Baldwin  | Gulf Shores    | 5             | 0             | 2              | 3           | 8              | 0             | 2              | S-59  | 316    | 543    | NO DESCRIPTION AVAILABLE  | Gulf Shores Police Department |
| 4    | Mobile   | Rural Mobile   | 5             | 0             | 3              | 2           | 14             | 0             | 6              | 1637  | 9012   | 9200   | BOOTHETOWN RD CO 92 at MASON FERRY RD and EARLVILLE RD CO 21                      | Alabama DPS - Mobile Post     |
| 5    | Baldwin  | Gulf Shores    | 4             | 1             | 0              | 3           | 12.5           | 1             | 1              | S-59  | 7279   | 305    | NO DESCRIPTION AVAILABLE  | Gulf Shores Police Department |
| 6    | Escambia | Rural Escambia | 4             | 0             | 1              | 3           | 7.5            | 0             | 1              | I-65  | 7329   | 7491   | NO DESCRIPTION AVAILABLE  | Alabama DPS - Evergreen Post  |
| 7    | Mobile   | Mobile         | 4             | 0             | 0              | 4           | 0              | 0             | 0              | I-10  | 8876   | 8870   | CANAL ST at I-10 and INTERSTATE 10 at TEXAS ST INTERCHANGE                        | Mobile Police Department      |
| 8    | Mobile   | Rural Mobile   | 4             | 0             | 1              | 3           | 7.5            | 0             | 3              | S-217 | 9511   | 13083  | LOTT RD at SCHILLINGER AT NEWBURN RD and FRANK MAPLES RD at LOTT RD SR-217        | Alabama DPS - Mobile Post     |
| 9    | Mobile   | Rural Mobile   | 4             | 0             | 1              | 3           | 7.5            | 0             | 1              | 1344  | 8268   | 8278   | GRAND BAY-WILMER RD CO 5 at SMITH RD and BALLARD RD CO 272 at GRAND BAY-WILMER RD | Alabama DPS - Mobile Post     |
| 10   | Mobile   | Mobile         | 4             | 3             | 1              | 0           | 45             | 3             | 4              | I-65  | 1293   | 1361   | HALLS MILL RD at I-65 and GOVERNMENT BLVD US HWY 90                               | Mobile Police Department      |
| 11   | Mobile   | Rural Mobile   | 4             | 0             | 0              | 0           | 20             | 0             | 9              | I-10  | 8219   | 13156  | INTERSTATE 10 at MCDONALD RD BRIDGE and FOWL RIVER BRIDGE                         | Alabama DPS - Mobile Post     |
| 12   | Mobile   | Rural Mobile   | 4             | 0             | 1              | 3           | 2.5            | 0             | 3              | I-10  | 8330   | 7917   | GRAND BAY-WILMER RD at I-10 INTERCHANGE at RAMSEY RD BRIDGE                       | Alabama DPS - Mobile Post     |



## Top 9 Mileposted Locations (10 Miles in Length) in the Mobile Region with 4 or More Child Restraint Deficient Crashes

| Rank | County  | City         | Route | Beg MP | End MP | Total Crashes | Fatal Crashes | Injury Crashes | PDO Crashes | Severity Index | C/MVM | MVM    | ADT   | Agency ORI                     |
|------|---------|--------------|-------|--------|--------|---------------|---------------|----------------|-------------|----------------|-------|--------|-------|--------------------------------|
| 1    | Mobile  | Mobile       | I-10  | 25.3   | 35.3   | 14            | 0             | 2              | 12          | 2.14           | 0.03  | 540.87 | 61317 | Mobile Police Department       |
| 2    | Baldwin | Orange Beach | S-180 | 22     | 32     | 7             | 0             | 2              | 5           | 2.86           | 0.07  | 105.44 | 11953 | Orange Beach Police Department |
| 3    | Mobile  | Mobile       | I-65  | 0      | 10     | 7             | 0             | 0              | 7           | 0              | 0.01  | 700.21 | 79381 | Mobile Police Department       |
| 4    | Baldwin | Gulf Shores  | S-182 | 0.2    | 10.2   | 7             | 0             | 0              | 7           | 0              | 0.09  | 78.55  | 8905  | Gulf Shores Police Department  |
| 5    | Baldwin | Foley        | S-59  | 1.4    | 11.4   | 7             | 0             | 0              | 7           | 0              | 0.02  | 304.45 | 34515 | Foley Police Department        |
| 6    | Baldwin | Daphne       | S-42  | 37     | 47     | 6             | 0             | 2              | 4           | 5              | 0.03  | 224.59 | 25461 | Daphne Police Department       |
| 7    | Mobile  | Mobile       | I-10  | 13     | 23     | 5             | 0             | 2              | 3           | 4              | 0.01  | 681.4  | 77249 | Mobile Police Department       |
| 8    | Mobile  | Rural Mobile | S-217 | 4      | 14     | 4             | 0             | 1              | 3           | 2.5            | 0.05  | 80.17  | 9089  | Alabama DPS - Mobile Post      |
| 9    | Mobile  | Mobile       | S-16  | 1.9    | 11.9   | 4             | 0             | 1              | 3           | 2.5            | 0.06  | 62.57  | 7094  | Mobile Police Department       |
| 10   | Mobile  | Mobile       | S-16  | 20     | 30     | 4             | 0             | 0              | 4           | 0              | 0.02  | 194.84 | 22089 | Mobile Police Department       |


## Top 12 Intersections in the Mobile Region with 2 or More Child Restraint Deficient Crashes

| Rank | County  | City          | Total Crashes | Fatal Crashes | Injury Crashes | PDO Crashes | People Killed | People Injured | Severity | Link  | Node 1 | Location                                   | Agency ORI                    |
|------|---------|---------------|---------------|---------------|----------------|-------------|---------------|----------------|----------|-------|--------|--|-------------------------------|
| 1    | Baldwin | Gulf Shores   | 3             | 0             | 0              | 3           | 0             | 0              | 0        | S-182 | 68     | NO DESCRIPTION AVAILABLE                   | Gulf Shores Police Department |
| 2    | Mobile  | Mobile        | 3             | 0             | 0              | 3           | 0             | 0              | 0        | 5985  | 1979   | DAUPHIN ST at SPRINGDALE BLVD              | Mobile Police Department      |
| 3    | Mobile  | Mobile        | 3             | 0             | 1              | 2           | 0             | 1              | 3.33     | I-10  | 1283   | INTERSTATE 10 at I-65 INTERCHANGE          | Mobile Police Department      |
| 4    | Baldwin | Daphne        | 2             | 0             | 0              | 2           | 0             | 0              | 0        | S-42  | 14     | NO DESCRIPTION AVAILABLE                   | Daphne Police Department      |
| 5    | Baldwin | Foley         | 2             | 0             | 0              | 2           | 0             | 0              | 0        | S-59  | 7300   | NO DESCRIPTION AVAILABLE                   | Foley Police Department       |
| 6    | Baldwin | Rural Baldwin | 2             | 0             | 0              | 2           | 0             | 0              | 0        | 1081  | 7712   | NO DESCRIPTION AVAILABLE                   | Alabama DPS - Mobile Post     |
| 7    | Mobile  | Mobile        | 2             | 0             | 0              | 2           | 0             | 0              | 0        | 6827  | 3831   | AIRPORT BLVD at GOVERNMENT ST SR-16 US-90  | Mobile Police Department      |
| 8    | Mobile  | Mobile        | 2             | 0             | 0              | 2           | 0             | 0              | 0        | 1346  | 2217   | AIRPORT BLVD at HILL-CREST RD AT ARNOLD RD | Mobile Police Department      |
| 9    | Mobile  | Mobile        | 2             | 0             | 0              | 2           | 0             | 0              | 0        | 1346  | 8352   | NO DESCRIPTION AVAILABLE                   | Mobile Police Department      |
| 10   | Mobile  | Saraland      | 2             | 0             | 0              | 2           | 0             | 0              | 0        | I-65  | 9410   | NO DESCRIPTION AVAILABLE                   |                               |
| 11   | Mobile  | Mobile        | 2             | 0             | 0              | 2           | 0             | 0              | 0        | 6200  | 2340   | OLD SHELL RD at UNIVERSITY BLVD            | Mobile Police Department      |
| 12   | Mobile  | Mobile        | 2             | 0             | 0              | 2           | 0             | 0              | 0        |       | 5457   | PRICHARD AVE at ST STEPHENS RD SR-17 US45  | Mobile Police Department      |

## Top 2 Segments in the Mobile Region with 2 or More Child Restraint Deficient Crashes

| Rank | County  | City          | Total Crashes | Fatal Crashes | Injury Crashes | PDO Crashes | Severity | People Killed | People Injured | Node 1 | Node 2 | Link | Location                 | Agency ORI                |
|------|---------|---------------|---------------|---------------|----------------|-------------|----------|---------------|----------------|--------|--------|------|--------------------------|---------------------------|
| 1    | Baldwin | Rural Baldwin | 3             | 0             | 1              | 2           | 6.67     | 0             | 2              | 8703   | 8726   | I-10 | NO DESCRIPTION AVAILABLE | Alabama DPS - Mobile Post |
| 2    | Baldwin | Foley         | 2             | 0             | 0              | 2           | 0        | 0             | 0              | 678    | 7300   | S-59 | NO DESCRIPTION AVAILABLE | Foley Police Department   |

### North Region: Restraint Deficient and Child Restraint Deficient Hotspots



## Top 10 Mileposted Locations (10 Miles in Length) in the North Region with 20 or More Restraint Deficient Crashes

| Rank | County     | City            | Route | Beg MP | End MP | Total Crashes | Fatal Crashes | Injury Crashes | PDO Crashes | C/MVM | Severity Index | MVM    | ADT   | Agency ORI  |
|------|------------|-----------------|-------|--------|--------|---------------|---------------|----------------|-------------|-------|----------------|--------|-------|---|
| 1    | Limestone  | Rural Limestone | S-2   | 75     | 85     | 37            | 3             | 16             | 18          | 0.1   | 14.32          | 360.91 | 19776 | Alabama DPS - Decatur Post                            |
| 2    | Morgan     | Hartselle       | S-3   | 345.1  | 355.1  | 26            | 1             | 16             | 9           | 0.07  | 13.46          | 384.24 | 21054 | Hartselle Police Department                           |
| 3    | Morgan     | Hartselle       | S-36  | 15.1   | 25.1   | 24            | 0             | 15             | 9           | 0.16  | 12.92          | 148.72 | 8149  | Hartselle Police Department                           |
| 4    | Cullman    | Cullman         | S-3   | 318    | 328    | 22            | 0             | 7              | 15          | 0.08  | 6.82           | 292.6  | 16033 | Cullman Police Department                             |
| 5    | Cullman    | Rural Cullman   | S-69  | 239.5  | 249.5  | 22            | 0             | 10             | 12          | 0.1   | 9.09           | 229.66 | 12584 | Alabama DPS - Decatur Post                            |
| 6    | Lauderdale | Killen          | S-2   | 39.7   | 49.7   | 22            | 1             | 12             | 9           | 0.07  | 15.45          | 318.88 | 17473 | Killen Police Department                              |
| 7    | Limestone  | Rural Limestone | S-2   | 65     | 75     | 21            | 1             | 15             | 5           | 0.07  | 19.52          | 301.36 | 16513 | Alabama Department of Public Safety - Decatur Post    |
| 8    | Morgan     | Rural Morgan    | I-65  | 333    | 343    | 21            | 1             | 8              | 12          | 0.04  | 12.86          | 578.63 | 31706 | Alabama Department of Public Safety - Montgomery Post |
| 9    | Franklin   | Russellville    | S-13  | 287.7  | 297.7  | 20            | 2             | 10             | 8           | 0.09  | 14             | 225.52 | 12357 | Russellville Police Department                        |
| 10   | Morgan     | Rural Morgan    | S-53  | 298.1  | 308.1  | 20            | 1             | 14             | 5           | 0.06  | 18             | 345.45 | 18929 | Alabama Department of Public Safety - Decatur Post    |

## Top 8 Intersections in the North Region with 4 or More Restraint Deficient Crashes

| Rank | County    | City            | Total Crashes | Fatal Crashes | Injury Crashes | PDO Crashes | Severity Index | People Killed | People Injured | Link | Node 1 | Location                                 | Agency ORI                      |
|------|-----------|-----------------|---------------|---------------|----------------|-------------|----------------|---------------|----------------|------|--------|--|---------------------------------|
| 1    | Lawrence  | Rural Lawrence  | 11            | 1             | 4              | 3           | 19.09          | 1             | 12             | S-24 | 8840   | NO DESCRIPTION AVAILABLE                 | Alabama DPS - Decatur Post      |
| 2    | Limestone | Rural Limestone | 5             | 0             | 2              | 3           | 8              | 0             | 3              | S-2  | 8292   | NO DESCRIPTION AVAILABLE                 | Alabama DPS - Decatur Post      |
| 3    | Morgan    | Rural Morgan    | 5             | 0             | 4              | 1           | 22             | 0             | 5              | S-24 | 3012   | NO DESCRIPTION AVAILABLE                 | Alabama DPS - Decatur Post      |
| 4    | Colbert   | Muscle Shoals   | 4             | 0             | 1              | 3           | 2.5            | 0             | 1              | S-2  | 695    | ALA 13 & WOODWARD AVE at BUENA VISTA AVE | Muscle Shoals Police Department |
| 5    | Limestone | Rural Limestone | 4             | 0             | 1              | 3           | 7.5            | 0             | 1              | S-2  | 7797   | NO DESCRIPTION AVAILABLE                 | Alabama DPS - Decatur Post      |
| 6    | Limestone | Rural Limestone | 4             | 1             | 3              | 0           | 32.5           | 1             | 6              | S-2  | 7607   | NO DESCRIPTION AVAILABLE                 | Alabama DPS - Decatur Post      |
| 7    | Morgan    | Rural Morgan    | 4             | 1             | 1              | 2           | 17.5           | 1             | 3              | S-53 | 8391   | NO DESCRIPTION AVAILABLE                 | Alabama DPS - Decatur Post      |
| 8    | Morgan    | Decatur         | 4             | 0             | 0              | 4           | 0              | 0             | 0              | S-3  | 1729   | SR 3 US 31 at SR 20/NO NAME 5428         | Decatur Police Department       |

## Top 8 Segments in the North Region with 4 or More Restraint Deficient Crashes

| Rank | County     | City             | Total Crashes | Fatal Crashes | Injury Crashes | PDO Crashes | Severity Index | People Killed | People Injured | Link | Node 1 | Node 2 | Location                 | Agency ORI                     |
|------|------------|------------------|---------------|---------------|----------------|-------------|----------------|---------------|----------------|------|--------|--------|--------------------------|--------------------------------|
| 1    | Cullman    | Rural Cullman    | 7             | 1             | 2              | 4           | 12.86          | 1             | 4              | I-65 | 7541   | 7281   | NO DESCRIPTION AVAILABLE | Alabama DPS – Decatur Post     |
| 2    | Limestone  | Rural Limestone  | 5             | 1             | 4              | 0           | 32             | 1             | 6              | S-2  | 7797   | 7806   | NO DESCRIPTION AVAILABLE | Alabama DPS – Decatur Post     |
| 3    | Colbert    | Rural Colbert    | 4             | 1             | 2              | 1           | 25             | 1             | 2              | 1179 | 7207   | 8280   | NO DESCRIPTION AVAILABLE | Alabama DPS – Quad Cities Post |
| 4    | Cullman    | Rural Cullman    | 4             | 0             | 1              | 3           | 5              | 0             | 1              | S-69 | 8516   | 8515   | NO DESCRIPTION AVAILABLE | Alabama DPS – Decatur Post     |
| 5    | Lauderdale | Rural Lauderdale | 4             | 0             | 2              | 2           | 10             | 0             | 4              | S-17 | 7378   | 7379   | NO DESCRIPTION AVAILABLE | Alabama DPS – Quad Cities Post |
| 6    | Limestone  | Rural Limestone  | 4             | 0             | 3              | 1           | 17.5           | 0             | 12             | I-65 | 8084   | 1124   | NO DESCRIPTION AVAILABLE | Alabama DPS – Decatur Post     |
| 7    | Limestone  | Rural Limestone  | 4             | 1             | 2              | 2           | 17.5           | 1             | 4              | I-65 | 7151   | 7172   | NO DESCRIPTION AVAILABLE | Alabama DPS – Decatur Post     |
| 8    | Morgan     | Rural Morgan     | 4             | 0             | 1              | 3           | 7.5            | 0             | 1              | I-65 | 94     | 19     | NO DESCRIPTION AVAILABLE | Alabama DPS – Decatur Post     |

## Top 5 Mileposted Locations (10 miles in Length) in the North Region with 4 or More Child Restraint Deficient Crashes

| Rank | County    | City       | Route | Beg MP | End MP | Total Crashes | Fatal Crashes | Injury Crashes | PDO Crashes | C/MVM | Severity Index | MVM    | ADT   | Agency ORI                   |
|------|-----------|------------|-------|--------|--------|---------------|---------------|----------------|-------------|-------|----------------|--------|-------|------------------------------|
| 1    | Morgan    | Decatur    | S-3   | 352.2  | 362.2  | 7             | 0             | 3              | 4           | 0.03  | 5.71           | 245.93 | 27881 | Decatur Police Department    |
| 2    | Cullman   | Cullman    | S-3   | 320    | 330    | 5             | 0             | 1              | 4           | 0.04  | 2              | 142.24 | 16126 | Cullman Police Department    |
| 3    | Colbert   | Sheffield  | S-2   | 24.6   | 34.6   | 4             | 0             | 0              | 4           | 0.02  | 0              | 198.23 | 22473 | Sheffield Police Department  |
| 4    | Limestone | Athens     | S-2   | 68.5   | 78.5   | 4             | 0             | 1              | 3           | 0.02  | 5              | 179.24 | 20320 | Athens Police Department     |
| 5    | Morgan    | Priceville | S-67  | 34     | 44     | 4             | 0             | 1              | 3           | 0.02  | 7.5            | 254.4  | 28841 | Priceville Police Department |

### Top 3 Intersections in the North Region with 2 or More Child Restraint Deficient Crashes


| Rank | County    | City      | Total Crashes | Fatal Crashes | Injury Crashes | PDO Crashes | Severity Index | People Killed | People Injured | Link | Node 1 | Location                      | Agency ORI                  |
|------|-----------|-----------|---------------|---------------|----------------|-------------|----------------|---------------|----------------|------|--------|-------------------------------|-----------------------------|
| 1    | Colbert   | Sheffield | 2             | 0             | 0              | 2           | 0              | 0             | 0              | S-2  | 770    | 15TH ST at 5020 & JACKSON HWY | Sheffield Police Department |
| 2    | Limestone | Athens    | 2             | 0             | 0              | 2           | 0              | 0             | 0              | 5373 | 122    | NO DESCRIPTION AVAILABLE      | Athens Police Department    |
| 3    | Morgan    | Decatur   | 2             | 0             | 1              | 1           | 10             | 0             | 2              | S-3  | 300    | SR 3 US 31 at SR 67           | Decatur Police Department   |

### Top 2 Segments in the North Region with 2 or More Child Restrain Deficient Crashes

| Rank | County  | City    | Total Crashes | Fatal Crashes | Injury Crashes | PDO Crashes | Severity Index | People Killed | People Injured | Link | Node 1 | Node 2 | Location                 | Agency ORI                |
|------|---------|---------|---------------|---------------|----------------|-------------|----------------|---------------|----------------|------|--------|--------|--------------------------|---------------------------|
| 1    | Cullman | Cullman | 3             | 0             | 1              | 2           | 3.33           | 0             | 1              | S-3  | 180    | 237    | NO DESCRIPTION AVAILABLE | Cullman Police Department |
| 2    | Morgan  | Decatur | 2             | 0             | 1              | 1           | 10             | 0             | 2              | S-67 | 3396   | 2803   | NO DESCRIPTION AVAILABLE | Decatur Police Department |



## North East Region: Restraint Deficient and Child Restraint Deficient Hotspots



## Top 17 Mileposted Locations (10 Miles in Length) in the North East Region with 20 or More Restraint Deficient Crashes

| Rank | County   | City          | Route | Beg MP | End MP | Total Crashes | Fatal Crashes | Injury Crashes | C/MVM | Severity Index | MVM     | ADT   | Agency ORI                     |
|------|----------|---------------|-------|--------|--------|---------------|---------------|----------------|-------|----------------|---------|-------|--------------------------------|
| 1    | Marshall | Albertville   | S-1   | 281.5  | 291.5  | 50            | 2             | 24             | 0.09  | 11             | 527.02  | 28878 | Albertville Police Department  |
| 2    | Etowah   | Gadsden       | S-1   | 260.1  | 270.1  | 39            | 2             | 20             | 0.1   | 13.59          | 375.2   | 20559 | Gadsden Police Department      |
| 3    | Marshall | Guntersville  | S-1   | 291.5  | 301.5  | 35            | 1             | 15             | 0.09  | 9.43           | 402.34  | 22046 | Guntersville Police Department |
| 4    | Madison  | Huntsville    | S-2   | 85     | 95     | 33            | 1             | 10             | 0.05  | 7.27           | 683.96  | 37477 | Huntsville Police Department   |
| 5    | Madison  | Rural Madison | S-1   | 341    | 351    | 32            | 2             | 16             | 0.07  | 13.13          | 429.26  | 23521 | Alabama DPS- Huntsville Post   |
| 6    | Madison  | Huntsville    | S-53  | 308.2  | 318.2  | 28            | 0             | 19             | 0.03  | 13.21          | 959     | 52548 | Huntsville Police Department   |
| 7    | Jackson  | Scottsboro    | S-35  | 43     | 53     | 27            | 0             | 18             | 0.12  | 12.96          | 217.43  | 11914 | Scottsboro Police Department   |
| 8    | Marshall | Albertville   | S-205 | 0.5    | 10.5   | 27            | 2             | 14             | 0.24  | 14.07          | 114.08  | 6251  | Albertville Police Department  |
| 9    | Etowah   | Gadsden       | S-1   | 250    | 260    | 25            | 0             | 13             | 0.07  | 11.6           | 369.76  | 20261 | Gadsden Police Department      |
| 10   | Etowah   | Rural Etowah  | S-1   | 271.3  | 281.3  | 25            | 1             | 14             | 0.07  | 15.2           | 334.81  | 18346 | Alabama DPS- Gadsden Post      |
| 11   | Etowah   | Rainbow City  | S-25  | 210.5  | 220.5  | 24            | 0             | 5              | 0.06  | 2.92           | 390.81  | 21414 | Rainbow City Police Department |
| 12   | Jackson  | Scottsboro    | S-2   | 130.9  | 140.9  | 24            | 1             | 13             | 0.08  | 12.08          | 316.49  | 17342 | Scottsboro Police Department   |
| 13   | Madison  | Huntsville    | S-1   | 329.5  | 339.5  | 24            | 1             | 11             | 0.03  | 10.42          | 907.52  | 49727 | Huntsville Police Department   |
| 14   | Etowah   | Southside     | S-77  | 98     | 108    | 22            | 1             | 14             | 0.06  | 14.55          | 354.29  | 19413 | Southside Police Department    |
| 15   | Madison  | Rural Madison | S-53  | 324    | 334    | 21            | 0             | 14             | 0.08  | 15.71          | 248.22  | 13601 | Alabama DPS- Huntsville Post   |
| 16   | Marshall | Boaz          | S-168 | 3.2    | 13.2   | 21            | 0             | 11             | 0.2   | 12.38          | 103.13  | 5651  | Boaz Police Department         |
| 17   | Madison  | Huntsville    | I-565 | 9.5    | 19.5   | 20            | 2             | 13             | 0.01  | 20             | 1368.53 | 74988 | Huntsville Police Department   |

## Top 18 Intersections in the North East Region with 4 or More Restraint Deficient

| Rank | County   | City         | Total Crashes | Fatal Crashes | Injury Crashes | PDO Crashes | Severity Index | People Killed | People Injured | Link  | Node 1 | Location                                  | Agency ORI                     |
|------|----------|--------------|---------------|---------------|----------------|-------------|----------------|---------------|----------------|-------|--------|---|--------------------------------|
| 1    | Etowah   | Gadsden      | 5             | 1             | 1              | 3           | 12             | 1             | 3              | S-1   | 2317   | ALA 1 US 431 ALA 74 at 3RD ST 6102        | Gadsden Police Department      |
| 2    | Jackson  | Scottsboro   | 5             | 0             | 2              | 3           | 8              | 0             | 2              | S-2   | 1274   | NO DESCRIPTION AVAILABLE                  | Scottsboro Police Department   |
| 3    | Madison  | Huntsville   | 5             | 0             | 1              | 4           | 4              | 0             | 1              | I-565 | 2157   | DECATUR HWY SR-20 at RIDEOUT RD           | Huntsville Police Department   |
| 4    | Madison  | Huntsville   | 5             | 0             | 2              | 3           | 8              | 0             | 3              | 1016  | 2446   | OLD MADISON PIKE at RIDE OUT RD           | Huntsville Police Department   |
| 5    | Madison  | Huntsville   | 5             | 0             | 4              | 1           | 14             | 0             | 7              | S-53  | 1614   | BYRD SPRINGS RD at MEMORIAL PKWY S        | Huntsville Police Department   |
| 6    | Madison  | Huntsville   | 5             | 0             | 2              | 3           | 4              | 0             | 2              | S-53  | 2356   | JORDAN LN SR-53 at UNIVERSITY DR          | Huntsville Police Department   |
| 7    | Marshall | Albertville  | 5             | 0             | 1              | 4           | 4              | 0             | 2              | S-1   | 358    | NO DESCRIPTION AVAILABLE                  | Albertville Police Department  |
| 8    | Etowah   | Rural Etowah | 4             | 0             | 2              | 2           | 10             | 0             | 4              | S-1   | 8196   | NO DESCRIPTION AVAILABLE                  | Alabama DPS - Gadsden Post     |
| 9    | Etowah   | Rural Etowah | 4             | 0             | 4              | 0           | 27.5           | 0             | 14             | S-1   | 7409   | NO DESCRIPTION AVAILABLE                  | Alabama DPS - Gadsden Post     |
| 10   | Jackson  | Scottsboro   | 4             | 0             | 1              | 3           | 2.5            | 0             | 3              | S-35  | 642    | NO DESCRIPTION AVAILABLE                  | Scottsboro Police Department   |
| 11   | Madison  | Huntsville   | 4             | 0             | 2              | 2           | 7.5            | 0             | 2              | S-1   | 897    | MEMORIAL PKWY N at SPARKMAN DR AT US 72 E | Huntsville Police Department   |
| 12   | Madison  | Huntsville   | 4             | 0             | 1              | 3           | 7.5            | 0             | 4              | S-53  | 4462   | GREEN COVE RD S.E at MEMORIAL PKWY S      | Huntsville Police Department   |
| 13   | Madison  | Madison      | 4             | 0             | 3              | 1           | 17.5           | 0             | 5              | 1005  | 539    | NO DESCRIPTION AVAILABLE                  | Madison Police Department      |
| 14   | Madison  | Madison      | 4             | 0             | 1              | 3           | 5              | 0             | 2              | 1005  | 200    | NO DESCRIPTION AVAILABLE                  | Madison Police Department      |
| 15   | Madison  | Huntsville   | 4             | 0             | 2              | 2           | 10             | 0             | 3              | S-1   | 619    | MASTIN LAKE RD at MEMORIAL PKWY N         | Huntsville Police Department   |
| 16   | Madison  | Huntsville   | 4             | 0             | 0              | 4           | 0              | 0             | 2              | 7219  | 2065   | DRAKE AVE at TRIANA BLVD                  | Huntsville Police Department   |
| 17   | Marshall | Guntersville | 4             | 0             | 2              | 2           | 12.5           | 0             | 5              | S-1   | 9496   | NO DESCRIPTION AVAILABLE                  | Guntersville Police Department |
| 18   | Marshall | Guntersville | 4             | 0             | 3              | 1           | 12.5           | 0             | 5              | S-1   | 177    | NO DESCRIPTION AVAILABLE                  | Guntersville Police Department |

## Top 4 Segments in the North East Region with 4 or More Restraint Deficient Crashes

| Rank | County  | City          | Total Crashes | Fatal Crashes | Injury Crashes | PDO Crashes | Severity Index | People Killed | People Injured | Link  | Node 1 | Node 2 | Location  | Agency ORI                    |
|------|---------|---------------|---------------|---------------|----------------|-------------|----------------|---------------|----------------|-------|--------|--------|---|-------------------------------|
| 1    | Etowah  | Rural Etowah  | 5             | 0             | 5              | 0           | 30             | 0             | 8              | S-74  | 7206   | 7393   | NO DESCRIPTION AVAILABLE  | Alabama DPS – Gadsden Post    |
| 2    | Etowah  | Rural Etowah  | 4             | 0             | 2              | 2           | 15             | 0             | 3              | S-179 | 7169   | 7172   | NO DESCRIPTION AVAILABLE  | Alabama DPS – Gadsden Post    |
| 3    | Jackson | Rural Jackson | 4             | 0             | 3              | 1           | 15             | 0             | 4              | 1034  | 7130   | 7165   | NO DESCRIPTION AVAILABLE  | Scottsboro Police Department  |
| 4    | Madison | Rural Madison | 4             | 0             | 2              | 2           | 12.5           | 0             | 3              | 1154  | 7313   | 7311   | WEST LIMESTONE RD at BOBO RD and LOVELESS RD at WEST LIMESTONE RD | Alabama DPS – Huntsville Post |

## Top 10 Mileposted Locations (10 miles in Length) in the North East Region with 4 or More Child Restraint Deficient Crashes

| Rank | County   | City        | Route | Beg MP | End MP | Total Crashes | Fatal Crashes | Injury Crashes | C/MVM | Severity Index | MVM    | ADT   | Agency ORI                    |
|------|----------|-------------|-------|--------|--------|---------------|---------------|----------------|-------|----------------|--------|-------|-------------------------------|
| 1    | Etowah   | Gadsden     | S-1   | 258    | 268    | 6             | 0             | 1              | 0.03  | 1.67           | 214.16 | 24279 | Gadsden Police Department     |
| 2    | Etowah   | Gadsden     | S-25  | 212    | 222    | 6             | 0             | 0              | 0.03  | 0              | 199.47 | 22613 | Gadsden Police Department     |
| 3    | Madison  | Huntsville  | S-1   | 330.9  | 340.9  | 6             | 0             | 1              | 0.01  | 1.67           | 445.75 | 50534 | Huntsville Police Department  |
| 4    | Madison  | Huntsville  | S-2   | 82     | 92     | 6             | 0             | 0              | 0.02  | 0              | 261.78 | 29677 | Huntsville Police Department  |
| 5    | Madison  | Huntsville  | I-565 | 3      | 13     | 5             | 0             | 1              | 0.01  | 2              | 474.36 | 53777 | Huntsville Police Department  |
| 6    | Madison  | Huntsville  | I-565 | 13     | 22     | 5             | 0             | 1              | 0.01  | 2              | 606.43 | 76389 | Huntsville Police Department  |
| 7    | Marshall | Albertville | S-1   | 286.4  | 296.4  | 5             | 0             | 1              | 0.02  | 2              | 250.06 | 28349 | Albertville Police Department |
| 8    | Etowah   | Southside   | S-77  | 101    | 111    | 4             | 0             | 1              | 0.03  | 5              | 156.02 | 17688 | Southside Police Department   |
| 9    | Marshall | Boaz        | S-1   | 272    | 282    | 4             | 0             | 1              | 0.02  | 7.5            | 165.31 | 18741 | Boaz Police Department        |
| 10   | Marshall | Arab        | S-69  | 266.2  | 276.2  | 4             | 0             | 2              | 0.04  | 10             | 96.39  | 10928 | Arab Police Department        |


## Top 11 Intersections in the North East Region with 2 or More Child Restraint Deficient Crashes

| Rank | County   | City           | Total Crashes | Fatal Crashes | Injury Crashes | PDO Crashes | Severity Index | People Killed | People Injured | Link | Node 1 | Location                           | Agency ORI                    |
|------|----------|----------------|---------------|---------------|----------------|-------------|----------------|---------------|----------------|------|--------|------------------------------------|-------------------------------|
| 1    | Madison  | Huntsville     | 3             | 0             | 1              | 2           | 3.33           | 0             | 2              | S-1  | 209    | MAIN DR N.E at CAMPUS RD           | Huntsville Police Department  |
| 2    | Etowah   | Gadsden        | 2             | 0             | 0              | 2           | 0              | 0             | 0              | S-1  | 2317   | ALA 1 US 431 ALA 74 at 3RD ST 6102 | Gadsden Police Department     |
| 3    | Etowah   | Gadsden        | 2             | 0             | 0              | 2           | 0              | 0             | 0              | S-25 | 270    | ALA 25 US 411 at JCT I759          | Gadsden Police Department     |
| 4    | Etowah   | Gadsden        | 2             | 0             | 1              | 1           | 5              | 0             | 1              | 5936 | 4118   | NO DESCRIPTION AVAILABLE           | Gadsden Police Department     |
| 5    | Madison  | Huntsville     | 2             | 0             | 2              | 0           | 15             | 0             | 2              | 6211 | 5697   | BLUE SPRINGS RD at SPARKMAN DR     | Huntsville Police Department  |
| 6    | Madison  | Huntsville     | 2             | 0             | 0              | 2           | 0              | 0             | 0              | 6017 | 2605   | HOLMES AVE at SPARKMAN DR S JCT    | Huntsville Police Department  |
| 7    | Madison  | Huntsville     | 2             | 0             | 0              | 2           | 0              | 0             | 0              | S-1  | 619    | MASTIN LAKE RD at MEMORIAL PKWY N  | Huntsville Police Department  |
| 8    | Madison  | Huntsville     | 2             | 0             | 1              | 1           | 5              | 0             | 1              | 7608 | 41240  | NO DESCRIPTION AVAILABLE           | Huntsville Police Department  |
| 9    | Madison  | Huntsville     | 2             | 0             | 0              | 2           | 0              | 0             | 0              | 1028 | 2161   | PULASKI PIKE at UNIVERSITY DR      | Huntsville Police Department  |
| 10   | Marshall | Albertville    | 2             | 0             | 1              | 1           | 5              | 0             | 2              | S-75 | 663    | NO DESCRIPTION AVAILABLE           | Albertville Police Department |
| 11   | Marshall | Rural Marshall | 2             | 0             | 1              | 1           | 15             | 0             | 1              | S-69 | 7834   | NO DESCRIPTION AVAILABLE           | Alabama DPS - Huntsville Post |

## Top 1 Segment in the North East Region with 2 or More Child Restraint Deficient

| Rank | County  | City       | Total Crashes | Fatal Crashes | Injury Crashes | PDO Crashes | Severity Index | People Killed | People Injured | Link | Node 1 | Node 2 | Location  | Agency ORI                   |
|------|---------|------------|---------------|---------------|----------------|-------------|----------------|---------------|----------------|------|--------|--------|---|------------------------------|
| 1    | Madison | Huntsville | 2             | 0             | 1              | 1           | 5              | 0             | 1              | S-53 | 110    | 2796   | GOVERNORS DR SR-53 at MEMORIAL PKWY and BOB WAL-LACE AVE at MEMORIAL PKWY | Huntsville Police Department |

### South East Region: Restraint Deficient and Child Restraint Deficient Hotspots



## Top 2 Mileposted Locations (10 Miles in Length) in the South East Region with 20 or More Restraint Deficient Crashes

| Rank | County  | City          | Route | Beg MP | End MP | Total Crashes | Fatal Crashes | Injury Crashes | PDO Crashes | C/MVM | Severity Index | MVM    | ADT   | Agency ORI               |
|------|---------|---------------|-------|--------|--------|---------------|---------------|----------------|-------------|-------|----------------|--------|-------|--------------------------|
| 1    | Houston | Rural Houston | S-1   | 0.1    | 10.1   | 20            | 0             | 16             | 4           | 0.07  | 21             | 284.06 | 15565 | Alabama DPS- Dothan Post |
| 2    | Houston | Dothan        | S-53  | 22.5   | 32.5   | 20            | 2             | 5              | 13          | 0.05  | 10.5           | 422.98 | 23177 | Dothan Police Department |

## Top 3 Intersections in the South East Region with 4 or More Restraint Deficient Crashes

| Rank | County  | City       | Total Crashes | Fatal Crashes | Injury Crashes | PDO Crashes | Severity Index | People Killed | People Injured | Link  | Node 1 | Node 2 | Location   | Agency ORI                   |
|------|---------|------------|---------------|---------------|----------------|-------------|----------------|---------------|----------------|-------|--------|--------|--|------------------------------|
| 1    | Houston | Dothan     | 5             | 0             | 2              | 3           | 8              | 0             | 5              | S-53  | 2230   | 0      | MONTGOMERY HWY US 231 at WESTGATE PKWY           | Dothan Police Department     |
| 2    | Coffee  | Enterprise | 4             | 0             | 2              | 2           | 5              | 0             | 2              | S-12  | 384    | 0      | NO DESCRIPTION AVAILABLE                         | Enterprise Police Department |
| 3    | Houston | Dothan     | 4             | 0             | 2              | 2           | 10             | 0             | 5              | S-210 | 1256   | 0      | ENTERPRISE HWY US 84 at SR 210 ROSS CLARK CIRCLE | Dothan Police Department     |

## Top 4 Segments in the South East Region with 4 or More Restraint Deficient Crashes

| Rank | County  | City         | Total Crashes | Fatal Crashes | Injury Crashes | PDO Crashes | Severity Index | People Killed | People Injured | Link  | Node 1 | Node 2 | Location                                    | Agency ORI                   |
|------|---------|--------------|---------------|---------------|----------------|-------------|----------------|---------------|----------------|-------|--------|--------|---|------------------------------|
| 1    | Butler  | Rural Butler | 6             | 0             | 5              | 1           | 20             | 0             | 10             | I-65  | 7108   | 7113   | NO DESCRIPTION AVAILABLE                    | Alabama DPS – Evergreen Post |
| 2    | Butler  | Rural Butler | 5             | 0             | 4              | 1           | 18             | 0             | 5              | I-65  | 7470   | 7475   | NO DESCRIPTION AVAILABLE                    | Alabama DPS – Evergreen Post |
| 3    | Butler  | Rural Butler | 5             | 0             | 3              | 2           | 14             | 0             | 3              | I-65  | 7163   | 7342   | NO DESCRIPTION AVAILABLE                    | Alabama DPS – Evergreen Post |
| 4    | Houston | Dothan       | 4             | 0             | 1              | 3           | 5              | 0             | 3              | S-210 | 1256   | 1271   | ENTERPRISE HWY at ROSS CLARK CIRCLE KENT DR | Dothan Police Department     |

## Top 8 Mileposted Locations (10 miles in Length) in the South East Region with 4 or More Child Restraint Deficient Crashes

| Rank | County  | City       | Route | Beg MP | End MP | Total Crashes | Fatal Crashes | Injury Crashes | PDO Crashes | C/MVM | Severity Index | MVM    | ADT   | Agency ORI                   |
|------|---------|------------|-------|--------|--------|---------------|---------------|----------------|-------------|-------|----------------|--------|-------|------------------------------|
| 1    | Houston | Dothan     | S-210 | 1.8    | 11.8   | 8             | 0             | 0              | 8           | 0.03  | 0              | 239.03 | 27098 | Dothan Police Department     |
| 2    | Coffee  | Enterprise | S-248 | 0.1    | 7      | 6             | 0             | 0              | 8           | 0.08  | 0              | 79.82  | 13115 | Enterprise Police Department |
| 3    | Houston | Dothan     | S-12  | 207.6  | 217.6  | 6             | 0             | 1              | 5           | 0.04  | 1.67           | 159.69 | 18104 | Dothan Police Department     |
| 4    | Coffee  | Enterprise | S-12  | 179    | 189    | 4             | 0             | 4              | 0           | 0.02  | 17.5           | 171.84 | 19481 | Enterprise Police Department |
| 5    | Dale    | Ozark      | S-249 | 2.7    | 6      | 4             | 0             | 1              | 3           | 0.14  | 2.5            | 27.92  | 9591  | Ozark Police Department      |
| 6    | Houston | Dothan     | S-53  | 15.5   | 25.5   | 4             | 0             | 1              | 3           | 0.03  | 2.5            | 127.44 | 14448 | Dothan Police Department     |
| 7    | Pike    | Troy       | S-10  | 170.4  | 180.4  | 4             | 0             | 0              | 8           | 0.03  | 0              | 148.92 | 16883 | Troy Police Department       |
| 8    | Barbour | Eufaula    | S-1   | 64     | 74     | 4             | 0             | 1              | 3           | 0.02  | 2.5            | 168.9  | 19148 | Eufaula Police Department    |

## Top 1 Intersection in the South East Region with 2 or More Child Restraint Deficient Crashes


| Rank | County | City  | Total Crashes | Fatal Crashes | Injury Crashes | PDO Crashes | Severity Index | People Killed | People Injured | Link  | Node 1 | Location                 | Agency ORI              |
|------|--------|-------|---------------|---------------|----------------|-------------|----------------|---------------|----------------|-------|--------|--------------------------|-------------------------|
| 1    | Dale   | Ozark | 2             | 0             | 1              | 1           | 5              | 0             | 1              | S-249 | 332    | NO DESCRIPTION AVAILABLE | Ozark Police Department |

## Top 4 Segments in the South East Region with 2 or More Child Restraint Deficient Crashes

| Rank | County  | City         | Total Crashes | Fatal Crashes | Injury Crashes | PDO Crashes | Severity Index | Link  | Node 1 | Node 2 | Location  | Agency ORI                   |
|------|---------|--------------|---------------|---------------|----------------|-------------|----------------|-------|--------|--------|---|------------------------------|
| 1    | Butler  | Rural Butler | 2             | 0             | 0              | 2           | 0              | I-65  | 7680   | 7163   | NO DESCRIPTION AVAILABLE                            | Alabama DPS - Evergreen Post |
| 2    | Houston | Dothan       | 2             | 0             | 0              | 2           | 0              | S-1   | 75     | 78     | CAMPBELLTON HWY at SOUTHGATE RD and INEZ RD         | Dothan Police Department     |
| 3    | Houston | Dothan       | 2             | 0             | 0              | 2           | 0              | S-210 | 1957   | 1972   | CHARLTON DR at ROSS CLARK CIRCLE and CHEROKEE AVE N | Dothan Police Department     |
| 4    | Houston | Dothan       | 2             | 0             | 0              | 2           | 0              | S-210 | 841    | 1173   | MAIN ST E at ROSS CLARK CIRCLE and KELLEY RD        | Dothan Police Department     |



### South West Region: Restraint Deficient and Child Restraint Deficient Hotspots



## Top 1 Mileposted Location (10 Miles in Length) in the South West Region with 20 or More Restraint Deficient Crashes

| Rank | County | City         | Route | Beg MP | End MP | Total Crashes | Fatal Crashes | Injury Crashes | PDO Crashes | C/MVM | Severity Index | MVM    | ADT   | Agency ORI              |
|------|--------|--------------|-------|--------|--------|---------------|---------------|----------------|-------------|-------|----------------|--------|-------|-------------------------|
| 1    | Dallas | Rural Dallas | S-8   | 78.9   | 88.9   | 22            | 4             | 8              | 10          | 0.08  | 16.36          | 288.95 | 15833 | Alabama DPS- Selma Post |

## Top 0 Intersection in the South West Region with 4 or More Restraint Deficient Crashes

No Reported Locations

## Top 2 Segments in the South West Region with 4 or More Restraint Deficient Crashes

| Rank | County  | City          | Total Crash-es | Fatal Crash-es | Injury Crash-es | PDO Crash-es | Severity Index | People Killed | People Injured | Link | Node 1 | Node 2 | Location                 | Agency ORI                   |
|------|---------|---------------|----------------|----------------|-----------------|--------------|----------------|---------------|----------------|------|--------|--------|--------------------------|------------------------------|
| 1    | Conecuh | Rural Conecuh | 5              | 1              | 3               | 1            | 20             | 1             | 10             | I-65 | 7606   | 7620   | NO DESCRIPTION AVAILABLE | Alabama DPS - Evergreen Post |
| 2    | Conecuh | Rural Conecuh | 4              | 1              | 1               | 2            | 17.5           | 1             | 3              | I-65 | 7295   | 7329   | NO DESCRIPTION AVAILABLE | Alabama DPS - Evergreen Post |

## Top 0 Mileposted Locations (10 miles in Length) in the South West Region with 4 or More Child Restraint Deficient Crashes

No Reported Locations


## Top 1 Intersection in the South West Region with 2 or More Child Restraint Deficient Crashes

| Rank | County | City  | Total Crashes | Fatal Crashes | Injury Crashes | PDO Crashes | Severity Index | People Killed | People Injured | Link | Node 1 | Link | Location                 | Agency ORI              |
|------|--------|-------|---------------|---------------|----------------|-------------|----------------|---------------|----------------|------|--------|------|--------------------------|-------------------------|
| 1    | Dallas | Selma | 2             | 0             | 1              | 1           | 15             | 0             | 1              | S-14 | 168    | S-14 | NO DESCRIPTION AVAILABLE | Selma Police Department |

## Top 0 Segments in the South West Region with 2 or More Child Restraint Deficient Crashes

No Reported Locations

## West Region: Restraint Deficient and Child Restraint Deficient Hotspots



## Top 5 Mileposted Locations (10 Miles in Length) in the West Region with 20 or More Restraint Deficient Crashes

| Rank | County     | City             | Route | Beg MP | End MP | Total Crashes | Fatal Crashes | Injury Crashes | PDO Crashes | C/MVM | Severity Index | MVM    | ADT   | Agency ORI                   |
|------|------------|------------------|-------|--------|--------|---------------|---------------|----------------|-------------|-------|----------------|--------|-------|------------------------------|
| 1    | Tuscaloosa | Tuscaloosa       | S-215 | 1      | 11     | 44            | 0             | 21             | 23          | 0.15  | 8.86           | 299.5  | 16411 | Tuscaloosa Police Department |
| 2    | Tuscaloosa | Rural Tuscaloosa | I-59  | 75.1   | 85.1   | 26            | 0             | 9              | 17          | 0.03  | 7.69           | 877.35 | 48074 | Alabama DPS- Tuscaloosa Post |
| 3    | Tuscaloosa | Rural Tuscaloosa | I-59  | 64.2   | 74.2   | 25            | 4             | 13             | 8           | 0.04  | 20.4           | 641.89 | 35172 | Alabama DPS- Tuscaloosa Post |
| 4    | Tuscaloosa | Tuscaloosa       | S-6   | 46     | 56     | 22            | 2             | 9              | 11          | 0.04  | 12.27          | 618.95 | 33915 | Tuscaloosa Police Department |
| 5    | Tuscaloosa | Rural Tuscaloosa | S-69  | 139.5  | 149.5  | 20            | 0             | 9              | 11          | 0.03  | 10.5           | 574.86 | 31499 | Alabama DPS- Tuscaloosa Post |

## Top 7 Intersections in the West Region with 4 or More Restraint Deficient Crashes

| Rank | County     | City       | Total Crashes | Fatal Crashes | Injury Crashes | PDO Crashes | Severity Index | People Killed | People Injured | Link  | Node 1 | Location                                     | Agency ORI                              |
|------|------------|------------|---------------|---------------|----------------|-------------|----------------|---------------|----------------|-------|--------|--|---|
| 1    | Tuscaloosa | Tuscaloosa | 6             | 0             | 2              | 4           | 8.33           | 0             | 7              | S-6   | 65     | 37TH ST 5970 at ALA 6 & MCFARLAND BLVD       | Tuscaloosa Police Department            |
| 2    | Sumter     | Livingston | 5             | 0             | 4              | 1           | 18             | 0             | 16             | S-7   | 5007   | NO DESCRIPTION AVAILABLE                     | Livingston Police Department            |
| 3    | Tuscaloosa | Northport  | 5             | 0             | 2              | 3           | 6              | 0             | 4              | S-6   | 391    | AL 13 US 43 at AL 6 / MCFARLAND BLVD         | Northport Police Department             |
| 4    | Tuscaloosa | Tuscaloosa | 5             | 0             | 1              | 4           | 6              | 0             | 1              | S-6   | 195    | ALA 215 & UNIVERSITY BLVD at BRIDGE ON ALA 6 | Tuscaloosa Police Department            |
| 5    | Tuscaloosa | Tuscaloosa | 5             | 0             | 3              | 2           | 10             | 0             | 5              | S-69  | 12172  | NO DESCRIPTION AVAILABLE                     | Tuscaloosa Police Department            |
| 6    | Tuscaloosa | Tuscaloosa | 4             | 0             | 1              | 3           | 5              | 0             | 1              | S-215 | 188    | 2ND AVE 5724 at ALA 215 & UNIVERSITY BLVD    | University of Alabama Police Department |
| 7    | Tuscaloosa | Tuscaloosa | 4             | 0             | 2              | 2           | 7.5            | 0             | 4              | 6299  | 290    | 10TH AVE 5704 at 15TH ST                     | Tuscaloosa Police Department            |

## Top 5 Segments in the West Region with 4 or More Restraint Deficient Crashes

| Rank | County     | City             | Total Crashes | Fatal Crashes | Injury Crashes | PDO Crashes | Severity Index | People Killed | People Injured | Link | Node 1 | Node 2 | Location                 | Agency ORI                    |
|------|------------|------------------|---------------|---------------|----------------|-------------|----------------|---------------|----------------|------|--------|--------|--------------------------|-------------------------------|
| 1    | Tuscaloosa | Rural Tuscaloosa | 6             | 0             | 1              | 5           | 5              | 0             | 1              | I-59 | 82     | 8842   | NO DESCRIPTION AVAILABLE | Alabama DPS – Tuscaloosa Post |
| 2    | Tuscaloosa | Rural Tuscaloosa | 5             | 0             | 1              | 4           | 4              | 0             | 2              | I-59 | 7646   | 8845   | NO DESCRIPTION AVAILABLE | Alabama DPS – Tuscaloosa Post |
| 3    | Hale       | Rural Hale       | 4             | 0             | 1              | 3           | 5              | 0             | 2              | S-25 | 158    | 7449   | NO DESCRIPTION AVAILABLE | Alabama DPS – Selma Post      |
| 4    | Tuscaloosa | Rural Tuscaloosa | 4             | 2             | 1              | 1           | 30             | 3             | 11             | I-59 | 9525   | 9140   | NO DESCRIPTION AVAILABLE | Alabama DPS – Tuscaloosa Post |
| 5    | Tuscaloosa | Rural Tuscaloosa | 4             | 1             | 2              | 1           | 22.5           | 1             | 3              | I-59 | 11935  | 7712   | NO DESCRIPTION AVAILABLE | Alabama DPS – Tuscaloosa Post |

## Top 4 Mileposted Locations (10 miles in Length) in the West Region with 4 or More Child Restraint Deficient Crashes

| Rank | County     | City             | Route | Beg MP | End MP | Total Crashes | Fatal Crashes | Injury Crashes | PDO Crashes | C/MVM | Severity Index | MVM    | ADT   | Agency ORI                    |
|------|------------|------------------|-------|--------|--------|---------------|---------------|----------------|-------------|-------|----------------|--------|-------|-------------------------------|
| 1    | Tuscaloosa | Rural Tuscaloosa | I-59  | 72.6   | 82.6   | 7             | 0             | 1              | 6           | 0.02  | 4.29           | 427.72 | 48490 | Alabama DPS - Tuscaloosa Post |
| 2    | Tuscaloosa | Tuscaloosa       | S-215 | 2.4    | 12.4   | 7             | 0             | 0              | 7           | 0.05  | 0              | 151.76 | 17205 | Tuscaloosa Police Department  |
| 3    | Tuscaloosa | Northport        | S-13  | 194.5  | 204.5  | 7             | 0             | 3              | 4           | 0.03  | 5.71           | 249.89 | 28330 | Northport Police Department   |
| 4    | Tuscaloosa | Tuscaloosa       | S-6   | 43.9   | 53.9   | 6             | 0             | 0              | 6           | 0.02  | 0              | 343.71 | 38966 | Tuscaloosa Police Department  |

## Top 8 Intersections in the West Region with 2 or More Child Restraint Deficient Crashes

| Rank | County     | City       | Total Crashes | Fatal Crashes | Injury Crashes | PDO Crashes | Severity Index | People Killed | People Injured | Link | Node 1 | Location                               | Agency ORI                   |
|------|------------|------------|---------------|---------------|----------------|-------------|----------------|---------------|----------------|------|--------|--|------------------------------|
| 1    | Tuscaloosa | Tuscaloosa | 3             | 0             | 0              | 3           | 0              | 0             | 0              | S-69 | 12172  | NO DESCRIPTION AVAILABLE               | Tuscaloosa Police Department |
| 2    | Tuscaloosa | Tuscaloosa | 2             | 0             | 0              | 2           | 0              | 0             | 0              | 6299 | 271    | 15TH ST 5168 at 7TH AVE E              | Tuscaloosa Police Department |
| 3    | Tuscaloosa | Tuscaloosa | 2             | 0             | 0              | 2           | 0              | 0             | 0              | S-6  | 65     | 37TH ST 5970 at ALA 6 & MCFARLAND BLVD | Tuscaloosa Police Department |
| 4    | Tuscaloosa | Tuscaloosa | 2             | 0             | 0              | 2           | 0              | 0             | 0              | S-6  | 533    | ALA 6 & MCFARLAND BLVD at HARGROVE RD  | Tuscaloosa Police Department |
| 5    | Tuscaloosa | Tuscaloosa | 2             | 0             | 1              | 1           | 5              | 0             | 0              | S-6  | 591    | MC FARLAND BLVD at RICE MINE RD 1365   | Tuscaloosa Police Department |
| 6    | Tuscaloosa | Tuscaloosa | 2             | 0             | 0              | 2           | 0              | 0             | 0              | S-7  | 82     | ALA 7 SKYLAND BLVD at I20 & I59        | Tuscaloosa Police Department |
| 7    | Tuscaloosa | Northport  | 2             | 0             | 0              | 2           | 0              | 0             | 0              | 7467 | 12594  | NO DESCRIPTION AVAILABLE               | Northport Police Department  |
| 8    | Tuscaloosa | Tuscaloosa | 2             | 0             | 1              | 1           | 10             | 0             | 1              | S-7  | 89     | NO DESCRIPTION AVAILABLE               | Tuscaloosa Police Department |

## Top 0 Segments in the West Region with 2 or More Child Restraint Deficient Crashes

No Reported Locations

## **ATTACHMENT B – RESTRAINT ISSUES DETAILED PROBLEM IDENTIFICATION**



## **Introduction**


This problem identification study was conducted in order to develop countermeasures for crashes involving causal drivers who do not use restraints. This study contains detailed data analysis performed using data that is consistent with that used in the FY 2014 HSP, calendar years 2010-2012. CARE IMPACT displays are included that were used to generate the information. The comparisons made were between those crashes in which the causal drivers were not restrained (generally represented by the red bars in the charts) and those which were reported to be restrained (generally represented by the blue bars in the charts). The use of proper restraints by causal drivers is seen to be an excellent proxy for their use by all passengers in the vehicle.

The results of the comparisons given in the following sections typically do not change by more than 1% from year to year. Thus, it was concluded that no updates of the following were justified for FY 2015.

## Geographical Factors


Geographical factors were analyzed in order to determine which areas are over-represented for crashes involving drivers who did not use restraints. In order to determine these problem areas, geographical factors were analyzed in the following categories: county, city, rural versus urban, highway classification, and locale.

### County




The counties with the greatest overrepresentation factors for crashes in which the driver failed to use restraints include Monroe, Choctaw, Wilcox and Lamar.

## City




Overrepresented cities and county rural areas listed in the order of maximum gain are: rural Walker, rural Mobile, rural Cullman, and rural Madison. Almost all of the over representation occurs in the rural county areas. The most under represented cities in order of “best” first are as follows: Montgomery, Birmingham, Mobile, and Tuscaloosa.

## Rural/Urban




As expected from the city results above, the number of crashes involving drivers who use no restraints is greatly overrepresented in rural areas. The increased number of crashes in which restraints were used in urban areas might be attributed to greater police presence, newer vehicles, public information and education efforts, and the demographics of urban drivers in general.

## Highway Classification



Crash incidents in which no restraints were used are greatly overrepresented on county highways with nearly 2.5 times the expected number of crashes. These crashes were only slightly overrepresented on private property, where restraints are not mandated. The proportion of crashes in which restraints were used is greater in state, interstate, federal, and municipal highway areas.

## Locale




These crash incidents involving no restraints are overrepresented in open country areas. However, school and shopping areas are significantly under-represented, indicating that crashes in these areas generally involve drivers who used restraints.

## Time Factors


Time factors were also analyzed in several different categories to determine over-representation for day of the week and time of day. Analysis of these time factors allows for the determination of particular days of week or times of day in which more crashes occur with drivers who did not use restraints.

### Day of the Week



The weekend is overrepresented for crashes involving causal drivers who failed to use restraints, demonstrating a heavy correlation with alcohol involved crashes. Sunday has 1.5 times the expected number of crashes, and Saturday has 1.5 times the expected number of crashes involving causal drivers who failed to use restraints.

## Time of Day




The relative probability of crashes involving no restraints is generally greater before and after standard work and rush hours. Over representation peaks during the 12 PM to 5 AM period and then tapers off, falling back below crashes involving causal drivers who use restraints in the 7 AM to 8 AM time period. This chart has a very strong resemblance to its DUI counterpart.



# Crash Causal Factors

Analysis of crash causal factors determines which factors are the most likely contributors to crashes in which drivers did not use restraints. The primary contributing circumstances of the crashes were analyzed, and over-representation values indicate certain risk-taking behaviors associated with this type of crash. Vehicle model year and speed at impact were also evaluated to characterize factors that are consistently associated with crashes in which drivers do not use restraints.


## Primary Contributing Circumstance



Over representation factors indicate that certain risk-taking behaviors are often associated with the crashes in which drivers do not use restraints. In order of maximum potential expected gain (Max Gain), these include: DUI, over the speed limit, running off the road, aggressive operation, and fatigue or sleep. It is obvious that the presence of seat belts will not have a large impact on the causation of these crashes, although the increased ability to maintain control in adverse situations should not be minimized as a benefit of restraints. However, the correlation here would be the result of risk acceptance in general, and the inability of those who are impaired to consider the life-saving benefits of restraint use. Additionally, analysis of other contributing circumstanc-


es presented similar risk-taking behaviors associated with crashes in which causal drivers did not use restraints. In order of maximum gain, these include: DUI, over the speed limit, running off the road, aggressive operation, and over correction. Other overrepresented contributing circumstances include traveling the wrong way, vehicle left in road, running stop signs, driver condition, improper parking, and wrong side of the road.

## Vehicle Age – Model Year



Crashes attributed to drivers who used no restraints are greatly overrepresented in vehicles with model years 1960-1989. This might be attributed to the lack of standard safety restraints in these older model vehicles. Vehicles with model years 2000-2012 indicate that the numbers involving restraints very significantly surpasses those involving drivers who did not use restraints. One factor that would increase the rural problem could well be the economic disadvantages of those in the rural areas, and thus their use of older vehicles.

## Speed at Impact




Speed at impact for crashes in which drivers failed to use restraints is overrepresented in the range of 46-100 MPH. This indicates that crashes in which restraints were not used consistently occur at higher speeds than crashes in which restraints were used by the causal driver. This confirms the rural-urban finding, in that speeds are generally higher in the rural areas. It also exacerbates the problem, resulting in greater severity caused by the high-speed, unrestrained situations. Severity factors are considered below.

## Severity Factors

Severity factors were analyzed in several different categories to determine to what extent the use of restraints affects the safety of the drivers. These factors analyzed include crash severity, crash severity in urban versus rural areas, number injured, number killed, driver ejection status, and driver injury type.

## Crash Severity



Fatal, incapacitating, and non-incapacitating injuries are all overrepresented in crashes that occurred without the use of restraints. This expected result quantifies the effects of the benefits of restraint use. Property damage only was far more common in crashes in which drivers did employ the use of restraints.

## Crash Severity Urban vs. Rural

CARE 9.2.0.13 - [Crosstab - 2008-2012 Alabama Integrated Crash Data - C024: Crash Severity vs. C011: Highway Classifications - Filter ...]

File Filters Analysis Search Continuous Crosstab Tools Help

Default Data Source: 2008-2012 Alabama Integrated Crash Data Default Filter: 2010-2012 Restraints Not Used Filter Logic: (C323: CU D)


Select Cells: [ ] Suppress Zero Values: None Column: C024: Crash Severity ; Row: C011: Highway Classifications

|                  | Fatal Injury  | Incapacitating Injury | Non-Incapacitating Inju | Possible Injury | Property Damage Only | Unknown       | TOTAL            |
|------------------|---------------|-----------------------|-------------------------|-----------------|----------------------|---------------|------------------|
| Interstate       | 78<br>8.18%   | 210<br>6.34%          | 165<br>5.15%            | 73<br>7.13%     | 353<br>6.09%         | 11<br>4.10%   | 890<br>6.12%     |
| Federal          | 157<br>16.46% | 457<br>13.80%         | 449<br>14.01%           | 167<br>16.31%   | 723<br>12.48%        | 34<br>12.69%  | 1987<br>13.65%   |
| State            | 222<br>23.27% | 636<br>19.21%         | 564<br>17.60%           | 194<br>18.95%   | 1003<br>17.32%       | 56<br>20.90%  | 2675<br>18.38%   |
| County           | 399<br>41.82% | 1532<br>46.27%        | 1440<br>44.93%          | 274<br>26.76%   | 1996<br>34.46%       | 60<br>22.39%  | 5701<br>39.17%   |
| Municipal        | 94<br>9.85%   | 449<br>13.56%         | 560<br>17.47%           | 308<br>30.08%   | 1614<br>27.87%       | 103<br>38.43% | 3128<br>21.49%   |
| Private Property | 4<br>0.42%    | 27<br>0.82%           | 27<br>0.84%             | 8<br>0.78%      | 103<br>1.78%         | 4<br>1.49%    | 173<br>1.19%     |
| Other            | 0<br>0.00%    | 0<br>0.00%            | 0<br>0.00%              | 0<br>0.00%      | 0<br>0.00%           | 0<br>0.00%    | 0<br>0.00%       |
| TOTAL            | 954<br>6.55%  | 3311<br>22.75%        | 3205<br>22.02%          | 1024<br>7.04%   | 5792<br>39.80%       | 268<br>1.84%  | 14554<br>100.00% |

Analysis of crash severity by highway classification for crashes in which the causal driver did not use restraints shows that fatal injuries are over-represented on interstate and state roadways. Possible injuries were over-represented on municipal highways.


In a comparison of crash severity in rural versus urban areas for causal drivers who did not use restraints, possible injuries were over-represented in urban areas. However, in rural areas, fatal injuries crashes with causal drivers who did not use restraints were significantly over-represented, comprising 70% of fatal injuries.

## Number Injured (Including Fatalities)




The proportion of injuries (including fatalities) in crashes in which no restraints were used is overrepresented from 1 to 6 injuries per crash. These results show quite plainly that crashes in which the causal driver was not restrained are much more severe in their effects to all passengers than when the causal driver is restrained. The overrepresentation of multiple injuries in the causal vehicle might also indicate a tendency to travel with multiple individuals in the vehicle. This also demonstrates that the use of a seat belt by the driver is an excellent proxy for seat belt use in general in the corresponding vehicle.

## Number Killed



The proportion of fatalities in general as well as the proportion of multiple fatality crashes is dramatically overrepresented when restraints are not used.

## Driver Ejection Status



Ejection status of drivers is overrepresented in crashes in which the driver did not use restraints, indicating the cause for many fatalities. Total ejection is overrepresented by a factor of 341.8. Partial ejection, total ejection, or entrapments in the vehicle are expected in crashes in which safety equipment is not properly utilized.



## Ejection Status by Severity

CARE 9.2.0.13 - [Crosstab - 2008-2012 Alabama Integrated Crash Data - C024: Crash Severity vs. C327: CU Driver Ejection Status - Filter...]

File Filters Analysis Search Continuous Crosstab Tools Help


Default Data Source: 2008-2012 Alabama Integrated Crash Data Default Filter: 2010-2012 Restraints Not Used Filter Logic - (C323: CU D

Select Cells: Suppress Zero Values: None Column: C024: Crash Severity ; Row: C327: CU Driver Ejection Status

|                          | Fatal Injury  | Incapacitating Injury | Non-Incapacitating Inju | Possible Injury | Property Damage Only | Unknown       | TOTAL            |
|--------------------------|---------------|-----------------------|-------------------------|-----------------|----------------------|---------------|------------------|
| Not Ejected or Trapped   | 327<br>34.28% | 2232<br>67.41%        | 2734<br>85.30%          | 945<br>92.29%   | 5584<br>96.41%       | 229<br>85.45% | 12051<br>82.80%  |
| Partially Ejected        | 93<br>9.75%   | 87<br>2.63%           | 46<br>1.44%             | 8<br>0.78%      | 11<br>0.19%          | 4<br>1.49%    | 249<br>1.71%     |
| Totally Ejected          | 302<br>31.66% | 544<br>16.43%         | 210<br>6.55%            | 26<br>2.54%     | 28<br>0.48%          | 5<br>1.87%    | 1115<br>7.66%    |
| Trapped within Vehicle   | 214<br>22.43% | 372<br>11.24%         | 150<br>4.68%            | 16<br>1.56%     | 18<br>0.31%          | 10<br>3.73%   | 780<br>5.36%     |
| Unknown                  | 1<br>0.10%    | 25<br>0.76%           | 16<br>0.50%             | 6<br>0.59%      | 35<br>0.60%          | 9<br>3.36%    | 92<br>0.63%      |
| Not Applicable           | 8<br>0.84%    | 42<br>1.27%           | 35<br>1.09%             | 16<br>1.56%     | 111<br>1.92%         | 8<br>2.99%    | 220<br>1.51%     |
| CU is Not a Vehicle      | 9<br>0.94%    | 9<br>0.27%            | 14<br>0.44%             | 7<br>0.68%      | 5<br>0.09%           | 3<br>1.12%    | 47<br>0.32%      |
| CU is Unknown            | 0<br>0.00%    | 0<br>0.00%            | 0<br>0.00%              | 0<br>0.00%      | 0<br>0.00%           | 0<br>0.00%    | 0<br>0.00%       |
| E CU Driver Not Recorded | 0<br>0.00%    | 0<br>0.00%            | 0<br>0.00%              | 0<br>0.00%      | 0<br>0.00%           | 0<br>0.00%    | 0<br>0.00%       |
| TOTAL                    | 954<br>6.55%  | 3311<br>22.75%        | 3205<br>22.02%          | 1024<br>7.04%   | 5792<br>39.80%       | 268<br>1.84%  | 14554<br>100.00% |

In evaluating crash severity by ejection status, data shows that fatal and incapacitating injuries were significantly over-represented in crashes in which the driver was partially ejected, totally ejected, or trapped within the vehicle. Because the ejection status is strongly associated with the use of restraints, this data indicates that failure to use restraints results in greater severity of injuries in crashes. The table given above quantifies this increase in severity.

## Driver Injury Type




Various types of injuries, including fatalities, are consistently overrepresented in crashes where no restraints were used. Fatalities in these crashes are overrepresented by a factor of 37.63. In crashes in which safety restraints were used, drivers and non-motorists were far less likely to be injured.

## Driver Demographics


The study of driver demographics provides information about which gender or age groups are more likely to be involved in these crashes in which no restraints are used. Determination of over-representation can help to target the gender or age group that is more likely to be involved in this type of crash.

### Driver Age



Analysis of individual driver ages indicates that crashes involving no restraints are overrepresented in the years above the teen-drivers (age range 20-35). While it appears that teen-aged drivers are more likely to use safety equipment (perhaps due to the emphasis on it place during training), there is still a very large proportion that are unrestrained, and this problem is multiplied by their over-representation in crashes in general (see how they are at least twice the average of the other ages).

## Driver Gender



Males account for 69.58% of crashes in which restraints are not used, and they are overrepresented by a factor of 1.29. Since they do the majority of the driving, they become a clear target for restraint countermeasures.

## Driver Gender by Severity

CARE 9.2.0.13 - [Crosstab - 2008-2012 Alabama Integrated Crash Data - C109: CU Driver Gender vs. C024: Crash Severity - Filter = 201...

File Filters Analysis Search Continuous Crosstab Tools Help

Default Data Source: 2008-2012 Alabama Integrated Crash Da Default Filter: 2010-2012 Restraints Not Used Filter Logic - (C323: CU D

Select Cells: Suppress Zero Values: None Column: C109: CU Driver Gender; Row: C024: Crash Severity

|                         | Male            | Female         | Unknown       | Not Applicable | CU is Not a Vehicle | CU is Unknown | TOTAL            |
|-------------------------|-----------------|----------------|---------------|----------------|---------------------|---------------|------------------|
| Fatal Injury            | 721<br>7.14%    | 224<br>5.34%   | 0<br>0.00%    | 0<br>0.00%     | 9<br>19.15%         | 0<br>0.00%    | 954<br>6.55%     |
| Incapacitating Injury   | 2334<br>23.12%  | 964<br>22.97%  | 3<br>1.44%    | 1<br>20.00%    | 9<br>19.15%         | 0<br>0.00%    | 3311<br>22.75%   |
| Non-Incapacitating Inju | 2227<br>22.06%  | 956<br>22.78%  | 7<br>3.37%    | 1<br>20.00%    | 14<br>29.79%        | 0<br>0.00%    | 3205<br>22.02%   |
| Possible Injury         | 639<br>6.33%    | 369<br>8.79%   | 9<br>4.33%    | 0<br>0.00%     | 7<br>14.89%         | 0<br>0.00%    | 1024<br>7.04%    |
| Property Damage Only    | 4007<br>39.69%  | 1601<br>38.15% | 176<br>84.62% | 3<br>60.00%    | 5<br>10.64%         | 0<br>0.00%    | 5792<br>39.80%   |
| Unknown                 | 169<br>1.67%    | 83<br>1.98%    | 13<br>6.25%   | 0<br>0.00%     | 3<br>6.38%          | 0<br>0.00%    | 268<br>1.84%     |
| TOTAL                   | 10097<br>69.38% | 4197<br>28.84% | 208<br>1.43%  | 5<br>0.03%     | 47<br>0.32%         | 0<br>0.00%    | 14554<br>100.00% |

When driver gender by severity was studied, data indicates that “Possible Injuries” are over-represented for female drivers in this type of crash.



## Restraints Not Used Causal Driver Age 16-20 – Times

CARE 9.2.0.13 - [Crosstab - 2008-2012 Alabama Integrated Crash Data - C006: Day of the Week vs. C008: Time of Day - Filter = 2010-2012 Restraints Not Used Causal Driver 16-20]

FileFiltersAnalysisSearchContinuousCrosstabToolsHelp

Default Data Source: 2008-2012 Alabama Integrated Crash DataDefault Filter: 2010-2012 Restraints Not Used Causal Driver 16-20Filter Logic - (( C323: CU Driver/Non-Motorist Safety Eq

Select Cells: Suppress Zero Values: NoneColumn: C006: Day of the Week; Row: C008: Time of Day

|                            | Sunday        | Monday        | Tuesday       | Wednesday     | Thursday      | Friday        | Saturday      | TOTAL           |
|----------------------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|-----------------|
| 12:00 Midnight to 12:59 AM | 31<br>7.71%   | 7<br>2.13%    | 10<br>2.63%   | 11<br>2.91%   | 15<br>3.92%   | 6<br>1.41%    | 31<br>6.62%   | 111<br>4.01%    |
| 1:00 AM to 1:59 AM         | 22<br>5.47%   | 2<br>0.61%    | 8<br>2.11%    | 8<br>2.12%    | 10<br>2.61%   | 10<br>2.35%   | 29<br>6.20%   | 89<br>3.22%     |
| 2:00 AM to 2:59 AM         | 25<br>6.22%   | 9<br>2.74%    | 4<br>1.05%    | 8<br>2.12%    | 9<br>2.35%    | 4<br>0.94%    | 25<br>5.34%   | 84<br>3.04%     |
| 3:00 AM to 3:59 AM         | 20<br>4.98%   | 7<br>2.13%    | 6<br>1.58%    | 10<br>2.65%   | 7<br>1.83%    | 9<br>2.12%    | 27<br>5.77%   | 86<br>3.11%     |
| 4:00 AM to 4:59 AM         | 16<br>3.98%   | 4<br>1.22%    | 2<br>0.53%    | 3<br>0.79%    | 5<br>1.31%    | 12<br>2.82%   | 21<br>4.49%   | 63<br>2.28%     |
| 5:00 AM to 5:59 AM         | 14<br>3.48%   | 8<br>2.43%    | 11<br>2.89%   | 6<br>1.59%    | 8<br>2.09%    | 9<br>2.12%    | 12<br>2.56%   | 68<br>2.46%     |
| 6:00 AM to 6:59 AM         | 13<br>3.23%   | 6<br>1.82%    | 7<br>1.84%    | 6<br>1.59%    | 6<br>1.57%    | 8<br>1.88%    | 21<br>4.49%   | 67<br>2.42%     |
| 7:00 AM to 7:59 AM         | 8<br>1.99%    | 19<br>5.78%   | 29<br>7.63%   | 36<br>9.52%   | 31<br>8.09%   | 29<br>6.82%   | 9<br>1.92%    | 161<br>5.82%    |
| 8:00 AM to 8:59 AM         | 9<br>2.24%    | 7<br>2.13%    | 13<br>3.42%   | 11<br>2.91%   | 14<br>3.66%   | 2<br>0.47%    | 8<br>1.71%    | 64<br>2.31%     |
| 9:00 AM to 9:59 AM         | 8<br>1.99%    | 8<br>2.43%    | 11<br>2.89%   | 8<br>2.12%    | 8<br>2.09%    | 7<br>1.65%    | 10<br>2.14%   | 60<br>2.17%     |
| 10:00 AM to 10:59 AM       | 11<br>2.74%   | 14<br>4.26%   | 10<br>2.63%   | 12<br>3.17%   | 7<br>1.83%    | 10<br>2.35%   | 14<br>2.99%   | 78<br>2.82%     |
| 11:00 AM to 11:59 AM       | 14<br>3.48%   | 7<br>2.13%    | 12<br>3.16%   | 21<br>5.56%   | 11<br>2.87%   | 7<br>1.65%    | 14<br>2.99%   | 86<br>3.11%     |
| 12:00 Noon to 12:59 PM     | 16<br>3.98%   | 20<br>6.08%   | 20<br>5.26%   | 17<br>4.50%   | 13<br>3.39%   | 22<br>5.18%   | 17<br>3.63%   | 125<br>4.52%    |
| 1:00 PM to 1:59 PM         | 16<br>3.98%   | 14<br>4.26%   | 16<br>4.21%   | 15<br>3.97%   | 14<br>3.66%   | 12<br>2.82%   | 17<br>3.63%   | 104<br>3.76%    |
| 2:00 PM to 2:59 PM         | 18<br>4.48%   | 18<br>5.47%   | 14<br>3.68%   | 25<br>6.61%   | 22<br>5.74%   | 22<br>5.18%   | 17<br>3.63%   | 136<br>4.92%    |
| 3:00 PM to 3:59 PM         | 21<br>5.22%   | 34<br>10.33%  | 39<br>10.26%  | 31<br>8.20%   | 42<br>10.97%  | 43<br>10.12%  | 16<br>3.42%   | 226<br>8.17%    |
| 4:00 PM to 4:59 PM         | 20<br>4.98%   | 25<br>7.60%   | 28<br>7.37%   | 34<br>8.99%   | 24<br>6.27%   | 32<br>7.53%   | 21<br>4.49%   | 184<br>6.65%    |
| 5:00 PM to 5:59 PM         | 15<br>3.73%   | 23<br>6.99%   | 35<br>9.21%   | 21<br>5.56%   | 32<br>8.36%   | 25<br>5.88%   | 18<br>3.85%   | 169<br>6.11%    |
| 6:00 PM to 6:59 PM         | 25<br>6.22%   | 29<br>8.81%   | 26<br>6.84%   | 16<br>4.23%   | 23<br>6.01%   | 22<br>5.18%   | 29<br>6.20%   | 170<br>6.15%    |
| 7:00 PM to 7:59 PM         | 21<br>5.22%   | 13<br>3.95%   | 17<br>4.47%   | 24<br>6.35%   | 13<br>3.39%   | 15<br>3.53%   | 20<br>4.27%   | 123<br>4.45%    |
| 8:00 PM to 8:59 PM         | 15<br>3.73%   | 19<br>5.78%   | 21<br>5.53%   | 16<br>4.23%   | 20<br>5.22%   | 18<br>4.24%   | 18<br>3.85%   | 127<br>4.59%    |
| 9:00 PM to 9:59 PM         | 16<br>3.98%   | 12<br>3.65%   | 15<br>3.95%   | 15<br>3.97%   | 21<br>5.48%   | 28<br>6.59%   | 18<br>3.85%   | 125<br>4.52%    |
| 10:00 PM to 10:59 PM       | 15<br>3.73%   | 10<br>3.04%   | 13<br>3.42%   | 10<br>2.65%   | 18<br>4.70%   | 30<br>7.06%   | 25<br>5.34%   | 121<br>4.38%    |
| 11:00 PM to 11:59 PM       | 13<br>3.23%   | 14<br>4.26%   | 13<br>3.42%   | 13<br>3.44%   | 10<br>2.61%   | 43<br>10.12%  | 31<br>6.62%   | 137<br>4.95%    |
| Unknown                    | 0<br>0.00%    | 0<br>0.00%    | 0<br>0.00%    | 1<br>0.26%    | 0<br>0.00%    | 0<br>0.00%    | 0<br>0.00%    | 1<br>0.04%      |
| TOTAL                      | 402<br>14.54% | 329<br>11.90% | 380<br>13.74% | 378<br>13.67% | 383<br>13.85% | 425<br>15.37% | 468<br>16.93% | 2765<br>100.00% |

Crosstab analysis of specific times of day by day of the week for crashes in which the causal driver was between the ages of 16-20 also help target specifically problematic times in which younger drivers are more likely to get into crashes. The most consistently over-represented times include early morning hours on weekend days.

## Restraints Not Used Causal Driver Age 21-25 – Times

CARE 9.2.0.13 - [Crosstab - 2008-2012 Alabama Integrated Crash Data - C006: Day of the Week vs. C008: Time of Day - Filter = 2010-2012 Restraints Not Used Causal Driver 21-25]

FileFiltersAnalysisSearchContinuousCrosstabToolsHelp

Default Data Source: 2008-2012 Alabama Integrated Crash Data

Default Filter: 2010-2012 Restraints Not Used Causal Driver 21-25

Filter Logic - (( C323: CU Driver/Non-Motorist Safety Eq

Select Cells: Suppress Zero Values: None

Column: C006: Day of the Week; Row: C008: Time of Day

|                            | Sunday        | Monday        | Tuesday       | Wednesday     | Thursday      | Friday        | Saturday      | TOTAL           |
|----------------------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|-----------------|
| 12:00 Midnight to 12:59 AM | 24<br>5.93%   | 9<br>3.06%    | 12<br>3.76%   | 15<br>4.67%   | 10<br>3.26%   | 13<br>3.15%   | 30<br>6.11%   | 113<br>4.43%    |
| 1:00 AM to 1:59 AM         | 28<br>6.91%   | 7<br>2.38%    | 9<br>2.82%    | 6<br>1.87%    | 11<br>3.58%   | 18<br>4.36%   | 31<br>6.31%   | 110<br>4.31%    |
| 2:00 AM to 2:59 AM         | 48<br>11.85%  | 9<br>3.06%    | 9<br>2.82%    | 5<br>1.56%    | 5<br>1.63%    | 14<br>3.39%   | 37<br>7.54%   | 127<br>4.98%    |
| 3:00 AM to 3:59 AM         | 38<br>9.38%   | 6<br>2.04%    | 3<br>0.94%    | 9<br>2.80%    | 6<br>1.95%    | 19<br>4.60%   | 42<br>8.55%   | 123<br>4.82%    |
| 4:00 AM to 4:59 AM         | 21<br>5.19%   | 9<br>3.06%    | 4<br>1.25%    | 10<br>3.12%   | 4<br>1.30%    | 21<br>5.08%   | 27<br>5.50%   | 96<br>3.76%     |
| 5:00 AM to 5:59 AM         | 21<br>5.19%   | 8<br>2.72%    | 8<br>2.51%    | 4<br>1.25%    | 13<br>4.23%   | 10<br>2.42%   | 18<br>3.67%   | 82<br>3.22%     |
| 6:00 AM to 6:59 AM         | 16<br>3.95%   | 8<br>2.72%    | 9<br>2.82%    | 11<br>3.43%   | 9<br>2.93%    | 15<br>3.63%   | 17<br>3.46%   | 85<br>3.33%     |
| 7:00 AM to 7:59 AM         | 17<br>4.20%   | 9<br>3.06%    | 16<br>5.02%   | 15<br>4.67%   | 9<br>2.93%    | 12<br>2.91%   | 7<br>1.43%    | 85<br>3.33%     |
| 8:00 AM to 8:59 AM         | 7<br>1.73%    | 13<br>4.42%   | 14<br>4.39%   | 16<br>4.98%   | 11<br>3.58%   | 5<br>1.21%    | 15<br>3.05%   | 81<br>3.18%     |
| 9:00 AM to 9:59 AM         | 3<br>0.74%    | 10<br>3.40%   | 12<br>3.76%   | 12<br>3.74%   | 8<br>2.61%    | 11<br>2.66%   | 11<br>2.24%   | 67<br>2.63%     |
| 10:00 AM to 10:59 AM       | 5<br>1.23%    | 10<br>3.40%   | 13<br>4.08%   | 11<br>3.43%   | 10<br>3.26%   | 15<br>3.63%   | 10<br>2.04%   | 74<br>2.90%     |
| 11:00 AM to 11:59 AM       | 10<br>2.47%   | 12<br>4.08%   | 12<br>3.76%   | 11<br>3.43%   | 11<br>3.58%   | 10<br>2.42%   | 18<br>3.67%   | 84<br>3.29%     |
| 12:00 Noon to 12:59 PM     | 9<br>2.22%    | 10<br>3.40%   | 13<br>4.08%   | 22<br>6.85%   | 23<br>7.49%   | 19<br>4.60%   | 11<br>2.24%   | 107<br>4.20%    |
| 1:00 PM to 1:59 PM         | 9<br>2.22%    | 12<br>4.08%   | 12<br>3.76%   | 21<br>6.54%   | 21<br>6.84%   | 18<br>4.36%   | 11<br>2.24%   | 104<br>4.08%    |
| 2:00 PM to 2:59 PM         | 13<br>3.21%   | 18<br>6.12%   | 19<br>5.96%   | 12<br>3.74%   | 15<br>4.89%   | 17<br>4.12%   | 13<br>2.65%   | 107<br>4.20%    |
| 3:00 PM to 3:59 PM         | 14<br>3.46%   | 19<br>6.46%   | 20<br>6.27%   | 15<br>4.67%   | 20<br>6.51%   | 20<br>4.84%   | 19<br>3.87%   | 127<br>4.98%    |
| 4:00 PM to 4:59 PM         | 16<br>3.95%   | 20<br>6.80%   | 24<br>7.52%   | 19<br>5.92%   | 26<br>8.47%   | 25<br>6.05%   | 14<br>2.85%   | 144<br>5.65%    |
| 5:00 PM to 5:59 PM         | 17<br>4.20%   | 22<br>7.48%   | 19<br>5.96%   | 18<br>5.61%   | 24<br>7.82%   | 26<br>6.30%   | 20<br>4.07%   | 146<br>5.73%    |
| 6:00 PM to 6:59 PM         | 15<br>3.70%   | 16<br>5.44%   | 23<br>7.21%   | 24<br>7.48%   | 18<br>5.86%   | 15<br>3.63%   | 26<br>5.30%   | 137<br>5.37%    |
| 7:00 PM to 7:59 PM         | 15<br>3.70%   | 9<br>3.06%    | 16<br>5.02%   | 18<br>5.61%   | 11<br>3.58%   | 25<br>6.05%   | 17<br>3.46%   | 111<br>4.35%    |
| 8:00 PM to 8:59 PM         | 16<br>3.95%   | 17<br>5.78%   | 12<br>3.76%   | 6<br>1.87%    | 10<br>3.26%   | 18<br>4.36%   | 27<br>5.50%   | 106<br>4.16%    |
| 9:00 PM to 9:59 PM         | 15<br>3.70%   | 13<br>4.42%   | 15<br>4.70%   | 17<br>5.30%   | 14<br>4.56%   | 19<br>4.60%   | 21<br>4.28%   | 114<br>4.47%    |
| 10:00 PM to 10:59 PM       | 15<br>3.70%   | 12<br>4.08%   | 11<br>3.45%   | 12<br>3.74%   | 9<br>2.93%    | 28<br>6.78%   | 30<br>6.11%   | 117<br>4.59%    |
| 11:00 PM to 11:59 PM       | 12<br>2.96%   | 15<br>5.10%   | 13<br>4.08%   | 12<br>3.74%   | 9<br>2.93%    | 20<br>4.84%   | 19<br>3.87%   | 100<br>3.92%    |
| Unknown                    | 1<br>0.25%    | 1<br>0.34%    | 1<br>0.31%    | 0<br>0.00%    | 0<br>0.00%    | 0<br>0.00%    | 0<br>0.00%    | 3<br>0.12%      |
| TOTAL                      | 405<br>15.88% | 294<br>11.53% | 319<br>12.51% | 321<br>12.59% | 307<br>12.04% | 413<br>16.20% | 491<br>19.25% | 2550<br>100.00% |

Crosstab analysis of specific times of day by day of the week for crashes in which the causal driver was between the ages of 21-25 also help target specifically problematic times in which drivers in a different age range are more likely to get into crashes. The most consistently over-represented times include early morning hours on weekend days and afternoon hours on week-days.



## Summary and Conclusions

- Geographical Factors
  - Counties with the greatest over-representation factors for unrestrained driver crashes include Walker, Talladega, Escambia and Jackson.
  - The number of crashes involving drivers who use no restraints is greatly overrepresented in rural areas in comparison to the urban areas. The odds ratio for rural areas is well over twice what would be expected if rural and urban restraint use were the same.
  - The most overrepresented (worse) areas are the rural county areas in Walker, Mobile, Cullman, and Escambia.
  - The most under-represented (best) cities are Montgomery, Birmingham, Mobile, and Tuscaloosa.
  - Crash incidents with no driver restraints being used are greatly overrepresented on county highways, with 2.5 times the expected number of crashes. County was the only roadway classification that was overrepresented.
  - In the analysis of locale, crashes involving no restraints are most commonly overrepresented in open country areas.
- Time Factors
  - The weekend days are the most overrepresented days of the week for crashes in which drivers did not use restraints. This correlates highly with impaired driving crashes.
  - In the evaluation of time of day, overrepresentation peaks during the 12 PM to 5 AM period and then tapers off, falling back below crashes involving causal drivers who use restraints in the 7 AM to 7 PM time periods. Additional cross-tabulations were performed for specific target groups (see below).
- Crash Causal Factors
  - The overrepresentation factors indicate that certain risk-taking behaviors are often associated with crashes in which restraints are not used, including DUI, over the speed limit, running off the road, aggressive operation, and fatigue/sleep.
  - Crashes attributed to drivers who used no restraints are greatly overrepresented in vehicles with model years 1960-1989, which could be attributed to the lack of standard safety restraints in these older model vehicles, or perhaps the removal of these safety devices over time.
  - The speed at impact for crashes for this type of crash is overrepresented in all of the categories above 40 MPH, indicating that these crashes consistently occur at higher speeds than crashes in which restraints were used by the causal driver.

- Severity Factors
  - Fatal, incapacitating, and non-incapacitating injuries are all overrepresented in crashes where drivers were not restrained; this analysis quantified the benefits of the restraint use.
  - Fatal injuries in crashes where no restraints are used are overrepresented on interstate and state roadways. “Possible Injuries” were overrepresented on municipal highways.
  - Analysis of injuries shows that the proportion of injuries (including fatalities) in unrestrained driver crashes is overrepresented from 1 to 6 injuries per crash. Crashes without restraints are clearly causing much more severe injuries.
  - The proportion of fatalities in general as well as the proportion of multiple fatality crashes is dramatically overrepresented in crashes where the causal driver is unrestrained.
  - As expected, ejection of the unrestrained driver is overrepresented, indicating one major cause for many fatalities in which safety equipment is not properly utilized.
  - All types of injuries, including fatalities, are consistently overrepresented in crashes where no restraints were used.
- Driver Demographics
  - Analysis of individual driver ages indicates that crashes involving no restraints are overrepresented in drivers in and immediately above the teen driver classification (age range 16-35).
  - Male drivers account for a majority of crashes in which restraints are not used, and they are overrepresented by a factor of 1.29.
- Analysis of Time of Day by Day of Week. Crosstab analyses of time of day by day of the week of crashes in which restraints were not used enables officers to determine target times and days to enforce restraint laws so that this severe crashes may be prevented. Three analyses were performed and compared for three target groups: rural crashes, crashes caused by drivers 16-20, and crashes caused by drivers 21-25. While the rural and 21-25 crosstabs were expected to correlate very heavily with impaired driving, it was found that the 16-20 year old causal drivers were not very much different. It seems clear that while they might not be involved with alcohol or drugs, they are out and engaged in risk-taking practices at the same time as the impaired driving by their older driver counterparts, further compounding the problem at these times. The drivers 16-20 would also reasonably be expected to be overrepresented in the week-day after school hours in the proximity of their schools and after-school activities.

# Alabama Performance Report

## TRAFFIC SAFETY PERFORMANCE MEASURES

### C-1) Number of traffic fatalities (FARS)

| <u>2008</u> | <u>2009</u> | <u>2010</u> | <u>2011</u> | <u>Goal</u> |
|-------------|-------------|-------------|-------------|-------------|
| 969         | 848         | 862         | 894         | 875         |

Based on the above analysis of the FARS data from 2008 through 2012, the goal for calendar year 2014 was to reduce the number of fatalities from its four year baseline of 893 to 875 traffic fatalities. The FARS total number of traffic fatalities in 2012 was 865. The goal was achieved.

### C-2) Number of severe injuries in traffic crashes (State crash data files – most severe category: “A” Injuries.)

| <u>2009</u> | <u>2010</u> | <u>2011</u> | <u>2012</u> | <u>Goal</u> |
|-------------|-------------|-------------|-------------|-------------|
| 15,131      | 10,544      | 9,904       | 8,974       | 7,750       |

Based on the above analysis of the Alabama data from 2009 through 2012 ,the goal for calendar year 2014 was to reduce the number of severe injuries from its four-year (2009-2012) baseline of 11,138 to 7,750. The State total number of severe injuries in 2012 was 8,974. The goal was not achieved. Calendar year 2012 had higher than average multiple injuries for a single crash. There were more recorded crashes for 2012 with 3 or more injuries compared to the 5 year average.

### C-3) Fatalities/100M VMT (FARS, FHWA)

#### **Rural Fatalities/100M VMT**

| <u>2008</u> | <u>2009</u> | <u>2010</u> | <u>Goal</u> |
|-------------|-------------|-------------|-------------|
| 2.10        | 1.69        | 1.72        | 1.70        |

Based on the above analysis of the FARS crash data from 2008 through 2010, the goal for calendar year 2014 was a reduction from the 1.84 baseline to 1.70 rural fatalities per 100M VMT. The FARS actual total Rural Fatalities per 100M VMT in 2012 was 1.68. The goal was achieved.

#### **Urban Fatalities/100M VMT**

| <u>2008</u> | <u>2009</u> | <u>2010</u> | <u>Goal</u> |
|-------------|-------------|-------------|-------------|
| 1.18        | 1.08        | .97         | .95         |

Based on the above analysis of the FARS crash data from 2008 through 2010, the goal for calendar year 2014 was a reduction from the 1.08 baseline to 0.95 urban fatalities per 100M VMT. The FARS actual total Urban Fatalities per 100M VMT in 2012 was .99. The goal was not achieved. Run-off-road crashes were the only primary contributing circumstance that had a substantial increase in fatal crashes compared to previous years.

#### **Total Fatalities/100M VMT**

| <u>2008</u> | <u>2009</u> | <u>2010</u> | <u>2011</u> | <u>Goal</u> |
|-------------|-------------|-------------|-------------|-------------|
| 1.63        | 1.38        | 1.34        | 1.38        | 1.35        |

Based on the above analysis of the FARS crash data from 2008 through 2010, the goal for calendar year 2014 was a reduction from the 1.43 baseline to 1.35 urban fatalities per 100M VMT. The FARS actual Total Fatalities per 100M VMT in 2012 was 1.33. The goal was achieved.

#### **C-4) Number of unrestrained passenger vehicle occupant fatalities, all seat positions (FARS)**

| <u>2008</u> | <u>2009</u> | <u>2010</u> | <u>2011</u> | <u>Goal</u> |
|-------------|-------------|-------------|-------------|-------------|
| 452         | 378         | 394         | 382         | 375         |

Based on the above analysis of the FARS crash data from 2008 through 2011, the goal for calendar year 2014 was a reduction from the 402 baseline to 375 unrestrained occupant fatalities. The FARS actual total of unrestrained passenger vehicle fatalities in 2012 was 354. The goal was achieved.

#### **C-5) Number of fatalities in crashes involving a driver (or motorcycle operator) with a BAC of .08 and above (FARS)**

| <u>2008</u> | <u>2009</u> | <u>2010</u> | <u>2011</u> | <u>Goal</u> |
|-------------|-------------|-------------|-------------|-------------|
| 314         | 267         | 264         | 261         | 250         |

Based on the above analysis of the FARS crash data from 2008 through 2011, the goal for calendar year 2014 was a reduction from the 277 baseline to 250 fatalities involving a driver with a BAC .08 and above. The FARS actual total of fatalities in crashes involving a driver (Or motorcycle operator) with a BAC of .08 and above in 2012 was 257. The goal was not achieved. A contributing factor in not achieving the goal was reductions in manpower and budget.

C-6) Number of speeding-related fatalities (FARS)

| <u>2008</u> | <u>2009</u> | <u>2010</u> | <u>2011</u> | <u>Goal</u> |
|-------------|-------------|-------------|-------------|-------------|
| 447         | 327         | 316         | 298         | 280         |

Based on the above analysis of the FARS crash data from 2008 through 2011, the goal for calendar year 2014 was a reduction from the 347 baseline to 280 speed-related fatalities. The FARS actual number of speeding- related fatalities in 2012 was 272. The goal was achieved.

C-7) Number of motorcyclist fatalities (FARS)

| <u>2008</u> | <u>2009</u> | <u>2010</u> | <u>2011</u> | <u>Goal</u> |
|-------------|-------------|-------------|-------------|-------------|
| 100         | 76          | 86          | 98          | 90          |

Based on the above analysis of the FARS crash data from 2008 through, the goal for calendar year 2014 was 90 motorcycle fatalities. The FARS actual total of motorcyclist fatalities in 2012 was 97. The goal was not achieved. The primary current issue with motorcycle fatalities is a combination of (1) more motorcycle use due to the recession and high fuel prices and (2) the number of older drivers who have taken to motorcycle use.

C-8) Number of un-helmeted motorcyclist fatalities (FARS)

| <u>2008</u> | <u>2009</u> | <u>2010</u> | <u>2011</u> | <u>Goal</u> |
|-------------|-------------|-------------|-------------|-------------|
| 15          | 7           | 5           | 10          | 8           |

Based on the above analysis of the FARS crash data from 2008 through 2011, the goal for calendar year 2014 was 8 un-helmeted motorcyclist fatalities. The FARS total number of un-helmeted motorcyclist fatalities in 2012 was 10. The goal was not achieved. The same problem that is causing increased motorcycle fatalities in general would also impact un-helmeted fatalities.

C-9) Number of drivers age 20 or younger involved in fatal crashes (FARS)

| <u>2008</u> | <u>2009</u> | <u>2010</u> | <u>2011</u> | <u>Goal</u> |
|-------------|-------------|-------------|-------------|-------------|
| 163         | 140         | 140         | 136         | 130         |

Based on the above analysis of the FARS crash data from 2008 through 2011, the goal for calendar year 2014 was 130 fatalities. The FARS actual number of drivers age 20 or younger involved in fatal crashes in 2012 was 139. The goal was not achieved. There was an increase in the incidences of “air bag not deployed” , “trapped in vehicle”, and pedestrian fatalities.

C-10) Number of pedestrian fatalities (FARS)

| <u>2008</u> | <u>2009</u> | <u>2010</u> | <u>2011</u> | <u>Goal</u> |
|-------------|-------------|-------------|-------------|-------------|
| 68          | 64          | 61          | 79          | 64          |

Based on the above analysis of the FARS crash data from 2008 through 2011, the goal for calendar year 2014 was 64 pedestrian fatalities. The FARS total number of pedestrian fatalities in 2012 was 77. The goal was not achieved. The primary contributing circumstances related to these fatalities was improper crossing and not wearing reflective apparel, thereby limiting visibility.

B-1) The observed seat belt use for passenger vehicles, front seat outboard occupants (survey).

| <u>2009</u> | <u>2010</u> | <u>2011</u> | <u>2012</u> | <u>Goal</u> |
|-------------|-------------|-------------|-------------|-------------|
| 90.0%       | 91.4%       | 88.0%       | 89.5%       | 90.5%       |

Based on the above analysis of the Alabama seatbelt survey data from 2008 through 2012, the goal for calendar year 2014 was an increase to 90.50 percent seat belt use. The actual NHTSA certified observed seat belt usage rate in 2013 was 97.3 percent. The goal was achieved.

## **Traffic Safety Activity Measures**

### **Number of speeding citations**

| <u>2009</u> | <u>2010</u> | <u>2011</u> | <u>2012</u> | <u>Goal</u> |
|-------------|-------------|-------------|-------------|-------------|
| 50,693      | 49,003      | 61,054      | 42,067      | 45,000      |

Based on the above analysis of the Alabama citation data from 2009 through 2012, the goal for calendar year 2014 was 45,000 speeding citations. The total number of speeding citations in 2013 was 57,670.

### **Number of impaired driving arrests**

| <u>2009</u> | <u>2010</u> | <u>2011</u> | <u>2012</u> | <u>Goal</u> |
|-------------|-------------|-------------|-------------|-------------|
| 3,374       | 5,108       | 4,867       | 2,041       | 3,500       |

Based on the above analysis of the Alabama citation data from 2009 through 2012, the goal for calendar year 2014 was 3,500 impaired driving arrests. The total number of impaired driving arrests in 2013 was 2,508.

### **Number of seat belt citations**

| <u>2009</u> | <u>2010</u> | <u>2011</u> | <u>2012</u> | <u>Goal</u> |
|-------------|-------------|-------------|-------------|-------------|
| 34,328      | 36,341      | 43,384      | 30,425      | 36,500      |

Based on the above analysis of the Alabama citation data from 2009 through 2012, the goal for calendar year 2014 was 36,500 speeding citations. The total number of seat belt citations for 2013 was 25,536.

# Alabama Overtime Grant Review Policy and Procedures

Beginning in October of 2012, the Alabama Office of Highway Safety conducts on-site reviews of local law enforcement agencies that participate in grant funded overtime projects. The reviews are conducted by AOHS staff and include the review of regular and overtime hour timesheets, activity reports, activities and milestones, examination of the stated goals and objectives versus progress achieved, check for supervisor's signatures, and ensure the program grant funds were used correctly in accordance with the grant program requirements. Results are then documented and discussed with subgrantees. Any additional action, including reimbursement of funds, necessary with regard to program activities or management is noted and followed through by the AOHS staff. This exercise has been recognized as a best practice by NHTSA during the 2014 Management Review.

Included below is the established policy regarding on-site agency reviews.

The purpose of the review is to ensure that the law enforcement agencies who receive overtime funding from ADECA/LETS are in compliance with their requirements for overtime funding. Conducting periodic reviews will identify whether there are deficiencies in the claim submission process which may result in inaccurate claims.

## 1. Review Plan

- a. The Highway Traffic Safety Manager (HTSM) will make the determination as to which agencies are reviewed.
- b. The HTSM will contact the appropriate CTSP Regional Director to inform him/her that an agency in their region has been selected for a review.
- c. The CTSP Regional Director is responsible to notify the agency of said review and to ensure that all relevant personnel (chief/sheriff or their designated representative, city clerk or other payroll personnel, etc.) can attend or provide the necessary documentation needed to perform the review.
- d. It is the responsibility of the CTSP Regional Director to coordinate a date and time for the audit that accommodates the schedule of all relevant parties.
- e. The CTSP Regional Director will inform the agency of the documents that will need to be made available to facilitate the review. These documents include, but are not limited to, the following:
  - i. Agency's Overtime Policy
  - ii. Agreement for Overtime Funds
  - iii. Reimbursement claims submitted to ADECA/LETS for payment (The grant numbers and exact reimbursement claims may be provided prior to the review or may be determined on the day of the review.) The reimbursement claim should include the following documents:
    1. Reimbursement Form
    2. Contact Report(s)
    3. Operational Plan
    4. Roll-Up Form



- iv. Copies of citations and warnings listed on the contact report and roll-up sheet
- v. Time sheets/cards showing overtime worked
- vi. Payroll records showing payment to the officer(s) for overtime claimed

## **2. Conducting the Review**

- a. The review will be conducted by the HTSM and review staff.
- b. The HTSM and review staff will determine which grants and reimbursement claims will be audited and will review all supporting documentation for each claim made by the agency.
- c. Depending on what the review reveals, the HTSM and review staff may ask for clarification of certain items or request additional supporting documentation.

## **3. Review Results**

- a. Following the review, a Summary of Review and Findings will be generated.
- b. If the result of the review suggests or demonstrates that the agency received an overpayment, the HTSM will evaluate the amount of the overpayment and circumstances surrounding the overpayment, in accordance with established policies managing state and federal funds management, and make a recommendation as to whether the agency needs to make restitution.
- c. The HTSM will make his recommendations to the Law Enforcement and Traffic Safety Division Chief and the Public Safety Unit Chief. Upon their approval, the HTSM will send the CTSP Regional Director the Summary of Review and Findings and a letter stating the recommendations.
- d. It is the responsibility of the CTSP Regional Director to send a letter to the agency explaining what the findings were and the appropriate action, if any, that needs to be taken.



U.S. Department  
of Transportation  
**National Highway  
Traffic Safety  
Administration**

Region 4  
Alabama, Florida, Georgia,  
South Carolina, Tennessee

Atlanta Federal Center  
61 Forsyth Street, S.W.  
Suite 17T30  
Atlanta, GA 30303-3104  
Phone: 404-562-3739  
Fax: 404-562-3763

September 1, 2014

Mr. William Babington, Division Chief  
Law Enforcement and Traffic Safety Division  
Alabama Department of Economic and Community Affairs  
P.O. Box 5690  
Montgomery, Alabama 36103-5690



Dear Mr. Babington:

We have reviewed Alabama's fiscal year 2015 Highway Safety Plan (HSP) as received on July 1, 2014. Based on this submission and subsequent revisions, we find your State's HSP to be in compliance with the requirements of 23 CFR Part 1200 and the HSP is approved.

*This determination does not constitute an obligation of Federal funds for the fiscal year identified above or an authorization to incur costs against those funds. The obligation of Section 402 program funds will be effected in writing by the NHTSA Administrator at the commencement of the fiscal year identified above. However, Federal funds reprogrammed from a prior-year HSP (carry-forward funds) will be available for immediate use by the State on October 1, 2014. Reimbursement will be contingent upon the submission of an updated HS Form 217 (or the electronic equivalent) and an updated project list, consistent with the requirement of 23 CFR §1200.15(d), within 30 days after either the beginning of the fiscal year identified above or the date of this letter, whichever is later.*

In our review of the documents submitted, we did not identify any proposed purchase of equipment with an acquisition cost of \$5,000 or more, therefore, no approval is provided for purchase of such equipment with Federal funds.

The efforts of the personnel of the Alabama Highway Safety Office in the development of the FY2015 highway safety program are very much appreciated. We look forward to the implementation of the FY2015 program.

We appreciate Alabama's efforts to reduce traffic deaths, injuries, and economic costs by implementing Click It or Ticket, and by participating in the national Drive Sober or Get Pulled Over campaign. If we can be of assistance to you in achieving your traffic safety goals, please do not hesitate to contact us.



We look forward to working with the Alabama Department of Economic and Community Affairs, Law Enforcement and Traffic Safety Division (ADECA/LETS) and its partners on the successful implementation of this plan.

Sincerely,

A handwritten signature in dark ink, appearing to read 'Carmen N. Hayes', is written over the printed name.

Carmen N. Hayes  
Regional Administrator

cc:

Bill Whatley, Public Safety Unit Chief, ADECA/LETS  
Mark Bartlett, Division Administrator, FHWA  
Mary D. Gunnels, Associate Administrator, ROPD